Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62,57



LIBRARY

MAR 25 1948

Department of Agriculture

PRINCETON PRODUCTS

WM FLEMER JR.



Wholesale Price List SPRING, 1948

PRINCETON NURSERIES

William Flemer's Sons, Inc. PRINCETON, N. J. Tel. 1776

FOREWORD

The ornamental line offered here is, we believe, the most complete assortment offered in the wholesale trade today.

In addition to the stock listed, we have many scarce and hard-to-find items too numerous to list. Write us about your special needs.

Our list is constantly being improved, and you can look forward to Princeton having many more desirable items you will want.

In our never ceasing efforts to render the best of service, we are constructing a sizable addition to our shipping department and will be better prepared to quickly take care of your requirements.

To make sure of ample help at peak seasons, we have completed a very modern dormitory-style living quarters with dining room to accommodate fifty men. Help is brought in from outlying districts when necessary. These additions and improved facilities mean quicker and better service to you.

Business is good and we anticipate heavy additional sales.

We are prepared to serve you well and efficiently. Price reductions have been made where possible.

Early purchase assures better assortment.

We solicit your patronage and would be pleased to see you at Princeton.

PRINCETON NURSERIES

Princeton, New Jersey

Wm. Flemer, Jr.
President

Conditions of Sale

PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice.

Terms:

PRICES: F.O.B. NURSERY AT KINGSTON, N. J.

To those with an established record for prompt payment or with satisfactory references, we are glad to extend our regular terms of thirty days from date of invoice.

- 2% DISCOUNT will be allowed for payment in ten days from date of invoice.
- 5% DISCOUNT will be allowed for CASH IN FULL with the order, providing digging or delivery is scheduled for not less than 30 days from date of order.

Orders for **shipment C.O.D.** must be accompanied by a remittance for one-third of the amount to insure acceptance. These are our only terms and no salesman or representative is authorized to alter them in any way unless confirmed from the office in writing.

25% ADDITIONAL CHARGE For SPECIAL SELECTION and TAGGING in the Nursery

Reduction in personnel makes it imperative to make a charge of 25 per cent additional on our regular listed price for the special selection and marking in the nursery of extra heavy or specimen plants. We invite inspection of our material and on quantity orders will, if requested, mark an average sample to assist our diggers in the selection of the grade wanted.

CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

SCHEDULE OF B&B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B. The size of ball for most stock is in accordance with the A.A.N. "Horticultural Standards" recommendations.

These charges are based on a *carefully dug*, solid ball of earth, *laced* with rope or wire, and handled according to the best nursery practice.

TREES, SHRUBS AND SMALL TREES

| Diam. | | Estimated | |
|---------|--------|-----------|------|
| of ball | Size | Weight | Each |
| 10" | 18/24" | 30 lbs | .60 |
| 12" | 2/3' | 45 lbs | .95 |
| 13" | 3/4' | 60 lbs. | 1.50 |
| 15" | 4/5' | 75 lbs. | 2.00 |
| 16" | 5/6' | 100 lbs. | 2.50 |
| 18" | 6/8' | 150 lbs. | |
| 21" | 8/10′ | 225 1bs. | F 00 |

Due to uncertain labor conditions, the following sizes are quoted subject to our ability to get help. In other words, we cannot guarantee to dig these sizes.

| 24" | 2" cal. | 300 lbs. | | 6.75 |
|-----|---------------------|----------|---|-------|
| 28" | $2\frac{1}{2}$ cal. | 750 lbs | | 9.25 |
| 32" | 3" cal. | 750 lbs | | 12.50 |
| 36" | $3\frac{1}{2}$ cal. | | | |
| 40" | 4" cal. | 1600 lbs | *************************************** | 25.00 |
| 44" | 4½ cal. | 2100 lbs | | 31.25 |
| 48" | 5" cal. | 2750 lbs | | 37.50 |
| 54" | | 4000 lbs | | 56.00 |
| 60" | | | | 75.00 |

The above charges apply only F.O.B. NURSERY. We will be glad to estimate a delivered price based on the terms of delivery on page 3.

Ball depth will normally be not less than 60% of the diameter, and in all cases is adjusted so as to encompass a maximum of the fibrous root system of the plant.

PLATFORMS

Platforms, if required, will be charged for at the following schedule of prices based on actual cost of labor and material.

The amount so charged will be rebated, providing customers return platforms at their own expense.

| Platform | Usual | |
|----------|------------|--------|
| size | Ball Size | Charge |
| 24" Sq. | 30" to 36" | |
| 28" Sq. | 32" to 40" | 2.25 |
| 30" Sq. | 36" to 44" | 2.50 |
| 32" Sq. | 40" to 48" | 3.00 |
| 36" Sq. | 48" to 54" | |
| 40" Sq. | 54" to 60" | |
| - | | |

BOXING CHARGES

| Length | 12x15" | 15x16" | 17x20" | 19x24" | 23x28" | 27×32" | 32x36" |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 4' | \$1.40 | 1.60 | 1.90 | 2.40 | 2.60 | 3.00 | 2.60 |
| 6' | 2.10 | 2.40 | 2.85 | 3.60 | 3.90 | 4.50 | 5.40 |
| 8' | 2.80 | 3.20 | 3.80 | 4.80 | 5.10 | 6.00 | 7.20 |
| 10' | 3.50 | 4.00 | 4.75 | 6.00 | 6.50 | 7.50 | 9.00 |
| 12' | 4.20 | 4.80 | 5.70 | 7.20 | 7.80 | 9.00 | 10.80 |
| 14' | 4.90 | 5.60 | 6.65 | 8.40 | 9.10 | 10.50 | 12.60 |
| | | | | | | | |

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

DELIVERY SERVICE

Due to the shortage of trucking facilities it is impossible at this time for us to set up a definite schedule of truck delivery charges or to guarantee deliveries. We, therefore, will be glad to estimate the delivery cost and to arrange for trucking of your orders contingent on our ability at the time to use our own equipment or hire trucking.

"CARLOADS" AND FREIGHT SHIPMENT

Whenever it is practical we recommend rail shipment by freight

or express.

With our own railroad siding connecting with the main line of the Pennsylvania Railroad and a daily pickup service on L.C.L. and express shipments, we are in a position to expedite shipment to you without delay. Consult your local agent for rates to Monmouth Junction, N. J.

GUARANTEE OF GENUINENESS

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.



If you come by rail, use Pennsylvania Railroad and get off at Princeton Junction. Call Princeton 1776. We will send a car for you.

NOTES IN EXPLANATION OF CATALOGUE

The figures following each variety indicate in feet the approximate height of that plant at maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are largely taken from the 1924 edition of "Standardized Plant Names." Changes in nomenclature according to the revised "Second Edition," which have not become generally familiar to the trade, are shown in parenthesis and cross-indexed for reference.

Our standard of grading all plants is based on a schedule which has

been adopted by the American Association of Nurserymen.

To faciliate the handling of orders and to enable us to render you quicker and better service we desire where possible, especially in deciduous material, that orders be made in multiples of 10. Many varieties are tied in 10's when graded. Your cooperation will be appreciated.

| | Unit Pric | ce in Qua | ntities |
|---|------------|-----------|-----------|
| | 1-9 | 10-49 | 50-249 |
| ABELIA Edouard Gouchet | | Ne | w Abelia |
| Evergreen. Small, medium Lilac pink flo | ower. | | |
| 9 to 12 in., pots or B&B | .75 | .60 | .50 |
| 12 to 15 in., pots or B&B | 1.05 | .90 | .70 |
| 12 to 10 min, pool of 2002 minimum | 2.00 | ••• | |
| — grandiflora, 3'-4' | | | |
| Evergreen. Lilac-white tinted flowers. E | Blooms all | summer. | |
| 12 to 15 in., pots or B&B | .75 | .60 | .50 |
| 15 to 18 in., pots or B&B | 1.05 | .90 | .70 |
| 18 to 24 in., pots or B&B | 1.30 | 1.10 | .90 |
| 2 to 3 ft., pots or B&B | 1.65 | 1.35 | 1.10 |
| | | | |
| ACANTHOPANAX pentaphylum (seiboldian | us) 7'-8' | Fivele | af Aralia |
| Glossy, rich green foliage. Succeeds in s | shaded are | eas. | |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .52 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| 4 to 5 ft | .90 | .75 | .30 |
| | | | |
| ACER — — MAPL | ES | | |
| ACER buergerianum, 40' | | Tride | nt Maple |
| Similar to our ginnala. More rapid in gr | owth. | | |
| 6 to 8 ft | 4.90 | 4.05 | 3.25 |
| 8 to 10 ft | 6.35 | 5.30 | 4.25 |
| 10 to 12 ft | 8.00 | 6.50 | 5.25 |
| | | | |

See last five pages for helpful information.

| | Unit Price in Quantities | | |
|--|--------------------------|------------|----------|
| | 1-9 | 10-49 | 50-249 |
| ACER campestre, 25' | | Hedg | ge Maple |
| Corky bark. Good in dry locations in unc | dergrowth | a. Grows s | slowly. |
| 4 to 5 ft | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft | 2.50 | 2.05 | 1.65 |
| 6 to 8 ft | 4.00 | 3.35 | 2.65 |
| 8 to 10 ft | 4.90 | 4.05 | 3.25 |
| dasycarpum, 60'-80' | | Silve | er Maple |
| Quick growing, graceful. Leaves silvery | undernea | | or mapro |
| 6 to 8 ft. | 1.10 | .95 | .75 |
| 8 to 10 ft | | 1.25 | 1.00 |
| 0 00 10 100 | 1.00 | 1.20 | 1.00 |
| — ginnala, 10'-12' | | Am | un Manla |
| | | | ur Maple |
| Compact growing. Excellent fall coloring | | | |
| 4 to 5 ft | 1.10 | .95 | .75 |
| 5 to 6 ft | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft | 2.25 | 1.90 | 1.50 |
| 8 to 10 ft | 3.00 | 2.50 | 2.00 |
| | | | |
| — negundo, 60' | | | Boxelder |
| Succeeds under adverse conditions. Good | d in seash | ore locati | ions. |
| 10 to 12 ft., 1½ to 1¾ in | 2.60 | 2.20 | 1.75 |
| 10 to 12 ft., 1 ¾ to 2 in | 3.40 | 2.80 | 2.25 |
| 12 to 14 ft., 2 to 2½ in | 4.50 | 3.75 | |
| 12 to 14 ft., 2½ to 3 in | 6.00 | 5.00 | - |



"One of our propagating houses. We have 3200 lineal feet of bench space. We think the best propagation plant in the country."

Unit Price in Quantities 1-9 10-49 50-249

JAPANESE MAPLES

| ACER palmatum atropurpurem, 6'-8' Japanese Red Map | | | | | |
|--|------------|---------|-------|--|--|
| A good dwarf tree with rich purple-red l Best in sun. | eaves an | summer. | | | |
| 12 to 15 in., B&B | 3.00 | 2.50 | 2.00 | | |
| 15 to 18 in., B&B | 3.75 | 3.00 | 2.50 | | |
| — platanoides, 50'-75' | | Norway | Maple | | |
| Most popular for street planting. Dark g | reen folia | age. | | | |
| 6 to 8 ft | 2.00 | 1.50 | 1.25 | | |
| 8 to 10 ft., 1 to 1 1/4 in | 3.00 | 2.50 | 2.00 | | |
| 9 to 11 ft., 1 ½ to 1 ½ in | 4.50 | 3.75 | 3.00 | | |
| 10 to 12 ft., 1½ to 1¾ in | 6.00 | 5.00 | 4.00 | | |
| 11 to 13 ft., 1 3/4 to 2 in | 7.50 | 6.00 | 5.00 | | |
| 13 to 16 ft., $2\frac{1}{2}$ to 3 in | 13.50 | 11.00 | 9.00 | | |
| 14 to 18 ft., 3 to 3 ½ in | 19.00 | 15.00 | 12.50 | | |
| 15 to 20 ft., 3 ½ to 4 in | 22.50 | 18.00 | 15.00 | | |



Norway Maples, properly spaced for good development, recently transplanted, roots very fiberous.

Unit Price in Quantities
1-9 10-49 50-249

| ACER platanoides columnare, 50'-75' An outstanding, compact growing narrow dense tree is desired. | | | |
|---|-------|-------------------|------|
| 6 to 8 ft | 2.00 | 1.50 | 1.25 |
| 8 to 10 ft., 1 to 1 1/4 in. | 3.00 | 2.50 | 2.00 |
| 9 to 11 ft., 1 1/4 to 1 1/2 in | 4.50 | 3.75 $^{\circ}$ | 3.00 |
| 10 to 12 ft., 1½ to 1¾ in | 6.00 | 5.00 | 4.00 |
| 11 to 13 ft., 1 3/4 to 2 in | 7.50 | 6.00 | 5.00 |
| 12 to 14 ft., 2 to 2½ in | 10.50 | 9.00 | 7.00 |

| —— schwedleri, 40'-60' | | Schwedle | r Maple |
|-----------------------------|-------|---------------------|---------|
| Purple leaved Norway Maple. | | | |
| 9 to 12 ft., 1½ to 1¾ in | 7.50 | $\boldsymbol{6.25}$ | 5.00 |
| 11 to 13 ft., 1 ¾ to 2 in | 10.00 | 8.00 | 6.50 |
| 12 to 14 ft., 2 to 2 ¼ in | 12.00 | 10.00 | 8.00 |



Sugar Maples. Clean, Straight, well branched trees with excellent root systems.

| | Unit Pri 1-9 | ice in Quan 10-49 | tities 50-24 9 |
|--|-----------------|----------------------|--------------------------|
| ACER rubrum | ${ m Re}$ | d or Scarle | et Maple |
| Brilliant fall coloring. Excellent in dam | p location | ns. | |
| 6 to 8 ft. | 2.60 | 2.20 | -1.75 |
| 8 to 10 ft., 1 to 1¼ in. | 3.40 | 2.80 | 2.25 |
| 9 to 11 ft., 1 ¼ to 1 ½ in | | 3.50 | $\frac{2.25}{2.75}$ |
| | | 4.05 | 3.25 |
| 10 to 12 ft., 1½ to 1¾ in | 4.00 | 4.00 | ა. 4 მ |
| — saccharum, 50'-75' | | Suga | r Maple |
| A stately, long lived tree. Rich autumn in most locations. | coloring | Very satis | sfactory |
| | 2.60 | 2.20 | 1 77 |
| 6 to 8 ft | | | 1.75 |
| 8 to 10 ft., 1 to 1¼ in. | 3.75 | 3.00 | 2.50 |
| 9 to 11 ft., 1¼ to 1½ in | 4.50 | 3.75 | 3.00 |
| 10 to 12 ft., 1½ to 1¾ in. | 6.00 | 5.00 | 4.00 |
| 11 to 13 ft., 1 ¾ to 2 in | 7.50 | 6.00 | 5.00 |
| 12 to 14 ft., 2 to 2 ½ in | 10.00 | 8.00 | |
| 15 to 18 ft., 3 to 3 ½ in | 13.00 | 11.00 | |
| 16 to 19 ft., 3 ½ to 4 in | 16.50 | 13.50 | |
| AILANTHUS glandulosa (altissima), 50'-60' | | Tree of | Heaven |
| Quick growing. Large foliage. Is idea condition. | l for cro | wded, smo | ky city |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | 3.40 | 2.80 | 2.25 |
| 12 to 14 ft., 2 to 2½ in | 5.25 | 4.40 | 3.56 |
| 12 to 14 ft., 2 ½ to 3 in | 6.75 | 5.50 | |
| 13 to 15 ft., 3 to 3 ½ in | 8.50 | 7.00 | |
| AKEBIA quinata, 15'-20' | | Fiveleaf | Akebia |
| An excellent vine, Deep green, Purple flountil winter, | owers in I | May, Holds | foliage |
| 2 year | .37 | .30 | .25 |
| ALNUS glutinosa, 70'-80' | | Europea | n Elder |
| Fast growing. Ideal for wet locations. I | eep gree | n foliage. | |
| 6 to 8 ft | .90 | .75 | - |
| 8 to 10 ft | | 1.25 | |
| 10 to 12 ft | 2.10 | 1.75 | |
| 12 to 14 ft | 3.00 | 2.50 | |
| ALTHEA—See HIBISCUS | | | |
| AMELANCHIER laevis, 30'-35' | A | llegheny S | had'blow |
| Early—white and pink flowers. Edible s | small red | fruit. | |
| 3 to 4 ft | .90 | .75 | .60 |
| 4 to 5 ft. | 1.20 | 1.00 | .80 |
| 5 to 6 ft | 1.50 | 1.25 | 1.00 |
| — oblongifolia, 20'-30' | | Thicket S | hadblov |
| Slender upright stems. Forms dense of fruit. | elump. W | Thite flowe | rs, darl |
| 3 to 4 ft | .90 | .75 | .60 |
| 4 to 5 ft | 1.20 | 1.00 | .80 |
| 5 to 6 ft, | 1.50 | 1.25 | 1.0 |

| | | ce in Quai 10-49 | |
|--|-------------|--|---|
| AMORPHA canescens, 2'-3' | 1-9 | | ad Plant |
| Long spikes of blues flowers in July. An | ı attractiv | | |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in | .55 | .45 | .35 |
| AMPELOPSIS quinquefolia, 30'-50' (Parthenocissus q.) | | Virginia | Creeper |
| Very adaptable. Rapid growing vine. Br | illiant au | tumn colo | oring. |
| 1 year | .18 | .15 | .12 |
| 2 year | .27 | .22 | .18 |
| — engelmanni, 30'-40' Excellent self-clinging vine. Richly color | | ngelmann oliage | Creeper |
| 1 year | .18 | .15 | .12 |
| 2 year | .27 | .22 | .18 |
| — tricuspidata veitchi, 40'-50' | | Во | ston Ivy |
| Dense, self-clinging vine. Blue-black be | | | |
| 12 to 18 in., 1 year | .22 | .20 $.30$ | .15 |
| · · | | .00 | .40 |
| AMYGDALIS nana — See PRUNUS GLAND | ULOSA | | |
| — persica, 8' to 10' | Doubl | e Floweria | ng Peach |
| Colors: White, Pink and Red. Quick double flowers, in colors as above. | growing | g. Very a | ttractive |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 $.90$ | $\begin{matrix} .60 \\ .75 \end{matrix}$ | $\begin{array}{c} .50 \\ .60 \end{array}$ |
| ARALIA pentaphyllum — See ACANTHOPA | | ., 0 | .00 |
| | | TT | 111- |
| — spinosa, 18'-20' A tropical appearing tree. White flowers | s in July. | | ules-club in shade. |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 | | |
| 4 to 5 ft | .75 | .60 | .50 |
| ARBORVITAE (See THUYA) | | | |
| ARONIA arbutifolia, 6'-8' Bright red berries in fall. | | Red Ch | okeberry |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | | .45 $.55$ | $\begin{matrix} .35 \\ .45 \end{matrix}$ |
| — brilliantissima, 6'-8' | Brillia | nt Red Ch | |
| Similar to arbutifolia but more brilliant | | .37 | .30 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| 4 to 5 ft | .90 | .75 | .60 |
| — melanocarpa (nigra), 8'-10' White flowers in May. Black berries in | fall. | Black Ch | okeberry |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |

Order in multiples of 10 where possible.

| Unit | Price | in | Qua | ntities |
|------|-------|-----|-----|---------|
| 1-9 | | 10. | 49 | 50-249 |

AZALEAS (RHODODENDRON)

| AZALEA amoena (Rhodo, obtusum amoenum) 3'-4' | Amoena Azalea |
|---|------------------|
| Evergreen. Conspicuous, purple-red flowers. April-M | Iay. Leaves turn |
| a rich, bronze-green in winter. | |

| 10 to 12 in. | B&B | 1.50 | 1.25 | 1.00 |
|--------------|-----|------|------|------|
| 12 to 15 in. | B&B | 2.00 | 1.70 | 1.35 |

— arborescens, 10'-12' Sweet Azalea Fragrant, white flowers in June.

| 18 to 24 in., B&B | 2.80 | 2.25 | |
|-------------------|------|------|--|
| 2 to 2½ ft., B&B | 3.75 | | |
| 2½ to 3 ft., B&B | 4.75 | | |

— calendulacea, 6'-8'

Flame Azalea

One of the hardiest and distinctive native Azaleas. Bloom extends throughout June. Colors range from light yellow to deep orange or almost red. Very hardy, resisting both drought and cold.

| 18 to 24 in., B&B | 3.00 | 2.50 | 2.00 |
|-------------------|------|------|------|
| 2 to 3 ft., B&B | 3.75 | 3.00 | 2.50 |
| 3 to 4 ft., B&B | | 4.40 | 3.50 |
| 4 to 5 ft., B&B | 8.50 | 7.00 | 5.50 |

- Hinodegiri, 3'-4'

Hinodegiri Azalea

Evergreen. Larger leaves and looser growth than Amoena; flowers very bright carmine-pink; effective in masses or with Rhododendron.

| Q | to 14 | 0 in | B&B | 1 15 | 9.0 | 75 |
|---|-------|------|---------|--------------|-------|--------|
| 0 | LUIT | | D(V, D) | 1 . 1 i) | . 9 0 | . (1) |

AZALEA KAEMPFERI HYBRIDS

Carmen — Rose-pink flowers. 9-12"; 12-15".

Cleopatra — Lilac-rose flowers. 9-12".

Louise — Light-rose flowers, 9-12"; 12-15"; 15-18".

Othello — Brick-red flowers. 9-12"; 12-15".

| :9' ¢o | 12 | in., | B&B | 1.50 | $\boldsymbol{1.25}$ | 1.00 |
|--------|----|------|-----|------|---------------------|------|
| 12 to | 15 | in., | B&B | 2.25 | 1.90 | 1.50 |
| 15 to | 18 | in., | B&B | 3.00 | 2.50 | 2.00 |

KURUME AZALEAS — EVERGREEN

Bengiri — Bright red flowers; compact growth. 9-12"; 12-15".

Christmas Cheer — Crimson. 6-9"; 9-12".

Coral Bell — Coral pink double. 9-12"; 12-15".

Flame — Brilliant red flowers. 9-12"; 12-15".

Hazel Dawson — Purplish-pink, sgl. fls. Very hardy. 12-15"; 15-18".

Hinomayo — Clear pink. 9-12"; 12-15".

Pink Beauty — Single soft-pink flowers. 12-15"; 15-18"; 18-24".

Pink Pearl — Salmon-rose flowers, 9-12"; 12-15"; 15-18".

Snow — Large pure white flowers. 9-12"; 12-15"; 15-18".

| | | ce in Quai | ntities |
|---|---|---|---|
| | 1-9 | 10-49 | 50-249 |
| AZALEA KURUMI | E | | |
| Kurume varieties at following prices. | | | |
| 6 to 9 in., B&B | 1.15 | .90 | .75 |
| 9 to 12 in., B&B | 1.50 | 1.25 | 1.00 |
| 12 to 15 in., B&B | 2.25 | 1.90 | 1.50 |
| 15 to 18 in., B&B | 3.00 | 2.50 | 2.00 |
| 18 to 24 in., B&B | 3.75 | 3.00 | 2.50 |
| AZALEA ledifolia alba — Large single white | e flower. | 12-15"; 1 | 5-18". |
| —— lilacina — Large single lilac flower. C group. 12-15"; 15-18". | ne of th | e hardies | t of the |
| — magnifica — Large single white flower throughout. Very attractive. 15-18". | with lil | ac tinge a | and spot |
| — rosea — Large single light pink flower | 15-18" | 18-24". | |
| Above varieties at following prices:— | , 10 10 , | 10 21 . | |
| 12 to 15 in., B&B | 1.50 | $\boldsymbol{1.25}$ | 1.00 |
| 15 to 18 in., B&B | 2.25 | 1.90 | 1.50 |
| 18 to 24 in., B&B | 3.00 | 2.50 | 2.00 |
| — macrantha, 2½'-3' | R | ed Salmor | n Azalea |
| Single salmon-pink flower. Blooms a mon | | | |
| Quite attractive with glossy foliage. | tii iatei t | nan most | Mancas. |
| 9 to 12 in., B&B | 1.50 | 1.25 | 1.00 |
| 12 to 15 in., B&B | . 2.00 | 1.70 | 1.35 |
| 15 to 18 in., B&B | 2.60 | 2.20 | 1.75 |
| Acro plana 01/19/ | | | |
| —————————————————————————————————————— | Α. | | |
| | | 1 05 | 1.00 |
| 9 to 12 in., B&B | $\begin{array}{c} \textbf{1.50} \\ \textbf{2.25} \end{array}$ | $egin{array}{c} 1.25 \ 1.90 \end{array}$ | $\begin{array}{c} \textbf{1.00} \\ \textbf{1.50} \end{array}$ |
| 12 to 13 m., D&D | 2.20 | 1.00 | 1.00 |
| 21.01 | | D: | |
| — nudiflorum, 6'-8' | this amag | | erbloom |
| A native pink Azalea or Honeysuckle in June. Very attractive and hardy. | | | |
| 18 to 24 in., B&B | 2.60 | 2.20 | 1.75 |
| 2 to 2 ½ ft., B&B | $\begin{array}{c} 3.40 \\ 4.20 \end{array}$ | $\begin{array}{c} 2.80 \\ 3.50 \end{array}$ | $2.25 \\ 2.75$ |
| 2 ½ to 3 ft., B&B | 4.90 | $\frac{3.50}{4.05}$ | $\frac{2.15}{3.25}$ |
| 5 to 1 it., Dass | | 2.00 | 0.20 |
| — vaseyi, 5'-6' | | Pinkshell | |
| Large showy pink shell flowers. Blooms April. One of the best native varieties. V | ery hard | rly—usua y. | lly mid- |
| 12 to 15 in., B&B | | 1.25 | 1.00 |
| 15 to 18 in., B&B | 2.25 | 1.90 | 1.50 |
| 18 to 24 in., B&B | 3.00 | 2.50 | 2.00 |
| Order in multiples of 10 whe | re possib | le. | |

Order in multiples of 10 where possible.

| | | ce in Quan | |
|--|---|---|---|
| | 1-9 | 10-49 | 50-249 |
| AZALEA viscosa, 4'-5' | | Swamp | Azalea |
| White flowers sometimes tinged with Very fragrant with glossy green foliage tions. | pink. Blo e. Desirab | oms in m le for mo | id-June. ist loca- |
| 18 to 24 in., B&B | 2.25 | 1.90 | 1.50 |
| 2 to 2½ ft., B&B | $\begin{array}{c} 3.00 \\ 4.10 \end{array}$ | $\begin{array}{c} 2.50 \\ 3.50 \end{array}$ | $\begin{array}{c} 2.00 \\ 2.75 \end{array}$ |
| 3 to 4 ft., B&B | 4.90 | 4.05 | 3.25 |
| — yodogawa (yedoense) 3'-4' | | Yodogawa | Azalea |
| Double, pinkish-lavender flowers, May. tional merit. | Very ha | | f excep- |
| 9 to 12 in., B&B | $\begin{array}{c} 1.50 \\ 1.90 \end{array}$ | $\begin{array}{c} 1.25 \\ 1.50 \end{array}$ | $\begin{array}{c} \textbf{1.00} \\ \textbf{1.25} \end{array}$ |
| 12 to 15 iii., B&B | 1.50 | 1.00 | 1.49 |
| | | | |
| | | | |
| | | | |
| BACCHARIS halimifolia, 9'-10' | 14 6 | Ground | |
| Attractive fluffy seed pods in fall. Excell | | | |
| 2 to 3 ft | .45 $.60$ | .37 $.50$ | $\begin{array}{c} .30 \\ .40 \end{array}$ |
| 0 00 1 20000000000000000000000000000000 | | ••• | •-• |
| BEAUTYBUSH (See KOLKWITZIA) | | | |
| BEECH (See FAGUS) | | | |
| BENZOIN aestivale (LINDERA benzoin), 10 | '-12 ' | Sp | icebush |
| Yellow flowers in spring followed by bri Spicy aromatic foliage. | ight red b | erries. | |
| 18 to 24 in. 2 to 3 ft. | .37 | .30 | .25 |
| 5 to 6 ft | .45 $.90$ | $\begin{array}{c} .37 \\ .75 \end{array}$ | .30 |
| 6 to 8 ft | 1.20 | 1.00 | .80 |
| BERBERIS — HARDY EVERGREEN TYPE — julianae | ES | | |
| Medium growth. Broad spined leaves. | | | |
| 12 to 15 in., B&B | 1.50 | 1.25 | 1.00 |
| 15 to 18 in., B&B | 1.90 | 1.50 | 1.25 |
| 18 to 24 in., B&B | 2.60 | 2.20 | 1.75 |
| 2 to 3 ft., 1 & 1 | 3.40 | 2.80 | 2.25 |
| — triacanthophora | | | |
| Fast growth. Medium spined leaves. | | | |
| 9 to 12 in., B&B | 1.50 | 1.25 | 1.00 |
| 12 to 15 in., B&B | 1.90 | 1.50 | 1.25 |
| 15 to 18 in., B&B | 2.60 | 2.20 | 1.75 |

Unit Price in Quantities
1-9 10-49 50-249 250- up

| BERBERIS — DECIDUOUS TY | PRS | |
|-------------------------|-----|--|
|-------------------------|-----|--|

| Regress Stunbergi, 4'-5' | | | | | |
|--|---|---------------------------|------------|------------|---------|
| because of spiny growth, Richly colored fall foliage. 9 to 12 in., 2 yr. trsp | BERBERIS thunbergi, 4'-5' | | | Japanese B | arberry |
| 12 to 15 in., 2 yr. trsp. 27 22 18 16 15 to 18 in., 2 yr. trsp. 33 27 22 29 18 to 24 in., 2 yr. trsp. .40 .35 .28 .25 2 to 2½ ft., 3 yr. trsp. .60 .50 .40 .35 2½ to 3 ft., 3 yr. trsp. .75 .60 .50 .40 .35 2½ to 3 ft., 3 yr. trsp. .75 .60 .50 .45 | | | | | barrier |
| 12 to 15 in., 2 yr. trsp. 27 22 18 16 15 to 18 in., 2 yr. trsp. 33 27 22 29 18 to 24 in., 2 yr. trsp. .40 .35 .28 .25 2 to 2½ ft., 3 yr. trsp. .60 .50 .40 .35 2½ to 3 ft., 3 yr. trsp. .75 .60 .50 .40 .35 2½ to 3 ft., 3 yr. trsp. .75 .60 .50 .45 | | | | | .13 |
| 18 to 24 in., 2 yr, trsp | 12 to 15 in., 2 yr. trsp | .27 | | | .16 |
| 2 to 2 ½ ft., 3 yr. trsp 60 50 40 35 2½ to 3 ft., 3 yr. trsp | | | | | |
| 2 ½ to 3 ft., 3 yr. trsp | | | | | |
| Red Jap. Barberry Reddish-purple type of Thunbergi. 12 to 15 in | | | | | |
| Reddish-purple type of Thunbergi. | 2 72 to 5 ft., 5 yr. trsp | . (0 | .00 | .00 | .40 |
| 12 to 15 in. | _ * * * * * * * * * * * * * * * * * * * | |] | Red Jap. B | arberry |
| 15 to 18 in | | ergi. | | | |
| 18 to 24 in | | | | | |
| *BETULA alba (pendula) 30'-50' *BETULA alba (pendula) 30'-50' Very attractive tree with white bark. 5 to 6 ft. | | | | • | |
| *BETULA alba (pendula) 30′-50′ European White Birch Very attractive tree with white bark. 5 to 6 ft. | | | | | |
| Very attractive tree with white bark. 5 to 6 ft. | 2 to 2 ½ rt | .70 | . 5 5 | .45 | .40 |
| 5 to 6 ft. | | e hark | Euro | pean Whit | e Birch |
| 6 to 8 ft | | | 1 10 | 9.5 | 75 |
| *— laciniata (pen. laciniata), 30'-40' Cutleaf Weeping Birch Deeply cut leaves. Silvery white bark. Drooping branches. 5 to 6 ft | | | | | |
| *— laciniata (pen. laciniata), 30'-40' Cutleaf Weeping Birch Deeply cut leaves. Silvery white bark. Drooping branches. 5 to 6 ft. 2.60 2.20 — 6 to 8 ft. 3.75 3.00 — *— lutea, 50'-70' Yellow Birch Bark silvery or light orange. Rugged, picturesque tree. Upright habit. 5 to 6 ft. 2.25 1.90 1.50 6 to 8 ft. 3.00 2.50 2.00 *— papyrifera, 40'-50' Canoe Birch Attractive paper-like bark. Very white when older. 5 to 6 ft. 2.25 1.90 1.50 6 to 8 ft. 3.00 2.50 2.00 8 to 10 ft. 4.50 3.75 3.00 *— populifolia, 30'-40' Gray Birch Thrives in poor or sandy soil. White bark. Desirable in mass planting. 6 to 8 ft. 1.90 1.50 — 8 to 10 ft., 1'4 to 1'½ in. 2.60 2.20 — 10 to 12 ft., 1'4 to 1'½ in. 3.40 2.80 — 10 to 12 ft., 1'4 to 2 in. 4.10 3.50 — | | | | | |
| Deeply cut leaves. Silvery white bark. Drooping branches. 5 to 6 ft. 2.60 2.20 — 6 to 8 ft. 3.75 3.00 — *— lutea, 50'-70' Yellow Birch Bark silvery or light orange. Rugged, picturesque tree, Upright habit. 5 to 6 ft. 2.25 1.90 1.50 6 to 8 ft. 3.00 2.50 2.00 *— papyrifera, 40'-50' Canoe Birch Attractive paper-like bark. Very white when older. 5 to 6 ft. 2.25 1.90 1.50 6 to 8 ft. 3.00 2.50 2.00 8 to 10 ft. 4.50 3.75 3.00 *— populifolia, 30'-40' Gray Birch Thrives in poor or sandy soil. White bark. Desirable in mass planting. 6 to 8 ft. 1.90 1.50 — 8 to 10 ft., 1½ to 1½ in. 2.60 2.20 — 10 to 12 ft., 1½ to 1¾ in. 3.40 2.80 — 10 to 12 ft., 1¾ to 2 in. 4.10 3.50 | 10 to 12 ft | | 3.00 | 2.50 | |
| *— lutea, 50'-70' *— lutea, 50'-70' Bark silvery or light orange. Rugged, picturesque tree. Upright habit. 5 to 6 ft. 2.25 1.90 1.50 6 to 8 ft. 3.00 2.50 2.00 *— papyrifera, 40'-50' Canoe Birch Attractive paper-like bark. Very white when older. 5 to 6 ft. 2.25 1.90 1.50 6 to 8 ft. 3.00 2.50 2.00 8 to 10 ft. 4.50 3.75 3.00 *— populifolia, 30'-40' Gray Birch Thrives in poor or sandy soil. White bark. Desirable in mass planting. 6 to 8 ft. 1.90 1.50 — 8 to 10 ft., 1 ½ to 1 ½ in. 2.60 2.20 — 10 to 12 ft., 1 ½ to 1 ¾ in. 3.40 2.80 — 10 to 12 ft., 1 ½ to 1 ¾ in. 3.40 2.80 — 10 to 12 ft., 1 ¼ to 2 in. 4.10 3.50 | Deeply cut leaves. Silvery whi | te bark. I | Orooping 1 | branches. | g Birch |
| Bark silvery or light orange. Rugged, picturesque tree. Upright habit. 5 to 6 ft | | | | | |
| Bark silvery or light orange. Rugged, picturesque tree. Upright habit. 5 to 6 ft | | | | | |
| habit. 5 to 6 ft | *— lutea, 50′-70′ | | | Yello | w Birch |
| *— papyrifera, 40′-50′ Attractive paper-like bark. Very white when older. 5 to 6 ft | · · · · · · · · · · · · · · · · · · · | Rugged, | pictures | que tree. | Upright |
| *— papyrifera, 40'-50' Attractive paper-like bark. Very white when older. 5 to 6 ft | | | | | |
| Attractive paper-like bark. Very white when older. 5 to 6 ft | 6 to 8 ft | * * * * * * * * * * * * * | 3.00 | 2.50 | 2.00 |
| 5 to 6 ft. 2.25 1.90 1.50 6 to 8 ft. 3.00 2.50 2.00 8 to 10 ft. 4.50 3.75 3.00 *— populifolia, 30'-40' Gray Birch Thrives in poor or sandy soil. White bark. Desirable in mass planting. 6 to 8 ft. 1.90 1.50 — 8 to 10 ft., 1½ to 1½ in. 2.60 2.20 — 10 to 12 ft., 1½ to 1¾ in. 3.40 2.80 — 10 to 12 ft., 1¾ to 2 in. 4.10 3.50 — | *— papyrifera, 40'-50' | | | Cano | e Birch |
| 6 to 8 ft. 3.00 2.50 2.00 8 to 10 ft. 4.50 3.75 3.00 *— populifolia, 30'-40' Gray Birch Thrives in poor or sandy soil. White bark. Desirable in mass planting. 6 to 8 ft. 1.90 1.50 — 8 to 10 ft., 1 ½ to 1 ½ in. 2.60 2.20 — 10 to 12 ft., 1 ½ to 1 ¾ in. 3.40 2.80 — 10 to 12 ft., 1 ¾ to 2 in. 4.10 3.50 — | Attractive paper-like bark. Ve | ry white | | er. | |
| *— populifolia, 30'-40' Thrives in poor or sandy soil. White bark. Desirable in mass planting. 6 to 8 ft. | | | | | |
| *— populifolia, 30'-40' Thrives in poor or sandy soil. White bark. Desirable in mass planting. 6 to 8 ft | | | | | |
| Thrives in poor or sandy soil. White bark. Desirable in mass planting. 6 to 8 ft | 8 to 10 ft | | 4.50 | 3.75 | 3.00 |
| Thrives in poor or sandy soil. White bark. Desirable in mass planting. 6 to 8 ft | *— populifolia. 30'-40' | | | Gra | v Birch |
| 6 to 8 ft. 1.90 1.50 —— 8 to 10 ft., 1 ½ to 1 ½ in. 2.60 2.20 —— 10 to 12 ft., 1 ½ to 1 ¾ in. 3.40 2.80 —— 10 to 12 ft., 1 ¾ to 2 in. 4.10 3.50 | Thrives in poor or sandy soil. | White bar | rk. Desira | | |
| 8 to 10 ft., 1 ½ to 1 ½ in. 2.60 2.20 —— 10 to 12 ft., 1 ½ to 1 ¾ in. 3.40 2.80 —— 10 to 12 ft., 1 ¾ to 2 in. 4.10 3.50 —— | | | 1.90 | 1.50 | |
| 10 to 12 ft., 1½ to 1¾ in. 3.40 2.80 —— 10 to 12 ft., 1¾ to 2 in. 4.10 3.50 | | | | | |
| 10 to 12 ft., 1 3/4 to 2 in | | | | | |
| 12 to 14 ft., 2 to 2 ½ in 5.25 4.40 —— | 10 to 12 ft., 1 3/4 to 2 in | | | | |
| | 12 to 14 ft., 2 to 2 ½ in | | 5.25 | 4.40 | |

^{*} EXTRA CHARGE FOR DIGGING BIRCHES, B&B. SEE B&B SCHEDULE, PAGE 2.

Unit Price in Quantities

| | | 10-49 | |
|---|---|---|----------------------|
| BIGNONIA grandiflora, 25'-40' (Campsis gr.) Orange-yellow trumpet-like flowers in Ju- | Chines ly and A | e Trumpe ugust. | tcreeper |
| 1 year | | .30 | .25 |
| —— Mad. Gallen, 25'-40' (Scarlet) (Campsis M. G.) | | Trumpe | tcreeper |
| An improved type of grandiflora. Darker | orange | flowers. | |
| 1 year | .37 | .30 | .25 |
| — radicans, 25'-40' (Campsis rad.) Strong growing. Scarlet-orange flowers. | | Trumpe | tcreeper |
| 1 year | .22 | .20 | |
| 2 year | .37 | .30 | .25 |
| BIRCH (See BETULA) | | | |
| BITTERSWEET (See CELASTRUS) | | | |
| BUDDLEIA Summer — Farquhari, 4'. Light purple. — Hartwegi, 4'-6'. Light purple. — Ile de France, 4'. Dark purple—fragrant. — Pink Charming, 4'-6'. Long panicles of pink Above varieties at following prices: | | ng Butter | fly Bush |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .37 | .30 | .25 |
| 3 to 4 ft | .45 | .37 | .30 |
| BRIDALWREATH (See SPIRAEA PRUNIFO | LIA) | | |
| BUCKTHORN (See RHAMNUS) | | | |
| BUTTERFLY BUSH (See BUDDLEIA) | | | |
| | | | |
| CALLICARPA purpurea, 3'-4' (dichotoma) Pink flowers. Violet fruit in August. | Chi | inese Bear | utyberry |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in | $.45 \\ .52$ | $\begin{array}{c} .37 \\ .45 \end{array}$ | .30 $.35$ |
| | . 3 4 | 64. | .50 |
| CAMPSIS (See BIGNONIA) | | ~ | |
| CALYCANTHUS floridus, 4'-5' An old garden favorite, with fragrant, da | ırk redd: | | et Shrub flowers. |
| 12 to 18 in. | .45 | .37 | .30 |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | .90 | .75 | |
| CARAGANA arborescens, 10'-12' Yellow pea-shaped flowers in August. | | Siberian | |
| 3 to 4 ft | $\begin{array}{c} \textbf{.60} \\ \textbf{.75} \end{array}$ | $\begin{array}{c} .50 \\ .60 \end{array}$ | .40 |
| CARPINUS betulus, 60'-70' Leaves like Caroliniana but stronger, mo | | ropean H act growe | |
| 2 to 3 ft., B.R | 2.60 | 2.20 | 1.75 |
| 3 to 4 ft., B.R. | 3.75 | 3.00 | 2.50 |

| | Unit Pric | ce in Quan 10-49 | tities 50-249 |
|--|---|----------------------------|---|
| CARPINUS caroliniana, 30'-40' | Am | erican Ho | rnbeam |
| Bluish-green foliage. Low, bushy. Exc well in shade. | ellent fal | l coloring. | . Grows |
| 2 to 3 ft., B.R. | 2.60 | 2.20 | 1.75 |
| 3 to 4 ft., B.R. | | 3.00 | 2.50 |
| 4 to 5 ft., B&B | | 6.75 | |
| 5 to 6 ft., B&B | 10.00 | 9.50 | 7.50 |
| — japonica, 30'-40' | | panese(Ho | |
| Attractive, graceful tree. Foliage reddis | | | |
| 5 to 6 ft., B&B | | T 1 1 1 | 5.00 |
| 6 to 8 ft., B&B | | 9.50 | |
| 8 to 10 ft., B&B | 10.00 | 12.00 | 10.00 |
| CATALPA speciosa, 30'-50' | | Western | Catalpa |
| Quick growing. Heart shaped leaves. W like seed pods. | hite flowe | ers and lon | g bean- |
| 10 to 12 ft., 1½ to 2 in | 1.90 | 1.50 | 1.25 |
| 12 to 14 ft., 2 to 2½ in | 3.00 | 2.50 | 2.00 |
| CINT ACRIDATE | | | |
| CELASTRUS orbiculatus, 15'-20' | | iental Bitt | |
| Rapid growing, high climbing shrubby to expose red seeds in fall. | | | |
| 18 to 24 in., 1 year | .37 | .30 | .25 |
| 2 to 3 ft., 2 year | .45 $.55$ | .37 $.45$ | $\begin{array}{c} .30 \\ .35 \end{array}$ |
| 5 to 4 ft., 5 year | .00 | .40 | .00 |
| — scandens, 15'-20' Fruit deeper colored and larger than th | | e <mark>rican Bi</mark> tt | ersweet |
| 18 to 24 in., 1 year | | .30 | .25 |
| 2 to 3 ft., 2 year | .45 | .37 | .30 |
| | | TT. | . 1-1 |
| CELTIS occidentalis, 50'-60' | | | ckberry |
| Resembles a slow growing Elm. Compa | | | 4 0 11 |
| 5 to 6 ft | 1.90 | 1.50 | 1.25 |
| 6 to 8 ft | $\begin{array}{c} 2.60 \\ 3.75 \end{array}$ | 2.20 3.00 | $1.75 \\ 2.50$ |
| 10 to 12 ft | 5.25 | 4.40 | $\frac{2.50}{3.50}$ |
| 10 to 12 it | 0.20 | 1.10 | 0.00 |
| CEPHALANTHUS occidentalis, 5'-6' | | But | tonbush |
| Fragrant, creamy white flowers borne in ber. Good foliage. Likes moisture. | n round h | eads July- | Septem- |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .37 | .30 | .25 |
| 3 to 4 ft | .55 | .45 | .35 |
| 4 to 5 ft | .70 | .55 | .45 |
| CERCIDIPHYLLUM japonicum, 20'-30' | | Kats | ura-tree |
| Excellent symmetrical tree. Beautiful s | spring and | l autumn | colors. |
| 4 to 6 ft., B&B | 8.00 | 6.50 | |
| 6 to 8 ft., B&B | | 9.00 | |
| 8 to 10 ft., B&B | | 11.25 | |
| 10 to 12 ft., B&B | 19.00 | 15.00 | |

See last five pages for helpful information.

| | Unit Pri | ce in Quar 10-49 | ntities 50-249 |
|--|-----------|--------------------------|-------------------|
| CERCIS canadensis, 12'-15' | | American | Redbud |
| Rosy pink flowers in April. Also called . | Judas Tre | | |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | 1.10 | .95 | |
| 6 to 8 ft | 3.00 | 2.50 | |
| 8 to 10 ft | 4.50 | 3.75 | |
| — chinensis, 10'-12' | | Chinese | Redbud |
| Deeper pink than canadensis. Compact a | growing. | | |
| 18 to 24 in | .75 | .60 | .50 |
| 2 to 3 ft | 1.10 | .95 | .75 |
| 3 to 4 ft | 1.50 | 1.25 | 1.00 |
| CHAENOMELES lagenario (See CYDONIA) | | | |
| CHAMAECYPARIS — THE RE | ETINOSPO | ORAS | |
| CHAMAECYPARIS obtusa crippsi, 4' | Crip | ps Golden | Cypress |
| Very compact. Threadlike growth. Brigh | nt golden | color. | |
| 12 to 15 in., B&B | | 1.00 | .80 |
| 15 to 18 in., B&B | | 1.35 | 1.10 |
| 18 to 24 in., B&B | 2.85 | 2.35 | 1.90 |
| — — gracilis, 10'-12' | | Hinoki | Cypress |
| Narrow, irregular pyramid. Billowy, ogrowing. | dark gra | yish foliag | ge. Slow |
| 12 to 15 in., B&B | | 1.25 | 1.00 |
| 15 to 18 in., B&B | | 1.70 | 1.35 |
| 18 to 24 in., B&B | 2.60 | 2.20 | 1.75 |
| — — youngi, 15'-20' | You | ng Golden | Cypress |
| New growth golden. Drooping habit. | | | |
| 18 to 24 in., B&B | 2.25 | 1.90 | 1.50 |
| 2 to 2 ½ ft., B&B | 3.40 | 2.80 | 2.25 |
| — pisifera 25'-35' | Sa | iwara Ret | inospora |
| Fast growing evergreen. Loosely pyram | idal. | | |
| 18 to 24 in., B&B | 1.75 | 1.50 | 1.15 |
| 2 to 2 ½ ft., B&B | 2.50 | 2.05 | 1.65 |
| 2 ½ to 3 ft., B&B | 3.00 | 2.50 | 2.00 |
| 3 to 4 ft., B&B | 3.75 | $\frac{3.00}{5.00}$ | 2.50 |
| 4 to 5 ft., B&B | 6.00 | 5.00 | 4.00 |
| —————————————————————————————————————— | | awara Ret | inospora |
| 18 to 24 in., B&B | 1.75 | 1.50 | 1.15 |
| 2 to 2 ½ ft., B&B | 2.50 | | 1.65 |
| 3 to 4 ft., B&B | 3.75 | 3.00 | 2.50 |
| 4 to 5 ft., B&B | 6.00 | 5.00 | 4.00 |
| — filifera, 15'-20' Long, stringy, drooping foliage. Rich gr | | 'hread Ret ge. Very h | _ |
| 12 to 15 in., B&B | 1.10 | .95 | .75 |
| 15 to 18 in., B&B | 1.50 | 1.25 | |
| 18 to 24 in., B&B | 1.90 | 1.50 | 1.25 |
| 2 to 2 ½ ft., B&B | 2.60 | 2.20 | 1.75 |
| 2 ½ to 3 ft., B&B | 3.75 | 3.00 | 2.50 |

| | Unit Pri | ce in Qua 10-49 | ntities 50-249 |
|---|------------|--------------------|-------------------|
| CHAMAECYPARIS filifera aurea, 10'-12' | Golden T | hread Ret | inospora |
| Bright golden yellow drooping foliage. | Slow grow | ing. | |
| 12 to 15 in., B&B | 1.10 | .95 | .75 |
| 15 to 18 in., B&B | | 1.50 | 1.25 |
| 18 to 24 in., B&B | | 2.50 | |
| — plumosa, 25′-35′ | F | lume Ret | inospora |
| Evergreen. Dense, fine texture. Shears | well. Brig | ht green. | |
| 18 to 24 in., B&B | 1.75 | 1.50 | 1.15 |
| 2 to 2 ½ ft., B&B | | 2.05 | 1.65 |
| 2 ½ to 3 ft., B&B | | 2.50 | 2.00 |
| 3 to 4 ft., B&B | | 3.00 | 2.50 |
| 4 to 5 ft., B&B | 6.00 | 5.00 | 4.00 |
| 5 to 6 ft., B&B | | 6.00 | 5.00 |
| — — argentea, 25'-30' | Silv | ertip Ret | inospora |
| Slow dwarf grower. Easily kept in sha | | | Ť |
| 18 to 24 in., B&B | 1.75 | 1.50 | 1.15 |
| 2 to 2½ ft., B&B | | 2.05 | |
| 2 ½ to 3 ft., B&B | | 2.50 | |
| 3 to 4 ft., B&B | | 3.00 | |
| — — aurea, 20'-25' | Goldenn | lume Ret | inospora |
| Foliage golden yellow. Similar in habit | _ | | |
| 15 to 18 in., B&B | - | | .95 |
| 18 to 24 in., B&B | | 1.50 | |
| 4 to 5 ft., B&B | | 5.30 | |
| 5 to 6 ft., B&B | | 7.00 | 5.50 |



Evergreens of quality at reasonable prices.

| | Unit Pri | ice in Quan 10-49 | tities 50-249 |
|---|---------------------|-------------------------|------------------|
| CHAMAECYPARIS squarrosa sulphurea, 20 | | 7/5 a TD -42 | |
| Similar in habit to veitchi. Has light ye | - | Moss Reti | nospora |
| 15 to 18 in., B&B | 1.30 | 1.10 | .90 |
| 18 to 24 in., B&B | 1.90 | 1.50 | 1.25 |
| 2 to 2½ ft., B&B | 2.60 | 2.20 | 1.75 |
| 2 ½ to 3 ft., B&B | 3.00 | 2.50 | 2.00 |
| 3 to 4 ft., B&B | 4.50 | 3.75 | 3.00 |
| — — veitchi, 25'-30' | | Moss Retir | nospora |
| Foliage blue gray, feathery and dense. | | | |
| 15 to 18 in., B&B | 1.30 | 1.10 | .90 |
| 18 to 24 in., B&B | 1.90 | 1.50 | 1.25 |
| 2 to 2 ½ ft., B&B | 2.60 | 2.20 | 1.75 |
| 2 ½ to 3 ft., B&B | 3.00 | 2.50 | 2.00 |
| 3 to 4 ft., B&B | 4.50 | 3.75 | 3.00 |
| — thyoides, 25'-30' | | Whi | tecedar |
| Often called Southern Whitecedar. Grow | th is sim | | |
| Has attractive foliage and does well in v | vet location | ons. | |
| 3 to 4 ft., B&B | 3.00 | 2.50 | 2.00 |
| 4 to 5 ft., B&B | 4.90 | 4.05 | 3.25 |
| 5 to 6 ft., B&B | 6.75 | 5.50 | 4.50 |
| 6 to 8 ft., B&B | 10.00 | 8.00 | 6.50 |
| CHERRY, FLOWERING (See PRUNUS) | | | |
| CHIONANTHUS virginicus, 15'-18' | | White Fri | ngetree |
| Abundant tassel-like white flowers May- | June Bl | | |
| · | | | |
| 4 to 5 ft | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft | 1.90 | 1.50 | 1.25 |
| 6 to 8 ft | $\frac{2.60}{0.75}$ | 2.20 | 1.75 |
| 8 to 10 ft | 3.75 | 3.00 | 2.50 |
| CLADRASTIS lutea (tinctoria), 30'-40' Graceful tree. Long panicles of white fl | owers in | | wwood rant. |
| 6 to 8 ft., B&B | 8.25 | 6.50 | |
| 8 to 10 ft., B&B | 10.00 | 8.00 | |
| 10 to 12 ft., B&B | 12.50 | 10.00 | |
| CLEMATIS paniculata, 20'-25' White fragrant flowers. September. Wo vine. | oly seed | Autumn C pods. An ex | |
| 1 year | .30 | .25 | .20 |
| 2 year | .45 | .37 | .30 |
| CLETHRA alnifolia, 4'-5' | | | ersweet |
| Spikes of richly fragrant flowers. July shady places. | | er. Prefers | moist, |
| 18 to 24 in. | .45 | .37 | .30 |
| 2 to 2 ½ ft | .60 | .50 | .40 |
| 2 ½ to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | .90 | .75 | .60 |
| 4 to 5 ft | 1.10 | .95 | .75 |
| 5 to 6 ft | $\boldsymbol{1.50}$ | $\boldsymbol{1.25}$ | 1.00 |
| COLUTEA arborescens, 8'-10' | Comr | non Bladde | r-senna |
| Yellow flowers June-August. Does well | | | |
| 3 to 4 ft | | .55 | .45 |
| 4 to 5 ft | .85 | .70 | .55 |
| 5 to 6 ft | 1.00 | .80 | .65 |
| | | | |

| | Unit Pric | e in Quant 10-49 | tities 50-249 |
|---|--|---|---|
| CORNUS alba (sibirica), 8'-10' Bright red bark. Porcelain blue fruits. of winter effects. Very adaptable. | | ranched Dever. Excell | |
| 18 to 24 in. | .30 | .25 | .20 |
| 2 to 3 ft | .37 | .30 | .25 |
| 3 to 4 ft | .55 | .45 | .35 |
| 4 to 5 ft | .70 | .55 | .45 |
| — alternifolia, 15'-18' Horizontal branches. Blue-black fruits. | | Blue De | ogwood |
| 5 to 6 ft | 1.10 | .95 | .75 |
| — elegantissima variegata, 6'-8' Leaves are edged with creamy white. V | | rblotch Do | ogwood |
| 15 to 18 in | .60 | .50 | .40 |
| — florida, 15'-25' White flowers. A most popular spring berries. | | owering Dosmall tre | _ |
| 2 to 3 ft | 1.10 | .95 | .75 |
| 3 to 4 ft | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft | 2.25 | 1.90 | 1.50 |
| 5 to 6 ft., B&B | | 5.00 | 4.00 |
| 6 to 8 ft., B&B | 9.00 | 7.50 | 6.00 |
| 8 to 10 ft., B&B | 12.50 | 10.50 | 8.50 |
| 10 to 12 ft., B&B | 19.00 | 15.00 | |
| Larger sizes—prices on application. | | | |
| — — rubra, 15'-20' Beautiful bright red flowers in spring. V | | owering D | |
| 18 to 24 in | $egin{array}{c} 2.25 \ 3.00 \end{array}$ | $\begin{array}{c} \textbf{1.90} \\ \textbf{2.50} \end{array}$ | $\begin{array}{c} \textbf{1.50} \\ \textbf{2.00} \end{array}$ |
| — kousa, 16'-18' | 3.00 | | |
| Showy star shaped flowers in June. | | Kousa D | ogwood |
| 5 to 6 ft., B&B | 8.00 | 6.50 | |
| 6 to 8 ft., B&B | | 8.00 | |
| — mas, 20'-25' | | Cornelian | -cherry |
| Small yellow flowers. April. Shining sca | arlet fruit | | |
| 3 to 4 ft | | 1.05 | .85 |
| 4 to 5 ft | | 1.50 | 1.25 |
| 5 to 6 ft | | 1.90 | 1.50 |
| 6 to 8 ft | 3.00 | 2.50 | 2.00 |
| — paniculata (racemosa), 10'-12' | on mod atom | | ogwood |
| Small white flowers. May. White fruits 2 to 3 ft | | ns. .37 | .30 |
| 3 to 4 ft | | .50 | .40 |
| 4 to 5 ft | | .70 | .55 |
| 5 to 6 ft | | .90 | .70 |
| — sanguinea, 8'-10' Dark red branches. Good foliage. Does | | loodtwig I | |
| 18 to 24 in. | | .25 | .20 |
| 2 to 3 ft. | | .30 | .25 |
| 3 to 4 ft | | .45 | .35 |
| 4 to 5 ft | .70 | .55 | .45 |

Order in multiples of 10 where possible.

| | Unit Price in Quantities | | |
|---|--------------------------|----------------|---------|
| | 1-9 | 10-49 | 50-249 |
| CORNUS stolonifera, 7'-8' | | Red-Osier Do | gwood |
| Spreading. Dark red bark. White fruits | | | |
| tions. | | | |
| 18 to 24 in. | .30 | .25 | .20 |
| 2 to 3 ft | .37 | .30 | .25 |
| 3 to 4 ft | .55 | .45 | .35 |
| —————————————————————————————————————— | Y | ellowtwig Do | gwood |
| Bright yellow bark. Excellent for winter | effects | | |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .37 | .30 | .25 |
| 3 to 4 ft | .55 | .45 | .35 |
| 4 to 5 ft | .70 | .55 - | .45 |
| CORYLUS americana, 8'-9' | | American Ha | zelnut |
| Delicious nuts. Attractive and useful in a hardy. | naturali | stic plantings | s. Very |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | .90 | .75 | .60 |
| 4 to 5 ft | 1.10 | .95 | .75 |
| 5 to 6 ft | 1.50 | 1.25 | 1.00 |



"One of our Cornus Florida B&B. Illustrating quality."

| ΕF | RIES | | 21 |
|--------------|-----------------------|--------------------------|-----------|
| | Unit Pri | ce in Quan | tities |
| | 1-9 | 10-49 | 50-249 |
| | | | |
| | | 0"; 9-12"; t in rocke | |
| | ; 12-15". re bushy | than horiz | zontalis. |
| | 1.10 | .95 | .75 |
| | 1.50 | 1.25 | |
| | 1.90 | 1.50 | 1.25 |
| | ries. | | 6-9 in. |
| rui | it than H | orizontali | s. 6-9"; |
| Pr | ostrate re | ed berries. | 6-9 in. |
| | Red berrie | | 6-9 in. |
| er. 6 | Loose ha | ibit. -18 in.; 1 | 8-24 in. |
| | .75 | .60 | .50 |
| | 1.10 | .95 | .75 |
| | 1.50 | 1.25 | 1.00 |
| | 2.00 | 1.70 | 1.35 |
| W 7/W | HODN | | |
| W I | HORN | | |
| vei | | Arnold Ha and brigh | |
| | 3.00 | 2.50 | 2.00 |
| • | 3.75 | 3.00 | 2.50 |
| • | 6.00 | 5.00 | 4.00 |
| ui | ts in fall. | hicket Ha | wthorn |
| | 3.00 | 2.50 | 2.00 |
| | 2 75 | 3 00 | 2 50 |

COTONEASTER — Established in pots.

- horizontalis (avidiana), 2'3'. Rock Coto Spreading. Foliage boxlike. Red berrie
- microphylla, 2'-3'. Rockspray, 6-9"; 9-1 Evergreen. Small leaves. Dark green. Above varieties at following prices:

| 6 | to 9 in., in pots | 1.10 | .95 | .75 |
|----|--------------------|------|------|------|
| 9 | to 12 in., in pots | 1.50 | 1.25 | 1.00 |
| 12 | | 1.90 | 1.50 | 1.25 |

- francheti; evergreen. Upright. Orange b
- perpusilla. Smaller leaves and larger fr 9-12".
- rotundifolia; evergreen, Round leaves.
- salicifolia; partly everygreen. Spreading.
- simonsi; almost evergreen. Strong growe

Above varieties at following prices:

| 6 to 9 in., in pots | | .60 | .50 |
|-----------------------|--------------|------|------|
| 9 to 12 in., in pots | 1.1 0 | .95 | .75 |
| 15 to 18 in., in pots | | 1.25 | 1.00 |
| 18 to 24 in., in pots | 2. 00 | 1.70 | 1.35 |

CRABAPPLE (See MALUS)

CRATAEGUS — HAV

| CRATAEGUS arnoldiana, 20' | | Arnold Ha | |
|---|-----------|--------------|----------|
| An open-headed tree having white flowe son fruit in August. | rs in Ma | ay and brigh | it crim- |
| 5 to 6 ft | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft | 3.75 | | 2.50 |
| 8 to 10 ft | 6.00 | 5.00 | 4.00 |
| — coccinea (intricata), 15'-20' | | Thicket Ha | wthorn |
| Shrubby habit. Oval leaves. Dull red fru | its in fa | 11. | |
| 5 to 6 ft | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft | 3.75 | 3.00 | 2.50 |
| 8 to 10 ft | 6.00 | 5.00 | 4.00 |
| — coccinoides, 20' | | Kansas Ha | wthorn |
| Attractive rugged foliage. Red fruits. | | | |
| 6 to 8 ft | 3.75 | 3.00 | 2.50 |
| 8 to 10 ft. | 6.00 | 5.00 | 4.00 |
| — cordata (phaenopyrum) 12'-15' | Was | hington Ha | wthorn |
| Colorful in fall. Makes an excellent hedge | ge. | | |
| 3 to 4 ft | 2.25 | 1.90 | 1.50 |
| 4 to 5 ft | 3.00 | 2.50 | 2.00 |
| 5 to 6 ft | 3.75 | 3.00 | 2.50 |
| 6 to 8 ft | 5.25 | 4.40 | 3.50 |
| 8 to 10 ft | 7.50 | 6.00 | 5.00 |
| — crusgalli, 15' Rich, deep green, shiny foliage. White flo | wers. | Cockspur | Thorn |
| | | | |

5 to 6 ft.....

3.75

3.00

| | Unit Pr 1-9 | ice in Quan 10-49 | |
|---|----------------|-------------------------|--|
| CRATAEGUS mollis, 15' Strong grower. Large leaves. Red fruits | | Downy Ha | awthorn |
| 3 to 4 ft | 2.25 | 1.90 | 1.50 |
| 4 to 5 ft | 2.60 | | 1.75 |
| 5 to 6 ft | | $2.\overline{50}$ | |
| 6 to 8 ft | | 3.75 | |
| — oxycantha pauli, 12'-15' Double scarlet flowers. | Paul's | Scarlet Ha | awthorn |
| 4 to 5 ft. whips | 2.55 | 2.15 | 1.70 |
| — pyracantha lalandi (See PYRACANTHA) | | | |
| | | Tall Carre | to an onio |
| CRYPTOMERIA japonica lobbi, 15'-20' Narrow, irregular, columnar, compact winter color. | | Lobb Cryp uresque. B | |
| 2 to 3 ft., B&B | | 3.00 | |
| 3 to 4 ft., B&B | 5.25 | 4.40 | |
| CYDONIA japonica (chaenomeles lagenaria) Scarlet flowers, April. May. Spicy fruits | | | ; Quince |
| 18 to 24 in. | .45 | .37 | .30 |
| 2 to 3 ft | | | .35 |
| — HYBRIDS, 4'-5' Boule de feu, double red Cardinalis, redflowering Superba atrosanguinea, redflowering Vermillion, redflowering 12 to 18 in. | .60 | .50 | .40 |
| 18 to 24 in | .90 | .75 | .60 |
| | | | |
| DEUTZIA gracilis, 3' | | Slender | Deutzia |
| Heavily ladened with snow white flower shrub. | s in May | | |
| 9 to 12 in | .37 | .30 | .25 |
| 12 to 15 in | .45 | .37 | .30 |
| 15 to 18 in | .55 | .45 | .35 |
| 18 to 24 in | .60 | .50 | |
| 2 to 2½ ft | .75 | .60 | .50 |
| —— rosea, 3' | | ose Panicle | e Deutzia |
| Similar to gracilis, but rose-pink flower | | | |
| 9 to 12 in | .37 $.55$ | .30 $.45$ | $\begin{matrix} .25 \\ .35 \end{matrix}$ |
| — lemoinei, 4'-5' | | Lemoine | |
| Large flowering, white. June. | | Lomonic | DOUGLIC |
| 10 to 10 in | 9.77 | 200 | 9.1 |

| | | rice in Quan | |
|--|---|-------------------------|---|
| | 1-9 | 10-49 | 50-249 |
| DEUTZIA magnifica, 9'-10' | Gian | t Flowered | Deutzia |
| Double white. Rugged growth. | | | |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| | .90 | .75 | .60 |
| — scabra candidissima, 9'-11' | | Snowflake | Deutzia |
| Graceful habit. Double white, June. | | | |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .37 | .30 | .25 |
| 3 to 4 ft | .55 | .45 $.55$ | $\begin{matrix} .35 \\ .45 \end{matrix}$ |
| | . 10 | .00 | .40 |
| —————————————————————————————————————— | D | ouble Pink | Deutzia |
| Double pink, June. | | | |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .37 | .30 | .25 |
| 3 to 4 ft | .55 | .45 | .35 |
| — Pride of Rochester, 9'-10' | Large | Flowered | Deutzia |
| Pink changing to white. June. Fast grow | ving. | | |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .37 | .30 | .25 |
| 3 to 4 ft | .55 | .45 | .35 |
| 4 to 5 ft | .75 | .60 | .50 |
| | | Bush-hone | ysuckle |
| Yellow flowers. June, July. Bronze foliag | | 2.0 | 9.5 |
| 2 to 3 ft. | $\begin{array}{c} .37 \\ .55 \end{array}$ | .30 $.45$ | .25 $.35$ |
| DOGWOOD (See CORNUS) | ,,, | • • • | .00 |
| DOGWOOD (See CORNES) | | | |
| - | | | |
| | | | |
| ELAEAGNUS angustifolia, 15'-18' Silvery leaves and branchlets. Orange be conditions. | erries. S | | n Olive vorable |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 $.90$ | .50 $.75$ | .40 |
| 4 to 5 ft | 1.20 | 1.00 | $\begin{array}{c} .60 \\ .80 \end{array}$ |
| | 1.20 | _,_, | |
| — longipes (multiflora), 6'-8' Silvery leaves. Yellow flowers, fragran ripening in July. | t. May. | Cherry Ela Large red | |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .90 | .75 | .60 |
| 3 to 4 ft | 1.20 | 1.00 | .80 |
| 4 to 5 ft | 1.50 | 1.25 | 1.00 |
| — umbellata, 8'-10' Powdery green leaves. Clusters of amber | r berries | Autumn E . Very hard | |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| 4 to 5 ft | $egin{array}{c} 1.00 \ 1.20 \end{array}$ | 1.00 | .65 |
| 5 to 6 ft | 1.40 | 1.00 | .80 |

Unit Price in Quantities 50-249 10-49 1-9

| TAT TATABA | 10 | CANED | TIGITION |
|--------------|-----|-------|----------|
| ELDER | See | SAMD | |

| ELM (See ULMUS) | | | |
|--|--------------------------|-----------|---------|
| ENKIANTHUS campanulatas, 20'-25' | Red V | Vein Enki | ianthus |
| Erect shrub of great ornamental valu and broad leaved exergreens. Prefers | e. Wonderful peaty soil. | with eric | eaceous |
| 3 to 4 ft.,B&B | | 4.40 | 3.50 |
| 4 to 5 ft., B&B | | 5.50 | 4.50 |
| 5 to 6 ft., B&B | 8.50 | 7.00 | 5.50 |
| EUONYMUS alatus, 9'-10' | Wi | nged Euc | onymus |
| Has corky bark. Bright crimson autur | mn coloring. | | |
| 18 to 24 in | · · | .37 | .30 |
| 2 to 3 ft | 70 | .55 | .45 |
| — — compactus, 4'-5' | Dwarf Wi | inged Euc | nvmus |
| Dwarf form of alatus. Compact. Exce | | | |
| coloring. | | | |
| 15 to 18 in | | .37 | .30 |
| 18 to 24 in | 70 | .55 | .45 |
| — radicans carrieri, 3'-4' | Gloss | y Winter | creeper |
| Evergreen. Large shiny pointed leaves | s. Bushy and o | compact. | |
| 6 to 9 in., 1 year | | .25 | .20 |
| 9 to 12 in., 2 year | | .37 | .30 |
| 12 to 15 in., 3 year | 60 | .50 | .40 |
| — — colorata, 6'-12' | Purpleleave | d Winter | creemer |
| Evergreen. Foliage narrow, long and winter color. | | | |
| | 9 M | .30 | 0.5 |
| 9 to 12 in., 2 year | | .30 $.45$ | .25 |
| 15 to 18 in., 3 year | | .55 | .45 |
| 18 to 24 in., 3 year | 90 | .75 | .60 |
| — — variegatus, 2' | Variegatedlea | af Winter | creeper |
| Evergreen. Yellowish white and pink | | | |

- vegetus, 3'-4' Bigleaf Wintercreeper Evergreen. Bushy. Leaves round, dull green. Scarlet fruit. Excellent among evergreens. Makes good formal hedge or border. .45 .30 .60 .50 .40

6 to 9 in., 1 year.....

.45

.37

.30

| FAGUS sylvatica, 75'-100' Slow growing. Makes large handsome tre | ee. | Europear | n Beech |
|--|-------|----------|---------|
| 6 to 8 ft., B&B | 10.50 | 9.00 | 7.00 |
| 8 to 10 ft., B&B | 15.00 | 12.50 | |
| 10 to 12 ft B&B | 22.50 | 19.00 | |

| Unit | Price | in | Qua | ntities |
|------|--------------|-----|-----|---------|
| 1-9 | | 10- | 49 | 50-249 |

| FAGUS sylvatica asplenifolia Useful as specimen tree. Finely cut leaves | s. Gracei | Fern Lea ful slow gr | |
|---|-----------|---------------------------------|---------|
| 2 to 3 ft., B&B | 5.00 | 4.00 | |
| 3 to 4 ft., B&B | 6.00 | 5.00 | |
| —— fastigiata, 25' Pyramid type of sylvatica. | Pyra | amidal Eur | . Beech |
| 3 to 4 ft., B&B | 5.00 | 4.00 | |
| | 7.50 | 6.00 | |
| 5 to 6 ft., B&B | 10.00 | 8.00 | |
| — Riversi, 40'-60' Deep purple leaves. Compact grower. Best 2 to 3 ft., B&B | | s Europea: the purple 5.00 6.00 | |

FLOWERING CRAB (See MALUS)

FLOWERING QUINCE (See CYDONIA)

| FORSYTHIA intermedia spectabilis, 6'-8' | Showy | Border | Forsythia |
|--|-------|--------|-----------|
| Most profuse of all. Rich golden yellow. | | | |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |



Forsythia, an example of Princteon's quality in shrubs.

| Unit Price in Quantities 1-9 10-49 50-249 | | | |
|---|---|---|---|
| FORSYTHIA suspensa, 4'-6' | | Weeping | Forsythia |
| Bright yellow. Drooping. Excellent on b | anks. | | |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .37 | .30 | .25 |
| 3 to 4 ft | .55 | .45 | .35 |
| 4 to 5 ft | .70 | .55 | .45 |
| 5 to 6 ft | .85 | .70 | .55 |
| — — fortunei, 7'-8' | | Fortune | Forsythia |
| Bright yellow. Strong grower. Arching. | | 0.5 | 2.0 |
| 18 to 24 in | .30 | .25 | $\begin{array}{c} .20 \\ .30 \end{array}$ |
| 2 to 3 ft | .45 $.60$ | $\begin{array}{c} .37 \\ .50 \end{array}$ | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| 4 (0 5 10 | . 10 | .00 | .00 |
| — viridissima, 7'-8' | G | Freenstem | Forsythia |
| Clear bright yellow. Leathery, dark gree blooming. | n foliag | ge. Green b | ark. Late |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .37 | .30 | .25 |
| 3 to 4 ft | .55 | .45 | .35 |
| TDAVINUS amenicana FOLOGI | | 70 | F71-24 - A -1- |
| FRAXINUS americana, 70'-80' | | | Vhite Ash |
| Medium grower. Good fall coloring. At h | | | |
| 8 to 10 ft | 1.90 | 1.50 | 1.25 |
| 8 to 10 ft., 1 ½ to 1½ in | $\frac{2.60}{2.75}$ | $\begin{array}{c} 2.20 \\ 3.00 \end{array}$ | 1.75 |
| 10 to 12 ft., 1½ to 1¾ in. 11 to 13 ft., 1¾ to 2 in. | $\begin{array}{c} 3.75 \\ 5.25 \end{array}$ | 4.40 | $\begin{array}{c} 2.50 \\ 3.50 \end{array}$ |
| 12 to 14 ft., 2 to 2 ½ in. | 6.75 | 5.50 | $\begin{array}{c} 3.50 \\ 4.50 \end{array}$ |
| | | 0.00 | 2.00 |
| | | | |
| GENISTA tinctoria, 3' | | W | oadwaxen |
| Slender, bright green branches. Bright y | ellow p | ea shaped | flowers. |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .45 | .37 | .30 |
| GINKG0 biloba (Salisburia), 50'-75' | | Maiden | hair Tree |
| | | | |
| Picturesque. Exotic, stately. Distinct foli fern. Immune from insects. Very desiral | age sha ole. | ped like m | aidenhair |
| 6 to 8 ft | 2.60 | 2.20 | 1.75 |
| 8 to 10 ft | 3.40 | 2.80 | 2.25 |
| 8 to 10 ft., 1¼ to 1½ in | 3.75 | 3.00 | 2.50 |
| 10 to 12 ft., 1½ to 1¾ in | 5.25 | 4.40 | 3.50 |
| 10 to 12 ft., 1 3/4 to 2 in | 6.75 | 5.50 | 4.50 |
| 12 to 14 ft., 2 to 2½ in | 8.50 | 7.00 | 5.50 |
| | | | |
| — fastigiata, 50' | | Pyramidal | Ginkgo |
| A narrow columnar form of Ginkg | o bilob | a. These t | rees are |
| all grafted from selected mature sp They are male trees and will not be | ecimens ear frui | s of the be t. | st form. |
| 6 to 8 ft | 3.75 | 3.00 | 2.50 |
| 8 to 10 ft | 6.00 | 5.00 | 4.00 |
| 10 to 12 ft | 8.50 | 7.00 | 5.50 |
| | | | |

| | Unit Pr | ice in Quai 10-49 | ntities 50-249 |
|--|---|---|---|
| GLEDITSIA triacanthos, 60'-70' | | mmon Hon | |
| Thorny tree. White fragrant flowers. M tions. Does not shade out lawns. | | | |
| 4 to 6 ft | 1.20 | 1.00 | .80 |
| 6 to 8 ft | 2.25 | 1.90 | 1.50 |
| 8 to 10 ft., 1 ¼ to 1 ½ in. 10 to 12 ft., 1 ½ to 1 ¾ in. | $\begin{array}{c} 3.40 \\ 4.50 \end{array}$ | $\begin{array}{c} 2.80 \\ 3.75 \end{array}$ | $\begin{array}{c} 2.25 \\ 3.00 \end{array}$ |
| 10 to 12 ft., 1 ½ to 1 ¼ fil | 6.00 | 5.00 | 4.00 |
| 12 to 14 ft., 2 to 2 ½ in | 7.50 | 6.25 | 5.00 |
| — inermis, 60'-70' | Tho | rnless Hon | eylocust |
| Similar to triacanthos. Almost thornless. | | | |
| 8 to 10 ft | 3.75 | 3.00 | 2.50 |
| 8 to 10 ft., 1 ¼ to 1 ½ in | 4.50 | 3.75 | 3.00 |
| 10 to 12 ft., 1½ to 1¾ in | 5.25 | 4.40 | 3.50 |
| 10 to 12 ft., 1 ¾ to 2 in | 6.00 | 5.00 | 4.00 |
| GYMNOCLADUS dioicus, 40'-50' | | entucky Co | |
| Light blue green foliage. Slow growing. 5 to 6 ft | 1.90 | sque outili 1.50 | 1.25 |
| 6 to 8 ft | | $\begin{array}{c} 1.50 \\ 2.50 \end{array}$ | $\frac{1.25}{2.00}$ |
| 8 to 10 ft | | 3.75 | 3.00 |
| 10 to 12 ft | 6.00 | 5.00 | 4.00 |
| HALESIA tetrontore (coroline) 12(17) | | Crost C | ilwamb all |
| HALESIA tetraptera (carolina), 12'-15' White bell shaped flowers in May. Profus lets. | | along the | |
| 2 to 3 ft | $\begin{matrix} .75 \\ 1.05 \end{matrix}$ | .60 $.90$ | $\begin{array}{c} .50 \\ .70 \end{array}$ |
| HAMAMELIS japonica, 15'-20' Oriental form. Blooms in late winter. Let | | anese Wite | |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | $egin{array}{c} 1.00 \ 1.20 \end{array}$ | $\begin{array}{c} .80 \\ 1.00 \end{array}$ | .65 .80 |
| | | | |
| — virginiana, 10'-12' Yellow ribbon-like flowers in late fall. tions. | | mmon Wite moist, sha | |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 $.70$ | .45 | .35 |
| 3 to 4 ft | .90 | .55 .75 | .60 |
| 5 to 6 ft | 1.50 | 1.25 | 1.00 |
| HAWTHORN (See CRATAEGUS) | 1 | | |
| HEDERA helix (hardy strain), 20'-50' Evergreen. Good ground cover for shace cover. Clinging. | dy locati | | glish Ivy leal wall |
| 12 to 15 in., 2 ½ in. pots | $\begin{matrix} .22 \\ .30 \end{matrix}$ | .18 $.25$ | $\begin{array}{c} .15 \\ .20 \end{array}$ |
| — — baltica, 20'-50' Hardy strain of Hedera helix | | Hardy En | |
| 3 in. pots | .50 | .40 | |

Unit Price in Quantities 1-9 10-49 50-249

HEMLOCK (See TSUGA)

HIBISCUS syriacus (Althea), 10'-12'

Shrub-althea

Rather formal in outline, flowering in August and September. Also called Rose of Sharon.

Amplissima, mottled pink

Ardens, double rose violet.

Comte de Haimont, double pink, white mottled.

Jeanne d'Arc, semi-double white.

Lady Stanley, double white; red at base of petals.

Lucy, double rose red.

Purpurea semi-plenus, double purple.

Totus alba, single white.

| 18 to 24 in | .37 | .30 | .25 |
|-------------|-----|-----|-----|
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .70 | .55 | .45 |

The following selected varieties of Hibiscus have exceptionally good color and are slower growers.

Coelestis, single blue. 12-18".

Rubis, single red. 12-18", 18-24", 2-3', 3-4'.

W. R. Smith, single white, large flwg. 12-18", 18-24", 2-3', 3-4'.

Variegated, variegated leaf. 12-18", 18-24", 2-3'.

| 12 to 18 in | .37 | .30 | .25 |
|-------------|-----|-----|-----|
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |

HONEYSUCKLE (See LONICERA)

HOLLY (See ILEX)

HYDRANGEA arborescens grandiflora alba, 4'-5' Snowhill Hydrangea (sterilis)

Large double white flower panicles in August. Rich green foliage.

| 12 to 18 in | .40 | .37 | .30 |
|-------------|-----|-----|-----|
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | .90 | .75 | .60 |

— paniculata grandiflora, 8'-9' Very showy. Large closely packed panicles of white flowers in August. Turns pink later.

| 12 to 18 in | .45 | .37 | .30 |
|-------------|-----|-----|-----|
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | .90 | .75 | .60 |

| 2 to | 3 ft | .90 | .75 | .60 |
|------|------|---------------------|------|-----|
| 3 to | 4 ft | $\boldsymbol{1.25}$ | 1.05 | .85 |

| Unit | Price | in | Quan | tities |
|------|--------------|-----|------|--------|
| 1-9 | | 10- | 49 | 50-249 |

| | T | 3 |
|---|---|---|
| G | | 0 |

| ILEX crenata, 8'-10' | | Japanes | se Holly |
|---|---|---|---|
| Evergreen, Box-like leaves. Deep green | Black be | erries. | |
| 12 to 15 in., B&B | 1.90 | 1.50 | 1.25 |
| 15 to 18 in., B&B | 2.60 | 2.20 | 1.75 |
| 18 to 24 in., B&B | 3.40 | 2.75 | 2.25 |
| 2 to 2 ½ ft., B&B | 4.50 | 3.75 | 3.00 |
| —————————————————————————————————————— | Co | nvex leave | d Holly |
| Evergreen. Slow growing. Shiny convex | | AL VOIL ZOU VO | 4 11011 |
| 12 to 15 in., B&B | 2.25 | 1.90 | 1.50 |
| 15 to 18 in., B&B | 3.00 | 2.50 | 2.00 |
| 18 to 24 in., B&B | 3.75 | 3.00 | 2.50 |
| — — microphylla, 6'-8' | Littlole | eaf Japanes | a Hally |
| Evergreen. Small Leaves. Quite hardy. | Пишен | ar Japanes | e mony |
| 12 to 15 in., B&B | 1.90 | 1.50 | 1.25 |
| 15 to 18 in., B&B | 2.60 | $\frac{1.30}{2.20}$ | 1.75 |
| 18 to 24 in., B&B | 3.40 | 2.80 | 2.25 |
| 2 to 2½ ft., B&B | 4.50 | 3.75 | 3.00 |
| alahma W. O. | | Ψ- | . 1-1 |
| — glabra, 5'-6' Evergreen. Shiny dark green leaves. Pu | rnligh in | | ak berry |
| ries. Good in shade or sun. | i piisii iii | winter. Dia | ck ber- |
| 12 to 15 in., B&B | 1.50 | 1.25 | 1.00 |
| 18 to 24 in., B&B | 3.00 | 2.50 | $\frac{1.00}{2.00}$ |
| 2 to 2 ½ ft., B&B | 4.10 | 3.50 | 2.75 |
| | | | |
| | | | ** 11 |
| — opaca, 45'50' | | America | n Holly |
| Evergreen. Prefers moist location in pa | | e. | |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B | 3.75 | e. 3.00 | 2.50 |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B | $\begin{array}{c} 3.75 \\ 6.00 \end{array}$ | 3.00 5.00 | $\begin{matrix}2.50\\4.00\end{matrix}$ |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B | $3.75 \\ 6.00 \\ 7.50$ | 3.00 5.00 6.00 | 2.50 |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B | 3.75 6.00 7.50 11.00 | 3.00 5.00 6.00 9.50 | $\begin{matrix}2.50\\4.00\end{matrix}$ |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B | 3.75 6.00 7.50 11.00 | 3.00 5.00 6.00 9.50 | $\begin{matrix}2.50\\4.00\end{matrix}$ |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B | 3.75 6.00 7.50 11.00 | 3.00 5.00 6.00 9.50 | $2.50 \\ 4.00 \\ 5.00$ |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B Selected Berried Plants 25% | 3.75 6.00 7.50 11.00 | 3.00 5.00 6.00 9.50 | $2.50 \\ 4.00 \\ 5.00$ |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B Selected Berried Plants 25% — serrata (sieboldi), 8'-14' | 3.75 6.00 7.50 11.00 | 3.00 5.00 6.00 9.50 | $2.50 \\ 4.00 \\ 5.00$ |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B Selected Berried Plants 25% — serrata (sieboldi), 8'-14' Small finely toothed leaves. Red berries. 18 to 24 in 2 to 3 ft. | 3.75 6.00 7.50 11.00 additions | 3.00 5.00 6.00 9.50 al. Fine Toot: | 2.50 4.00 5.00 ——————————————————————————————— |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B Selected Berried Plants 25% - serrata (sieboldi), 8'-14' Small finely toothed leaves. Red berries. 18 to 24 in. | 3.75 6.00 7.50 11.00 additions | 3.00 5.00 6.00 9.50 al. Fine Toot | 2.50 4.00 5.00 ——————————————————————————————— |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B Selected Berried Plants 25% — serrata (sieboldi), 8'-14' Small finely toothed leaves. Red berries. 18 to 24 in 2 to 3 ft. | 3.75 6.00 7.50 11.00 additions | 3.00 5.00 6.00 9.50 al. Fine Toot: | 2.50 4.00 5.00 ——————————————————————————————— |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B Selected Berried Plants 25% — serrata (sieboldi), 8'-14' Small finely toothed leaves. Red berries. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. | 3.75 6.00 7.50 11.00 additions .55 .85 1.10 | .45 .70 .95 Wint | 2.50 4.00 5.00 ——————————————————————————————— |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B Selected Berried Plants 25% — serrata (sieboldi), 8'-14' Small finely toothed leaves. Red berries. 18 to 24 in 2 to 3 ft 3 to 4 ft — verticillata (prinos), 6'-8' Bright red berries to medium in winter. | 3.75 6.00 7.50 11.00 additions .55 .85 1.10 | 3.00 5.00 6.00 9.50 al. Fine Toot: .45 .70 .95 Wint | 2.50 4.00 5.00 ——————————————————————————————— |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B Selected Berried Plants 25% — serrata (sieboldi), 8'-14' Small finely toothed leaves. Red berries. 18 to 24 in 2 to 3 ft 3 to 4 ft — verticillata (prinos), 6'-8' | 3.75 6.00 7.50 11.00 additions .55 .85 1.10 | .45 .70 .95 Wint | 2.50 4.00 5.00 ——————————————————————————————— |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B Selected Berried Plants 25% — serrata (sieboldi), 8'-14' Small finely toothed leaves. Red berries. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — verticillata (prinos), 6'-8' Bright red berries to medium in winter. 18 to 24 in. 2 to 3 ft. 2 to 3 ft. 2 to 3 ft. | 3.75 6.00 7.50 11.00 additions .55 .85 1.10 | 3.00 5.00 6.00 9.50 al. Fine Toot: .45 .70 .95 Wint green. .37 .50 | 2.50 4.00 5.00 5.00 h Holly .35 .55 .75 erberry |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B Selected Berried Plants 25% — serrata (sieboldi), 8'-14' Small finely toothed leaves. Red berries. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — verticillata (prinos), 6'-8' Bright red berries to medium in winter. 18 to 24 in. 2 to 3 ft. 18 to 24 in. 2 to 3 ft. ITEA virginica, 3'-4' | 3.75 6.00 7.50 11.00 additions .55 .85 1.10 Not evers .45 .60 | .e. 3.00 5.00 6.00 9.50 al. Fine Toot: .45 .70 .95 Wint green37 .50 | 2.50 4.00 5.00 5.00 h Holly .35 .55 .75 erberry .30 .40 eetspire |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B Selected Berried Plants 25% — serrata (sieboldi), 8'-14' Small finely toothed leaves. Red berries. 18 to 24 in 2 to 3 ft 3 to 4 ft — verticillata (prinos), 6'-8' Bright red berries to medium in winter. 18 to 24 in 2 to 3 ft | 3.75 6.00 7.50 11.00 additions .55 .85 1.10 Not evers .45 .60 | .e. 3.00 5.00 6.00 9.50 al. Fine Toot: .45 .70 .95 Wint green37 .50 | 2.50 4.00 5.00 5.00 h Holly .35 .55 .75 erberry .30 .40 eetspire |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B Selected Berried Plants 25% — serrata (sieboldi), 8'-14' Small finely toothed leaves. Red berries. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — verticillata (prinos), 6'-8' Bright red berries to medium in winter. 18 to 24 in. 2 to 3 ft. 18 to 24 in. 2 to 3 ft. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. ITEA virginica, 3'-4' Spikes of white fragrant flowers. July. Geautumn coloring. | 3.75 6.00 7.50 11.00 additions .55 .85 1.10 Not evers .45 .60 | 3.00 5.00 6.00 9.50 al. Fine Toot: .45 .70 .95 Wint green37 .50 Swew places. B | 2.50 4.00 5.00 5.00 h Holly .35 .55 .75 erberry .30 .40 eetspire rilliant |
| Evergreen. Prefers moist location in pa 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B Selected Berried Plants 25% — serrata (sieboldi), 8'-14' Small finely toothed leaves. Red berries. 18 to 24 in 2 to 3 ft 3 to 4 ft — verticillata (prinos), 6'-8' Bright red berries to medium in winter. 18 to 24 in 2 to 3 ft | 3.75 6.00 7.50 11.00 additions .55 .85 1.10 Not evers .45 .60 | .e. 3.00 5.00 6.00 9.50 al. Fine Toot: .45 .70 .95 Wint green37 .50 | 2.50 4.00 5.00 5.00 h Holly .35 .55 .75 erberry .30 .40 eetspire |

IVY (See AMPELOPSIS or HEDERA)

See last five pages for helpful information.

Unit Price in Quantities 1-9 10-49 50-249



JAPANESE MAPLE (See ACER palmatum)

| JASMINUM nudiflorum, 8' | Winter Jasmine |
|---|--|
| Yellow, April-May. Not hardy in northern star | |
| 12 to 18 in | |
| | $\frac{.25}{5}$.37 .30 |
| 2 to 3 ft | |
| 2 to 9 to | , |
| — stephanense, 8' | Stephan Jasmine |
| Large fragrant flowers of soft pale pink. Tend | |
| 18 to 24 in | |
| 2 to 3 ft | .50 .40 |
| JUGLANS nigra, 80'-100' | Black Walnut |
| Native tree. Tall erect. Wide spreading branch | nes. Edible nut. |
| 8 to 10 ft | 3.00 2.50 |
| 10 to 12 ft. 5.2 | 4.40 3.50 |
| | |
| JUNIPERUS chinensis, 15'-20' | Chinese Juniper |
| Formal columnar. Gray green foliage. | |
| - · · · · · · · · · · · · · · · · · · · | $egin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 8 to 10 ft., B&B | |
| 5 to 10 1tt., D&D | 12.25 |
| —————————————————————————————————————— | |
| Pyramidal. | |
| 4 to 5 ft., B&B | 7.50 |
| —— columnaris (pyramidalis), 15'-20' Blue Colum | nnan Chinaga Iuninan |
| Fast growing. Narrow columnar. Gray green f | |
| 3 to 4 ft., B&B | 5 	 4.40 	 3.50 |
| 4 to 5 ft., B&B | $5 \qquad 5.50 \qquad 4.50$ |
| 5 to 6 ft., B&B 9.0 | 0.00 |
| 6 to 7 ft., B&B | |
| 7 to 8 ft., B&B | $0 \qquad 12.25 \qquad 10.00$ |
| — — viridis, 15'-20' Green Colum | nnar Chinese Juniper |
| 5 to 6 ft., B&B | |
| | 0 10.00 8.00 |
| 7 to 8 ft., B&B | 0 12.25 10.00 |
| — — japonica, 6'-8' | Japanese Juniper |
| Low grower. Spreading. Dark green. Grows si | lowly. |
| 2 to 2 ½ ft., B&B | |
| 2 ½ to 3 ft., B&B | |
| 3 to 3 ½ ft., B&B | 0 4.75 3.75 |
| — pfitzeriana, 5'-6' | Pfitzer Juniper |
| Gray green feathery appearing. Broad bushy | |
| 15 to 18 in., B&B 2.2 | 5 1.90 1.50 |
| 18 to 24 in., B&B | 0 2.80 2.25 |

| | Unit Price in Quantities | | |
|---|--------------------------|------------|---------------------|
| | 1-9 | 10-49 | 50-249 |
| JUNIPERUS chinensis sargenti (green), 1 1/2 ' | • | Sargent 3 | Juniper |
| Prostrate. Grass green foliage. Good gr | | | |
| plant. | | | Ü |
| 12 to 15 in., B&B | 2.25 | 1.90 | |
| 15 to 18 in., B&B | 3.00 | 2.50 | |
| 18 to 24 in., B&B | 4.10 | 3.50 | |
| ovivostnia (ablanca) 0/40/ | | | |
| —— sylvestris (oblonga), 8'-10' | d Dootho | ur huonaha | ~ |
| Grayish foliage. Broad irregular pyrami | | | |
| 4 to 5 ft., B&B | 5.25 | 4.40 | 3.50 |
| 5 to 6 ft., B&B | 7.50 | 6.25 | 5.00 |
| 6 to 8 ft., B&B | 11.25 | 9.00 | 7.50 |
| — communis, 15'-25' | | Common | Juniper |
| Wide, vase shape. Gray green foliage. | | | |
| 2 to 2 ½ ft., B&B | 2.25 | 1.90 | 1.50 |
| 2 ½ to 3 ft., B&B | 3.00 | 2.50 | $\frac{2.00}{2.00}$ |
| 3 to 4 ft., B&B | 3.75 | 3.00 | 2.50 |
| como donais = 1 01 | | Conodo | Taninon |
| —— canadensis, 5'-6' Low vase shape. Leaves dark green above | ro bluigh | Canada | _ |
| | , | | |
| 2 to 2 ½ ft., B&B | 2.25 | 1.90 | 1.50 |
| 2 ½ to 3 ft., B&B | 3.00 | 2.50 | 2.00 |
| 3 to 4 ft., B&B | 4.10 | 3.50 | 2.75 |
| — — hibernica, 20'-30' | | Irish . | Juniper |
| Narrow pyramid. Gray green foliage. | | | |
| 12 to 18 in., B&B | 1.10 | .95 | .75 |
| — excelsa stricta, 10'-12' | Sn | iny Greek | Tuniner |
| Broad based pyramid. Gray green folias | | | dirpoi |
| 9 to 12 in., B&B | .90 | .75 | .60 |
| 12 to 15 in., B&B | 1.35 | 1.10 | .90 |
| 15 to 18 in., B&B | $\frac{1.00}{2.00}$ | 1.70 | 1.35 |
| 18 to 24 in., B&B | $\frac{2.70}{2.70}$ | 2.25 | 1.80 |
| 2 to 2½ ft., B&B | 3.40 | 2.80 | $\frac{2.25}{2.25}$ |
| 2 00 2 /2 200, 2002 | | | |



Juniper stricta, quality plants for quick profits. Our Evergreen assortment is excellent and our prices are reasonable.

| | Unit P | Price in Quar 10-49 | ntities 50-249 |
|--|--|---|---|
| JUNIPERUS horizontalis (sabina prostata), | 1'-1 1/2 | , | T . |
| Droctroto Cood ground cover or for rec | | eping Savin | Juniper |
| Prostrate. Good ground cover or for roc | | | 1 50 |
| 18 to 24 in., B&B | $\frac{2.25}{3.00}$ | $\begin{array}{c} 1.90 \\ 2.50 \end{array}$ | $\begin{array}{c} 1.50 \\ 2.00 \end{array}$ |
| 2 to 2½ ft., B&B | $\frac{3.00}{3.75}$ | $\frac{2.30}{3.00}$ | $\begin{array}{c} 2.00 \\ 2.50 \end{array}$ |
| _ /2 | | | |
| — Bar Harbor, 1'-1½' Excellent prostrate form. Similar to hor | | Bar Harbor is. | Juniper |
| 12 to 15 in., B&B | 1.50 | 1.25 | 1.00 |
| 18 to 24 in., B&B | 3.00 | 2.50 | $\frac{2.00}{2.75}$ |
| 2 to 2½ ft., B&B | 4.10 | 3.50 | 2.75 |
| — — depressa plumosa Spreading type, Hardy, Purplish in winte | | d Spreading active. | Juniper |
| 15 to 18 in., B&B | 1.90 | 1.50 | 1.25 |
| 3 to 4 ft., B&B | 4.50 | 3.75 | 3.00 |
| donalosi 4/ 41// | | Wantaa | Tuminan |
| ——— douglasi, 1'-1½' Long _e trailing branches. Steel blue foliage hue. | | Waukegan ellent purplo | |
| 12 to 15 in., B&B | 1.50 | 1.25 | 1.00 |
| 18 to 24 in., B&B | 2.60 | 2.20 | 1.75 |
| 2 to 2½ ft., B&B | 3.75 | 3.00 | 2.50 |
| 2 ½ to 3 ft., B&B | 4.50 | 3.75 | 3.00 |
| - sabina tamariscifolia, 1½'-2' Prostrate. Compact. Soit texture foliage. |)***) | Tamarix | Juniper |
| 18 to 24 in., B&B | 3.00 | 2.50 | 2.00 |
| 2 to 3 ft., B&B | 3.75 | 3.00 | 2.50 |
| — squamata meyeri, 3'-4' Deep blue green. Dwarf. Desirable. | | Meyer | Juniper |
| 2 to 2½ ft., B&B | 3.75 | 3.00 | |
| 2½ to 3 ft., B&B | 4.50 | 3.50 | |
| 3 to 4 ft., B&B | 5.50 | 4.50 | |
| — virginiana, 35'-50' | lich in | | edcedar |
| Deep green. Forms a dense column. Purp | | | |
| 6 to 8 ft., B&B 8 to 10 ft., B&B | | $\begin{array}{c} \textbf{7.00} \\ \textbf{9.50} \end{array}$ | |
| 2 72 20, 242 | 11.00 | 0.0 0 | |
| — — burki, 10'-12' | | Burks | Juniper |
| Distinct blue. Forms a dense column. | | | |
| 2 to 3 ft., B&B | 3.75 | 3.00 | 2.50 |
| 3 to 4 ft., B&B | 5.25 | 4.40 | 3.50 |
| 4 to 5 ft., B&B | 6.75 | 5.50 | 4.50 |
| 5 to 6 ft., B&B | 9.00 | 7.50 | 6.00 |
| —— canaerti, 12'-15' | . 1 | Canaert R | tedcedar |
| Blackish-green foliage. Dense growing co | | | |
| 3 to 4 ft., B&B | 5.25 | 4.40 | 3.50 |
| 4 to 5 ft., B&B 5 to 6 ft., B&B | 6.75 | 5.50 | 4.50 |
| 6 to 8 ft., B&B | $\begin{array}{c} 9.00 \\ 12.00 \end{array}$ | 7.50 | |
| 8 to 10 ft., B&B | 12.00 15.00 | $\begin{array}{c} 9.50 \\ 12.00 \end{array}$ | - |
| 0 00 10 10, D&D | 10.00 | 12.00 | |

| | | ce in Quan | |
|--|---|---|---|
| | 1-9 | 10-49 | 50-249 |
| JUNIPERUS virginiana elegantissima, 12'-15 | | Goldtip R | |
| Bright yellow tips to branches. Bronze i | | | 3.00 |
| 3 to 4 ft., B&B | $\begin{array}{c} \textbf{4.50} \\ \textbf{7.00} \end{array}$ | $\begin{array}{c} 3.75 \\ 5.50 \end{array}$ | 4.50 |
| 5 to 6 ft., B&B | 9.00 | 7.50 | |
| —— glauca, 15'-20' | | Silver R | edcedar |
| Blue gray foliage. Columnar, tall, narro | w. | | |
| 2 to 3 ft., B&B | | 3.00 | |
| 3 to 4 ft., B&B | | 4.40 | 3.50 |
| 4 to 5 ft., B&B | $\begin{array}{c} 6.75 \\ 9.00 \end{array}$ | 5.50 7.50 | 4.50 6.00 |
| 5 to 6 ft., B&B | | | |
| — keteleeri, 15'-18' | | Keteleer R | |
| Deep green foliage. Slate blue berrie pyramid. | es. Comp | act, proac | i based |
| 2 to 3 ft., B&B | 3.75 | 3.00 | 2.50 |
| 3 to 4 ft., B&B | 5.25 | 4.40 | 3.50 |
| 4 to 5 ft., B&B | $\begin{array}{c} 6.75 \\ 9.00 \end{array}$ | $\begin{array}{c} 5.50 \\ 7.50 \end{array}$ | $\begin{array}{c} \textbf{4.50} \\ \textbf{6.00} \end{array}$ |
| , | | | |
| — pyramidalis, 35'-50' Columnar, dense, compact. | Ру | ramidal R | eaceaar |
| 3 to 4 ft., B&B | 4.50 | 3.75 | . 2.00 |
| 4 to 5 ft., B&B | 6.00 | | |
| 5 to 6 ft., B&B | 7.50 | 6.25 | 5.00 |
| — — schotti, 12'-15' | | Schott R | edcedar |
| Fresh green foliage. Formal columnar | habit. | | |
| 2 to 3 ft., B&B | 3.75 | | 2.50 |
| 3 to 4 ft., B&B | 5.25 | 4.40 | 3.50 |
| 4 to 5 ft., B&B | $\begin{array}{c} \textbf{6.75} \\ \textbf{9.00} \end{array}$ | 5.50 7.50 | 4.50 6.00 |
| 6 to 8 ft., B&B | 11.00 | 9.50 | 7.50 |
| 8 to 10 ft., B&B | 14.50 | 12.00 | 9.50 |
| | | | |
| KALMIA latifolia, 8'-10' | | Mountai | in-laurel |
| Evergreen. Pink flowers, June. Glossy for | oliage. Pr | | |
| 15 to 18 in., B&B | | 1.90 | 1.50 |
| 18 to 24 in., B&B | | $\frac{2.50}{2.50}$ | 2.00 |
| 2 to 3 ft., B&B | 3.75 | 3.00 | 2.50 |
| KERRIA japonica, 4'-5' | | | e Kerria |
| Yellow flowers, June, September. Green | branches | | |
| 12 to 18 in | .45 | .37 | .30 |
| 18 to 24 in | .60 | , | .40 |
| KOELREUTERIA paniculata, 25'-30' | | Var | nishtree |
| (Also called Panicled Goldenrain-tre | e) | | |
| Yellow flowers, July. 5 to 6 ft | 3.00 | 2.50 | |
| 6 to 8 ft | $\begin{array}{c} 3.00 \\ 3.75 \end{array}$ | $\frac{2.50}{3.00}$ | |
| 0 00 0 200 | 00 | 0.00 | |

| | Unit Pri 1-9 | ice in Qua 10-49 | |
|--|-----------------|---------------------|-------------------|
| KOLKWITZIA amabilis, 6'-8' | | Bea | autybush |
| A distinctive pink flowering shrub. Very | y effective | e. | |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft. | .90 | .75 | .60 |
| 4 to 5 ft | 1.10 | .95 | .75 |
| | | | |
| LAUREL (See KALMIA) | | | |
| LEUCOTHOE catesbaei, 3'-4' | Di | rooping L | eucoth o e |
| Evergreen. White flowers, May. Glossy Prefers shade. | foliage. | Rich fall | coloring. |
| 18 to 24 in., B&B | 3.75 | 3.00 | 2.50 |
| 2 to 3 ft., B&B | | | |
| LIBOCEDRUS decurrens, 100' | C | Calif. Ince | nsecedar |
| Handsome tall growing tree forming na reddish. Deep green foliage. Splendid ac | | | ad. Bark |
| 3 to 4 ft., B&B | 4.50 | 3.75 | 3.00 |
| 4 to 5 ft., B&B | 6.00 | 5.00 | 4.00 |
| 5 to 6 ft., B&B | 8.50 | 7.00 | 5.50 |
| LIGUSTRUM amurense, 14'-15' | | | ır Privet |
| Semi evergreen. Upright. Olive green fo | liage. Ver | y hardy. | |
| 12 to 18 in | .09 | .07 | |
| 18 to 24 in | .12 | .10 | .08 |
| 2 to 3 ft | .16 | .13 | .11 |



.20

.22

.15

Amur River Privet and Shrubs. Ample spacing and good cultivation make good quality.

| | Unit Pr | ice in Quar 10-49 | tities 50-249 |
|--|-----------|----------------------|------------------|
| LIGUSTRUM ibolium, 8'-10' | 10 | | n Privet |
| Similar to California Privet, but much h | ardier | 1001141 | |
| 12 to 18 in | .08 | .06 | .05 |
| 18 to 24 in | .09 | .07 | .06 |
| 2 to 3 ft | .11 | .09 | .07 1/2 |
| 3 to 4 ft | .16 | .13 | .11 |
| — ibota, 9'-10' | | Ibot | a Privet |
| Dense. White flowers. Black berries. Ven | v hardv | | |
| 12 to 18 in. | .12 | .10 | .09 |
| 18 to 24 in | .18 | .15 | .12 |
| 2 to 3 ft | .27 | .22 | .18 |
| 3 to 4 ft | .37 | .30 | .25 |
| 4 to 5 ft | .60 | .50 | .40 |
| 5 to 6 ft | .90 | .75 | .60 |
| — — regelianum (obtusifolium regal.), 5'-6' | | Ragg | al Privet |
| Low, dense, spreading. Very desirable. | | Rego | or rest |
| | 10 | 1.0 | 10 |
| 9 to 12 in. 12 to 18 in. | .16 $.25$ | .12 $.21$ | .10 |
| 18 to 24 in | .25 $.37$ | .21 $.30$ | .25 |
| 10 to 24 m | .01 | .00 | .40 |
| — vicari, 8'-10' Striking yellow foliage. Clear even color | | lolden Ibot | a Privet |
| 12 to 15 in | .45 | .37 | .30 |
| | | | |
| - lucidum (macrophyllum), 20'-25' | | Gloss | y Privet |
| Evergreen. Rich glossy leaves. Hardy i | n shelter | | • |
| called Waxleaf Privet. | | | |
| 9 to 12 in | .37 | .30 | .25 |
| 12 to 15 in. | .75 | .60 | .50 |
| | | | |
| — ovalifolium, 12'-15' | | Californi | a Privet |
| Most popular hedge plant. Glossy green | | | |
| Heavy 2 and 3 year cut ba | ck stock | • | |
| 12 to 18 in | .08 | .06 | .05 |
| 18 to 24 in | .09 | .07 | .06 |
| 2 to 3 ft | .11 | .09 | $.07\frac{1}{2}$ |
| 3 to 4 ft | .16 | | .11 |
| 4 to 5 ft | .30 | .25 | .20 |
| vulgare, 10'-12' | | Europea | |
| Creamy white flowers, June, July. Black | berries. | Long ovat | e leaves. |
| 12 to 18 in | .18 | .15 | .12 |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .37 | .30 | .25 |
| 3 to 4 ft | .45 | .37 | .30 |
| | | | |

LILAC (See SYRINGA)

LINDEN (See TILIA)

| | | ce in Qua | |
|---|---|-------------------------|----------------------|
| | 1-9 | | |
| LIQUIDAMBAR styraciflua, 50'-60' | zoll in mo | | weetgum |
| Corky bark. Rich green foliage, Grows w | $\frac{2.60}{2.60}$ | 2.20 | 1.75 |
| 6 to 8 ft | $\begin{array}{c} 2.60 \\ 3.75 \end{array}$ | 3.00 | $\frac{1.15}{2.50}$ |
| 9 to 11 ft., 1½ to 2 in. | 4.90 | 4.00 | 3.25 |
| 10 to 12 ft., 2 to 2 ¼ in | 6.00 | 5.00 | 4.00 |
| 11 to 13 ft., 2 1/4 to 2 1/2 in | 7.50 | 6.25 | 5.00 |
| 12 to 14 ft., $2\frac{1}{2}$ to 3 in | 9.00 | 7.50 | |
| 13 to 15 ft., 3 to 3½ in | 12.00 | 10.00 | |
| LIRIODENDRON tulipifera, 60'-80' | | T - | 'uliptree |
| Rapid growing. Yellow tulip-like flowers | s. June. | | |
| 10 to 12 ft., 1½ to 2 in | 3.75 | 3.00 | 2.50 |
| 12 to 15 ft., 2 to 2½ in | 5.25 | 4.40 | 3.50 |
| 13 to 16 ft., 2½ to 3 in | 7.50 | 6.25 | 5.00 |
| 14 to 17 ft., 3 to 3½ in | 9.00 | 7.50 | |
| LONICERA bella albida, 8'-9' Vigorous, white flowers. Blue green folia | | Belle Hone | eysuckle |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | .90 | .75 | .60 |
| — fragantissima, 6'-8' White fragrant flowers, April, May. Sem | | nter Hone en. | ysuckle |
| 18 to 24 in. | .30 | .25 | .20 |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| — japonica halliana, 15'-25' Vine. Almost evergreen. Free blooming vant. Ideal for covering steep banks. | | nese Hone yellow. V | |
| 2 year | .27 | .22 | .18 |
| | | | |
| — maacki, 12'-15' Vigorous grower. Thrives under neglect White flowers in May followed by red fru | t. Uprigh | mur Hone at and spi | eysuckle ceading. |
| 2 to 3 ft | .55 | .45 | 9.5 |
| | .70 | .55 | .35 .45 |
| | ••• | .00 | • 10 |
| —— podocarpa, 8'-9' Strong grower. Stands neglect. White flo | | Late Hone ay. Red fr | |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| 4 to 5 ft | .85 | .70 | .55 |
| — morrowi, 7'-8' Spreading habit. White flowers, May, Jun | Mone. Red b | row Hone | ysuckle |
| 12 to 18 in | .22 | .20 | .15 |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |

| LONICERA ruprechtiana, 8'-9' Manchurian Honeysuckle Creamy white flowers, June. Red and orange berries. | | | | |
|---|---|---------------------|----------------------------------|------------|
| Creamy white flowers, June. Red and orange berries. 12 to 18 in | | | | |
| 18 to 24 in. | | Manchi ange berr | urian Hone i <mark>es.</mark> | eysuckle |
| 18 to 24 in. | | | | 15 |
| 2 to 3 ft | 18 to 24 in | | · — · | |
| ## 15 of ft. ## 16 of ft. ## 1 | 2 to 2 ft | | | |
| ## Tatarian Honeysuckle White flowers. Red fruit. Very adaptable. 18 to 24 in. | | | | |
| —tatarica alba, 9'-10' White Tatarian Honeysuckle White flowers. Red fruit. Very adaptable. 18 to 24 in | | | | |
| White flowers. Red fruit. Very adaptable. 18 to 24 in | 4 to 5 ft | .75 | .60 | .50 |
| 2 to 3 ft | | Vhite Tata le. | arian Hone | ysuckle |
| 2 to 3 ft | 18 to 24 in | 3.0 | 25 | 2.0 |
| 3 to 4 ft | | | | |
| ### ### ### ### ### ### ### ### ### ## | | | | |
| —— pulcherrima, 9'-10' Bright Red Tatarian Honeysuckle Very desirable, bright red flowers. Large bright red berries. 12 to 18 in | | | | |
| Very desirable, bright red flowers. Large bright red berries. 12 to 18 in | 4 10 5 11 | .75 | .60 | .50 |
| ————————————————————————————————————— | Very desirable, bright red flowers. Larg | e bright i | rian Hone ed berries | ysuckle |
| Pink flowers. Red fruit. Very adaptable. 12 to 18 in | 12 to 18 in. | .37 | .30 | .25 |
| 18 to 24 in. | · · · · · · · · · · · · · · · · · · · | | ırian Hone | ysuckle |
| 18 to 24 in. | 12 to 18 in | .22 | .20 | .15 |
| 2 to 3 ft | | | | |
| - tellmanniana, 12′ Golden Honeysuckle Large yellow flowers. One of the best new climbing varieties. Very showy. 12 to 18 in., 1 year | | | | |
| — tellmanniana, 12' Golden Honeysuckle Large yellow flowers. One of the best new climbing varieties. Very showy. 12 to 18 in., 1 year | | | | |
| Violet flowers, June. Bright red fruits. Ideal for holding banks. 18 to 24 in | Large yellow flowers. One of the best no showy. 12 to 18 in., 1 year | .30 .45 | ng varietie .25 .37 | .20 .30 |
| Violet flowers, June. Bright red fruits. Ideal for holding banks. 18 to 24 in | LYCIUM chinense, 10'-12' | Chines | e Matrimo | ny-vine |
| 2 to 3 ft | | deal for l | nolding bai | nks. |
| 2 to 3 ft | 18 to 24 in | .30 | .25 | .20 |
| Has attractive white flowers May-July. A handsome native shrub. 18 to 24 in., B&B | 2 to 3 ft | .37 | .30 | .25 |
| 18 to 24 in., B&B 2.25 1.90 1.50 2 to 3 ft., B&B 3.00 2.50 2.00 3 to 4 ft., B&B 4.50 3.75 3.00 MAGNOLIA conspicua (denudata), 40'50' Yulan Magnolia Large, white, sweet scented flowers, before leaves. Spreading branches. 3 to 4 ft., B&B 4.50 — — 4 to 5 ft., B&B 6.00 — — — | | A handson | | |
| 2 to 3 ft., B&B | | | | |
| 3 to 4 ft., B&B | · · | | | |
| MAIDENHAIR (See GINKGO) MAGNOLIA conspicua (denudata), 40'50' Yulan Magnolia Large, white, sweet scented flowers, before leaves. Spreading branches. 3 to 4 ft., B&B | | | | |
| MAIDENHAIR (See GINKGO) MAGNOLIA conspicua (denudata), 40'50' Yulan Magnolia Large, white, sweet scented flowers, before leaves. Spreading branches. 3 to 4 ft., B&B | | | | |
| Large, white, sweet scented flowers, before leaves. Spreading branches. 3 to 4 ft., B&B | | | | |
| 3 to 4 ft., B&B | Large, white, sweet scented flowers, bet | fore leave | | |
| 4 to 5 ft., B&B | | 4.50 | | |
| | | | | |
| 7 1011 | 5 to 6 ft., B&B | 9.00 | | |

See last five pages for helpful information.

| | Unit P: 1-9 | rice in Quan 10-49 | tities 50-249 |
|--|---|--|---|
| MAGNOLIA cordata, 60'-75' | Yel | low Cucumb | er Tree |
| The only yellow Magnolia. Very unusual | | | |
| 2 to 3 ft., B&B | 2.25 | 1.90 | |
| 3 to 4 ft., B&B | | 2.50 | |
| 4 to 5 ft., B&B | | 3.75 | |
| 5 to 6 ft., B&B | | 5.00 | |
| · | | ~ | |
| — glauca (virginiana), 15'-20' | | | weetbay |
| Fragrant creamy white flowers, May. moist location. | Nearly | evergreen. | Prefers |
| 3 to 4 ft., B&B | 4.50 | 3.75 | 3.00 |
| 4 to 5 ft., B&B | 6.00 | 5.00 | 4.00 |
| 5 to 6 ft., B&B | 7.50 | 6.00 | 5.00 |
| 6 to 8 ft., B&B | 12.50 | 10.00 | |
| | | | |
| - kobus, 20'-30' | | Kobus M | Iagnolia |
| White flowers before leaves. Very hardy | | 9.75 | 2.00 |
| 3 to 4 ft., B&B | 4.50 | 3.75 | 3.00 |
| 4 to 5 ft., B&B | 6.00 | 5.00 | |
| 5 to 6 ft., B&B | 8.50 | 7.00 | |
| 6 to 8 ft., B&B | 11.00 | 9.50 | 7.50 |
| 8 to 10 ft., B&B | 15.00 | 12.50 | 10.00 |
| SAUCER MAGNOLI | AS | | |
| — soulangeana (15'-18') | | Saucer M | Tagnolia. |
| Purplish-pink Fls., May. Most popular. | | baucei ii. | lagnona |
| — — alba superba (15'-18') | Lai | rge Saucer M | [agnolia |
| White with pink center. 2-3' 3- | | -5' 5-6' | |
| Above two varieties at following prices | | -9 9-0 | 0-0 |
| A DOVE I WO VALIETIES AT TOTOWITE INTICES | | | |
| | | 4 4 0 | 0 7 0 |
| 2 to 3 ft., B&B | 5.25 | 4.40 | |
| 2 to 3 ft., B&B | 5.25 6.75 | 5.50 | 4.50 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B | 5.25 6.75 9.00 | 5.50 7. 50 | $\begin{array}{c} \textbf{4.50} \\ \textbf{6.00} \end{array}$ |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B | 5.25 6.75 9.00 12.00 | $egin{array}{c} 5.50 \ 7.50 \ 10.00 \end{array}$ | 4.50 6.00 8.00 |
| 2 to 3 ft., B&B | 5.25 6.75 9.00 | 5.50 7. 50 | $\begin{array}{c} \textbf{4.50} \\ \textbf{6.00} \end{array}$ |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B | 5.25 6.75 9.00 12.00 | 5.50 7.50 10.00 12.50 | 4.50 6.00 8.00 10.00 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B | 5.25 6.75 9.00 12.00 15.00 | 5.50 7.56 10.00 12.50 Star M | 4.50 6.00 8.00 10.00 Iagnolia |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flo | 5.25 6.75 9.00 12.00 15.00 | 5.50 7.56 10.00 12.50 Star M | 4.50 6.00 8.00 10.00 Iagnolia |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flo | 5.25 6.75 9.00 12.00 15.00 | 5.50 7.56 10.00 12.50 Star M | 4.50 6.00 8.00 10.00 Iagnolia e leaves. 4.00 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flo 18 to 24 in., B&B 2 to 2½ ft., B&B | 5.25 6.75 9.00 12.00 15.00 0wers co | 5.50 7.56 19.00 12.50 Star Moming before 5.00 6.25 | 4.50 6.00 8.00 10.00 Iagnolia e leaves. 4.00 5.00 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flow of the stellar of the semi-double flow of the semi-d | 5.25 6.75 9.00 12.00 15.00 0wers co 6.00 7.50 9.00 | 5.50 7.56 19.00 12.50 Star Moming before 5.00 6.25 7.50 | 4.50 6.00 8.00 10.00 Aagnolia e leaves. 4.00 5.00 6.00 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flot 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B | 5.25 6.75 9.00 12.00 15.00 0 wers co 6.00 7.50 9.00 11.00 | 5.50 7.56 10.00 12.50 Star Moming before 5.00 6.25 7.50 9.00 | 4.50 6.00 8.00 10.00 Aagnolia e leaves. 4.00 5.00 6.00 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flow of the stellar of the semi-double flow of the semi-d | 5.25 6.75 9.00 12.00 15.00 0wers co 6.00 7.50 9.00 | 5.50 7.56 19.00 12.50 Star Moming before 5.00 6.25 7.50 | 4.50 6.00 8.00 10.00 Aagnolia e leaves. 4.00 5.00 6.00 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flot 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B | 5.25 6.75 9.00 12.00 15.00 0wers co 6.00 7.50 9.00 11.00 13.50 19.00 | 5.50 7.56 10.00 12.50 Star Moming before 5.00 6.25 7.50 9.00 11.00 15.00 | 4.50 6.00 8.00 10.00 Iagnolia e leaves. 4.00 5.00 6.00 7.50 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flot 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B | 5.25 6.75 9.00 12.00 15.00 0wers co 6.00 7.50 9.00 11.00 13.50 19.00 | 5.50 7.56 10.00 12.50 Star Moming before 5.00 6.25 7.50 9.00 11.00 | 4.50 6.00 8.00 10.00 Iagnolia e leaves. 4.00 5.00 6.00 7.50 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flot 18 to 24 in., B&B 2 to 2½ ft., B&B 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B rosea, 8'-10' Pink flowering form of above. | 5.25 6.75 9.00 12.00 15.00 0wers co 6.00 7.50 9.00 11.00 13.50 19.00 | 5.50 7.56 10.00 12.50 Star M oming before 5.00 6.25 7.50 9.00 11.00 15.00 | 4.50 6.00 8.00 10.00 Iagnolia e leaves. 4.00 5.00 6.00 7.50 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flot 18 to 24 in., B&B 2 to 2½ ft., B&B 2 ½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B rosea, 8'-10' Pink flowering form of above. 18 to 24 in., B&B | 5.25 6.75 9.00 12.00 15.00 0 wers co 6.00 7.50 9.00 11.00 13.50 19.00 | 5.50 7.56 10.00 12.50 Star Moming before 5.00 6.25 7.50 9.00 11.00 15.00 Rosy Star Moments | 4.50 6.00 8.00 10.00 Alagnolia e leaves. 4.00 5.00 6.00 7.50 —— Magnolia 4.00 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flot 18 to 24 in., B&B 2 to 2½ ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 5 to 6 ft., B&B 5 to 6 ft., B&B 6 to 24 in., B&B 7 to 24 in., B&B 7 to 24 in., B&B 8 to 24 in., B&B 9 to 2½ ft., B&B | 5.25 6.75 9.00 12.00 15.00 0 wers co 6.00 7.50 9.00 11.00 13.50 19.00 | 5.50 7.56 10.00 12.50 Star Moming before 5.00 6.25 7.50 9.00 11.00 15.00 Rosy Star Moments | 4.50 6.00 8.00 10.00 Alagnolia e leaves. 4.00 6.00 7.50 —— Magnolia 4.00 5.00 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flot 18 to 24 in., B&B 2 to 2½ ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 5 to 6 ft., B&B 5 to 6 ft., B&B 2 to 2½ ft., B&B 5 to 6 ft., B&B 6 to 24 in., B&B 7 to 24 in., B&B 8 to 24 in., B&B 9 to 2½ ft., B&B 9 to 2½ ft., B&B 9 to 2½ ft., B&B | 5.25 6.75 9.00 12.00 15.00 0 vers co 6.00 7.50 9.00 11.00 13.50 19.00 | 5.50 7.56 10.00 12.50 Star Moming before 5.00 6.25 7.50 9.00 11.00 15.00 Rosy Star Momentum | 4.50 6.00 8.00 10.00 Iagnolia e leaves. 4.00 6.00 7.50 —— Magnolia 4.00 6.00 6.00 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flot 18 to 24 in., B&B 2 to 2½ ft., B&B 2 ½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 5 to 6 ft., B&B 5 to 6 ft., B&B 2 to 2½ ft., B&B 5 to 6 ft., B&B 6 to 24 in., B&B 7 to 24 in., B&B 8 to 24 in., B&B 9 to 2½ ft., B&B 9 to 3 ft., B&B 9 to 4 ft., B&B 9 to 4 ft., B&B | 5.25 6.75 9.00 12.00 15.00 0 vers co 6.00 7.50 9.00 11.00 13.50 19.00 11.00 | 5.50 7.56 10.00 12.50 Star Moming before 5.00 6.25 7.50 9.00 11.00 15.00 Rosy Star Momentum | 4.50 6.00 8.00 10.00 Iagnolia e leaves. 4.00 6.00 7.50 Magnolia 4.00 6.00 7.50 6.00 7.50 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double fid 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B — rosea, 8'-10' Pink flowering form of above. 18 to 24 in., B&B 2 to 2½ ft., B&B 3 to 4 ft., B&B 5 to 6 ft., B&B 6 to 24 in., B&B 7 to 24 in., B&B 8 to 24 in., B&B 8 to 24 in., B&B 9 to 2½ ft., B&B 9 to 3 ft., B&B 9 to 4 ft., B&B | 5.25 6.75 9.00 12.00 15.00 0 wers considered and the second of the secon | 5.50 7.56 10.00 12.50 Star Moming before 5.00 6.25 7.50 9.00 11.00 15.00 Rosy Star Momentum | 4.50 6.00 8.00 10.00 Iagnolia e leaves. 4.00 6.00 7.50 Magnolia 4.00 6.00 7.50 6.00 7.50 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flot 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 5 to 6 ft., B&B 5 to 6 ft., B&B 2 to 2½ ft., B&B 5 to 6 ft., B&B 6 to 24 in., B&B 7 to 24 in., B&B 7 to 24 in., B&B 8 to 24 in., B&B 8 to 2½ ft., B&B 9 to 2½ ft., B&B 9 to 4 ft., B&B | 5.25 6.75 9.00 12.00 15.00 0 vers co 6.00 7.50 9.00 11.00 13.50 19.00 11.00 | 5.50 7.56 10.00 12.50 Star Moming before 5.00 6.25 7.50 9.00 11.00 15.00 Rosy Star Momentum | 4.50 6.00 8.00 10.00 Iagnolia e leaves. 4.00 6.00 7.50 Magnolia 4.00 6.00 7.50 Magnolia |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flot 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B — rosea, 8'-10' Pink flowering form of above. 18 to 24 in., B&B 2 to 2½ ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 24 in., B&B 7 to 24 in., B&B 8 to 24 in., B&B 9 to 2½ ft., B&B 9 to 4 ft., B&B | 5.25 6.75 9.00 12.00 15.00 0 vers co 6.00 7.50 9.00 11.00 13.50 19.00 11.00 | 5.50 7.56 10.00 12.50 Star Moming before 5.00 6.25 7.50 9.00 11.00 15.00 Rosy Star Momentum 5.00 6.25 7.50 9.00 Umbrella Momentum 1.50 | 4.50 6.00 8.00 10.00 Angnolia e leaves. 4.00 5.00 6.00 7.50 —— Magnolia 4.00 6.00 7.50 Magnolia 2.00 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flot 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B — rosea, 8'-10' Pink flowering form of above. 18 to 24 in., B&B 2 to 2½ ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B 7 to 9 ft., B&B 8 ft., B&B 8 ft., B&B 9 ft., B&B | 5.25 6.75 9.00 12.00 15.00 0 vers co 6.00 7.50 9.00 11.00 13.50 19.00 11.00 | 5.50 7.56 10.00 12.50 Star Moming before 5.00 6.25 7.50 9.00 11.00 15.00 Rosy Star Momentum | 4.50 6.00 8.00 10.00 Angnolia e leaves. 4.00 5.00 6.00 7.50 —— Magnolia 4.00 5.00 6.00 7.50 Magnolia 2.00 3.00 |
| 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 6 to 8 ft., B&B — stellata, 8'-10' Shrubby habit. Fragrant semi-double flot 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B — rosea, 8'-10' Pink flowering form of above. 18 to 24 in., B&B 2 to 2½ ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B 5 to 6 ft., B&B 6 to 24 in., B&B 7 to 24 in., B&B 7 to 24 in., B&B 8 to 2 ft., B&B 8 to 4 ft., B&B 9 to 4 ft., B&B 9 to 4 ft., B&B 9 to 4 ft., B&B | 5.25 6.75 9.00 12.00 15.00 0 vers co 6.00 7.50 9.00 11.00 13.50 19.00 11.00 | 5.50 7.56 10.00 12.50 Star Moming before 5.00 6.25 7.50 9.00 11.00 15.00 Rosy Star Momentum | 4.50 6.00 8.00 10.00 Angnolia e leaves. 4.00 6.00 7.50 Magnolia 4.00 6.00 7.50 6.00 7.50 |

| | | rice in Qua | |
|---|---------------------|--|-----------|
| THE VICE THE CONTROL OF THE CONTROL | 1-9 | 10-49 | 50-249 |
| MALUS—FLOWERING | CRAB | | |
| MALUS arnoldiana, 8'-10' | | Arn | old Crab |
| White flowers. Very compact. | | | |
| 3 to 4 ft | .90 | .75 | .60 |
| 5 to 6 ft | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft | 2.25 | 1.90 | |
| — atrosanguinea, 10'-15' | | Carm | ine Crab |
| Single red flowers in abundance. | | | |
| 3 to 4 ft | .90 | .75 | .60 |
| 5 to 6 ft | 1.50 | 1.25 | |
| 6 to 8 ft | 2.25 | 1.90 | - |
| — floribunda, 10'-15' | Japar | ese Flower | ing Crab |
| Single rose colored flowers. Yellow fruits | 5. | | |
| 3 to 4 ft | .90 | .75 | .60 |
| 4 to 5 ft | 1.10 | .95 | .75 |
| — halliana parkmani, 10'-15' | | Parkn | nan Crab |
| Semi-double pink. Compact habit. Slow gr | rowing | | ian Crab |
| 4 to 5 ft | 1.50 | 1.25 | |
| 5 to 6 ft | 1.90 | $\frac{1.20}{1.50}$ | |
| 6 to 8 ft | $\frac{2.60}{2.60}$ | 2.20 | |
| Rose red double flowers. Red fruit. Hardy | y. Attr | | |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft. 8 to 10 ft. | $\frac{1.00}{3.00}$ | $\begin{array}{c} .80 \\ 2.50 \end{array}$ | .65 |
| 8 to 10 1t | 3.00 | 2.50 | |
| — ioensis plena, 10'-15' Large double bright pink. Fragrant. Late | e bloor | | tel Crab |
| 18 to 24 in | | .50 | .40 |
| 2 to 3 ft | .75 | .60 | .50 |
| sargenti, 6'-8' | | Sarg | ent Crab |
| Spreading. Straw colored flowers. Scarlet | fruit | hanging al | l winter. |
| 2 to 3 ft | | | |
| 3 to 4 ft | 1.35 1.90 | 1.10 | .90 |
| 4 to 5 ft | 1.90 | 1.50 | 1.25 |
| — scheideckeri, 10'-15' Double red buds changing to pink. Yello | | | |
| 2 to 3 ft | | .60 | |
| 3 to 4 ft | .90 | .75 | .60 |
| — spectabilis, 15'-20' Double pink flowers. Fragrant. | Chir | iese Flower | ing Crab |
| 8 to 10 ft | 3.00 | 2.50 | 2.00 |
| — theifera (hupehensis), 15'-20' | | r | Геа Crab |
| Sturdy, spreading. Literally covered with | pink | flowers. | |
| 6 to 8 ft | | | |
| MAPLE (See ACER) | | | |

| 40 PRINCETON NORSE | ICIES | | |
|--|---|---|-------------------|
| | Unit Pri 1-9 | ice in Quai 10-49 | ntities 50-249 |
| MOCKORANGE (See PHILADELPHUS) | | | |
| MORUS alba, 35'-50' | | White I | Aulberry |
| Dense. Rapid growing. White fruit. Ver | y attracti | ve to bird | s. |
| 8 to 10 ft | 2.25 | 1.90 | 1.50 |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | 3.75 | 3.00 | |
| 11 to 13 ft., 2 to 2½ in | 5.25 | 4.40 | 3.50 |
| MYRTLE (See VINCA) | | | |
| ~····································· | | | |
| NANDINA domestica, 4'-6' | | | Nandina |
| Broad leaved evergreen. Rich fall color | ing Red | berries. | |
| 18 to 24 in., B&B | | 1.25 | 1.00 |
| 2 to 2 ½ ft., B&B | 1.90 | 1.50 | |
| NEILLIA sinongis 6/ | | Chines | e Neillia |
| NEILLIA sinensis, 6' Pink flowers. Graceful small shrub. | | Chines | e Mellita |
| | .80 | .65 | |
| 2 to 3 ft | 1.20 | 1.00 | |
| | | 1 | Y 0 11 71 01 1 70 |
| NYSSA sylvatica, 40'-60' | | kgum or 8 | |
| Rich foliage. Brilliant autumn colors. | | | cations. |
| 4 to 5 ft., B&B | $\begin{array}{c} 3.75 \\ 6.00 \end{array}$ | $\begin{array}{c} 3.00 \\ 5.00 \end{array}$ | |
| 6 to 8 ft., B&B | 9.00 | 7.50 | 6.00 |
| 8 to 10 ft., B&B | | 10.00 | |
| 10 to 12 ft., B&B | 17.50 | 15.00 | |
| | | | |
| OAK (See QUERCUS) | | | |
| OXYDENDRON arboreum, 25'-30' | | S | ourwood |
| White flowers in August. Leathery foli | age. Strik | ing autun | nn color- |
| ing. | | | 4 0 0 |
| 3 to 4 ft | $\begin{array}{c} 1.50 \\ 2.25 \end{array}$ | 1.25 | 1.00 |
| 4 to 5 ft | | $\begin{array}{c} 1.90 \\ 2.50 \end{array}$ | 1.50 2.00 |
| 6 to 8 ft., B&B | | 7.50 | 6.00 |
| 8 to 10 ft., B&B | | 10.00 | 8.00 |
| 10 to 12 ft., B&B | | 12.50 | 10.00 |
| | | | |
| PACHYSANDRA terminalis, 6"-8" | | Japanes | e Spurge |
| Evergreen. Ideal ground cover for sha | dy places. | | |
| 1 year, 2 in. pots | .18 | .15 | .12 |
| PHELLODENDRON amurense, 25'-30' | | Amur | Corktree |
| Hardy interesting tree with corky barl | K. | | |
| 4 to 5 ft | | .75 | .60 |
| 5 to 6 ft | | 1.25 | 1.00 |
| 6 to 8 ft | | 1.90 | 1.50 |
| 8 to 10 ft | 3.25 | 2.75 | 2.25 |

| | IImit D | ice in One | ntitios |
|--|---|---|----------|
| | 1-9 | ice in Qua 10-49 | 50-249 |
| PHELLODENDRON Lavallei | | Lavelle | Corktree |
| Asiatic tree. Foliage similar to walnut. Co | rky bark. | | |
| 6 to 8 ft | $\begin{array}{c} 2.75 \\ 3.75 \end{array}$ | $\begin{array}{c} 2.25 \\ 3.00 \end{array}$ | |
| 10 to 12 ft., 2 to 2½ in | | 3.75 | |
| | | | |
| PHILADELPHUS — MOCE | CORANG | E) | |
| PHILADELPHUS floribundus, 9'-10' Resembles coronarius. Very free bloom | miner flo | ware eligh | ntly fra |
| grant. | mmg, no | WOIS SIISI | itiy iiw |
| 18 to 24 in | | | |
| 2 to 3 ft | .55 | .45 | .35 |
| — virginalis, 7'-8' | Vi | rginal Mod | korange |
| Semi-double. Blooms throughout summe | _ | ant. | |
| 12 to 18 in | | .30 | .25 |
| 18 to 24 in | $\begin{array}{c} .55 \\ .70 \end{array}$ | | .35 |
| 3 to 4 ft | .85 | | .55 |
| LARGE GROWING SP | ECHES | | |
| Distinctive habit and large sl | | vers. | |
| — lewisi, 8'-10' (Large f'w'd.) 18-24" | 2-3' | | |
| — pubescens, 10'-12' (Large f'w'd.) 18-24" | 2-3' | 3-4' | |
| — verrucosus, 6'-8' (Bushy, large f'w'd.) | 18-24" | | |
| Above Species at following prices: | | | |
| 18 to 24 in | | .37 | .30 |
| 2 to 3 ft | | .45 .50 | .35 |
| | | | |
| PHOTINIA subumbellata (parvifolia), 10' | | | as Berry |
| Slender branches, shrubby in character, 5 to 6 ft | | .80 | .65 |
| 6 to 8 ft. | $\begin{array}{c} 1.00 \\ 1.20 \end{array}$ | | .80 |
| DIFFERENCE DRIVE - 1/2 1/2 - 0/40/ | | , | 7: |
| PHYSOCARPUS opulifolius, 9'-10' Creamy white, June. Vigorous. Good for | ahada | Ţ | Ninebark |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| — — aurea | | Golden N | Ninebark |
| Golden-leaved variety; white flowers in | early Ju | | 12200002 |
| 18 to 24 in | · · · · · · · · · · · · · · · · · · · | .30 | .25 |
| 2 to 3 ft | .45 | .37 | .30 |
| PICEA — SPRUCI | E | | |
| PICEA canadensis (glauca), 50'-60' | | Whit | e Spruce |
| Silvery foliage. Shapely, compact. | | | |
| 18 to 24 in., B&B | 1.50 | 1.25 | |
| 2 to 3 ft., B&B | $\begin{array}{c} 2.25 \\ 3.75 \end{array}$ | $\begin{array}{c} \textbf{1.90} \\ \textbf{3.00} \end{array}$ | |
| 5 to 4 It., D&D | 0.10 | 0.00 | - |

See last five pages for helpful information.

| 1101110221111 | | | |
|---|--|----------------------|----------------------|
| | Unit Pr 1-9 | ice in Quar 10-49 | |
| PICEA excelsa (abies), 80'-100' | | Norway | Spruce |
| Dark green foliage. Rapid growth. | | | |
| 18 to 24 in., B&B | 1.50 | 1.25 | 1.00 |
| 2 to 2 ½ ft., B&B | 1.90 | 1.50 | 1.25 |
| 2 ½ to 3 ft., B&B | | $\frac{2.20}{2.00}$ | 1.75 |
| 3 to 4 ft., B&B | | 3.00 | - |
| 4 to 5 ft., B&B | 5.50 | 4.50 | |
| Special Hedge Grade 18 to 24 in. B.R. Puddled | .75 | .60 | .50 |
| — — kosteri, 60'-80' | I | Koster Blue | Spruce |
| Selected for rich blue color. Grafted pl | ants of q | uality. | |
| 18 to 24 in., B&B | | | |
| DWARF SPRUCE | | | |
| We have been building up a stock of t | hese unu | sual and at | tractive |
| varieties of dwarf Spruces especially | adapted | for rocker | ies and |
| locations when neat, compact evergree | | | |
| Varieties Sizes Av | ailable | | |
| Picea excelsa clanbrasiliana 15-18 in.,18 | 3-24 in. | Barry | Spruce |
| | | Hedgehog | |
| —— Gregoryana 15-18 in., 18 | 3-24 in. | | |
| —————————————————————————————————————— | 3-24 in. | Birdsnest | Spruce |
| Above varieties at following prices: | | | |
| 12 to 15 in., B&B | 3.00 | $\boldsymbol{2.50}$ | 2.00 |
| 15 to 18 in., B&B | | | 2.75 |
| 18 to 24 in., B&B | 5.00 | 4.00 | |
| PIERIS floribunda, 4' | Mo | untain And | lromeda |
| Evergreen. Waxy-white flowers in May Best in half-shady places. Very hardy. | y. Good, d | deep green | foliage. |
| 18 to 24 in., B&B | 5.50 | 4.50 | 3.50 |
| 2 to 3 ft., B&B | | 5.50 | 4.50 |
| — japonica, 5'-6' | Ja | panese And | lromeda. |
| Evergreen. Drooping clusters of small, | | _ | |
| 12 to 15 in., in pots | | 1.25 | |
| 15 to 18 in., in pots | | | 1.50 |
| · • | | | |
| PINUS contorta, 60'-70' | | | ore Pine |
| Distinct gray green color. Rugged. Des and shore planting. | sirable for | r exposed 1 | ocations |
| 5 to 6 ft., B&B | | 7.50 | 6.00 |
| 6 to 8 ft., B&B | 12.50 | 10.00 | |
| — resinosa, 60'-70' | | F | Red Pine |
| Vigorous. Dark green, stiff needles. | | | |
| 3 to 4 ft., B&B | 5.50 | 4.50 | 3.50 |
| | | 7.00 | 5.50 |
| 4 to 5 ft., B&B | 8.50 | | 7.00 |
| 4 to 5 ft., B&B | | 9.00 | 1.00 |
| | | | |
| 5 to 6 ft., B&B | 11.00 | Wh | |
| 5 to 6 ft., B&B | 11.00 | Wh | ite Pine |
| 5 to 6 ft., B&B | 11.00 ue when d | Whold | ite Pine |
| 5 to 6 ft., B&B | 11.00 ue when d 1.90 3.40 | Whold. 1.50 2.80 | 1.25 2.25 |
| 5 to 6 ft., B&B | 11.00 ue when d 1.90 3.40 5.50 | Whold | 1.25 2.25 3.50 |
| 5 to 6 ft., B&B | 11.00 ue when a 1.90 3.40 5.50 7.50 9.00 | Whold. 1.50 2.80 | 1.25 2.25 |

Unit Price in Quantities

| | 1-9 | 10-49 | 50-249 |
|--|-----------|--------------------------|---------|
| PLANE TREE (See PLATANUS) | 1-9 | 10-49 | 00-249 |
| PLATANUS occidentalis, 75'-100' | | | |
| American Plane | tree or A | American Sy | camore |
| Rugged, strong growing. Has smooth, developed. Very picturesque. | almost | white bark | when |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 2.25 | 1.90 | 1.50 |
| 8 to 10 ft., 1¼ to 1½ in | 3.40 | 2.80 | 2.25 |
| 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 4.50 | 3.75 | 3.00 |
| 10 to 12 ft., 1 ¾ to 2 in | 6.00 | 5.00 | 4.00 |
| 12 to 14 ft., 2 to 2½ in | 7.50 | 6.00 | 5.00 |
| — orientalis, 70'-80' | F | European Pla | anetree |
| A desirable, quick growing street or parcondition. | rk tree. | Withstands | smoky |
| 6 to 8 ft | 2.25 | 1.90 | 1.50 |
| 8 to 10 ft | 3.00 | 2.50 | 2.00 |
| 8 to 10 ft., 1 1/4 to 1 1/2 in | 4.10 | 3.50 | 2.75 |
| 10 to 12 ft., 1½ to 1¾ in | 5.50 | 4.75 | 3.75 |
| 10 to 12 ft., 1 ¾ to 2 in | | 5.75 | 4.75 |
| 12 to 14 ft., 2 to 2 ½ in | 10.00 | 8.00 | |
| POLYGONUM auberti, 25' Strong growing vine producing foamy spand fall. | | | ummer |
| 2 year | .55 | .45 | .35 |
| POPULUS alba bolleana, 50'-60' Leaves white underneath. Columnar hab | | | - |
| | .10 | | |
| — maximowiczii, 60'-80' Dark green foliage. Medium spreading stately, clean tree. | form. G | Japanese Fray white b | |
| 6 to 8 ft | | .60 | .50 |
| 8 to 10 ft. | | | .75 |
| 9 to 11 ft., 1 ½ to 1 ½ in | 1.50 | 1.25 | 1.00 |
| 10 to 12 ft., 1½ to 2 in | 2.25 | 1.90 | 1.50 |
| — nigra italica, 60'-80' Tall, spire-like. Good for landscape work | and sc | Lombardy reens. | Poplar |
| 4 to 6 ft. whips | | .30 | .25 |
| 6 to 8 ft. | | | .35 |
| PRIVET (See LIGUSTRUM) | | | |
| PRUNUS glandulosa alba | White | Flowering | Almond |
| Double white flowers in May. Very attr | active. | | |
| 18 to 24 in | | | .40 |
| 2 to 3 ft | .75 | .60 | .50 |
| — pink, 5'-6' Double pink flowers in May. Very attract | | Flowering | Almond |
| 12 to 18 in | .45 | .37 | .30 |
| 12 to 18 in | .60 | .50 | .40 |
| 2 to 3 ft | .75 | .60 | .50 |

| | Unit Pr 1-9 | ice in Quan 10-49 | tities 50-249 |
|--|---|--|------------------|
| PRUNUS maritima, 5'-6' | | | h Plum |
| Small white flowers, sometimes pink. and seaside planting. Edible fruit. | | | |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| 4 to 5 ft | 1.05 | .90 | .70 |
| — persica (see AMYGDALUS) | | | |
| — subhirtella autumnalis, 25'-30' Strong sturdy tree. Semi-double, white f green foliage. Brilliant fall coloring. | dowers in | October early sprin | |
| 4 to 5 ft | 2.25 | 1.90 | 1.50 |
| 5 to 6 ft | 3.00 | $\frac{2.50}{2.50}$ | 2.00 |
| 6 to 8 ft | 3.75 | 3.00 | 2.50 |
| — Beni Higan | G | Higan | Cherry |
| Small tree. Upright. Single bright pink | | | |
| 4 to 5 ft | 2.25 | 1.90 | 1.50 |
| 5 to 6 ft | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft. 8 to 10 ft. | $\begin{array}{c} 3.75 \\ 5.50 \end{array}$ | 3.00 4.50 | 2.50 |
| 8 to 10 1t | 0.00 | 4.00 | 3.50 |
| — tomentosa, 6'-7' | | Nanking | Cherry |
| White flowers before leaves. Bright red | fruits. Ve | ery showy. | |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | .90 | .75 | |
| 4 to 5 ft | $egin{array}{c} 1.20 \ 1.50 \end{array}$ | $egin{array}{c} 1.00 \ 1.25 \end{array}$ | |
| JAPANESE CHERR | IES | | |
| Kanzan (Serr. Sekiayama) (Kwanzan), 40' (Dbl. deep pink) | | | |
| 6 to 8 ft., 1 ¾ to 2 in | 3.40 | 2.80 | 2.25 |
| 8 to 10 ft., 2 to 2 ½ in | 5.00 | 4.00 | |
| Shirofugen (Serr. Alba-Rosea), 25'-30' (Dbl. white, pink bud) | | | |
| 6 to 8 ft., 1 ½ to 1 ½ in | 3.00 | 2.50 | |
| EXTRA CHARGE FOR DIGGING CHER SCHEDULE, Page | | &B—SEE H | 8&B |
| PSEUDOTSUGA douglasi, 70'-80' (taxifolia) | | Dou | glas-fir |
| Hardy. Dark bluish green coloring. Doe tion. | s best in | well draine | ed loca- |
| 18 to 24 in., B&B | 2.25 | 1.90 | 1.50 |
| 2 to 2½ ft., B&B | 3.00 | 2.50 | 2.00 |
| 2½ to 3 ft., B&B | 4.10 | 3.50 | |
| PTELEA trifoliata, 10'-12' | | Н | op Tree |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | .90 | .75 | .60 |
| 6 to 8 ft. | 1.10 | .95 | .75 |

NURSERY GROWN OAKS

| QUERCUS alba, 100' | | Whi | ite Oak |
|--|-------|-------------|---------|
| Most rugged of all Oaks. Slow growing. | Makes | magnificent | ree. |
| 6 to 8 ft | 3.00 | 2.50 | 2.00 |
| 8 to 10 ft., 1 to 1 1/4 in | 3.75 | 3.00 | 2.50 |
| 8 to 10 ft., 1 ¼ to 1 ½ in | 4.50 | 3.75 | 3.00 |
| 9 to 11 ft., 1½ to 1¾ in | 6.00 | 5.00 | 4.00 |
| 10 to 12 ft., 1 ¾ to 2 in | 7.50 | 6.00 | 5.00 |
| 11 to 13 ft., 2 to 2 ¼ in | 9.00 | 7.50 | 6.00 |
| 12 to 14 ft., 2 1/4 to 2 1/2 in | 11.00 | 9.00 | 7.50 |



Oaks. We are noted for our quality Oaks.

| | Unit Price in Quantities | | |
|--|---|---------------------|---------------------|
| | 1-9 | 10-49 | 50-249 |
| QUERCUS bicolor, 60' | | Swamp Wh | ite Oak |
| Large tree. Round open head. Gray scaly | bark. | | |
| 8 to 10 ft., 1 to 1¼ in | 3.75 | 3.00 | 2.50 |
| 8 to 10 ft., 1 1/4 to 1 1/2 in | 4.50 | 3.75 | 3.00 |
| 9 to 11 ft., 1½ to 1¾ in | 6.00 | 5.00 | 4.00 |
| 10 to 12 ft., 1 3/4 to 2 in | 7.50 | 6.00 | 5.00 |
| 11 to 13 ft., 2 to 2 1/4 in | 9.00 | 7.50 | 6.00 |
| 12 to 14 ft., 2½ to 3 in | 11.00 | 9.00 | 7.50 |
| | | | |
| — coccinea, 75'-90' | | Scar | elet Oak |
| Stately, tall grower. Deeply cut leaves. S | triking | autumn colo | or. |
| 6 to 8 ft | 2.60 | 2.20 | 1.75 |
| 8 to 10 ft., 1 to 1¼ in. | 3.75 | 3.00 | 2.50 |
| 9 to 11 ft., 1 ½ to 1½ in | 5.00 | 4.00 | 3.25 |
| 10 to 12 ft., 1½ to 1¾ in. | 6.75 | 5.50 | 4.50 |
| 11 to 13 ft., 1 ¾ to 2 in. | 8.50 | 7.00 | 5.50 |
| 12 to 14 ft., 2 to 2 ½ in | 10.50 | 9.00 | 7.00 |
| 14 to 16 ft., 2 ½ to 3 in. | 12.00 | 10.00 | |
| — macrocarpa, 75 ′- 8 0′ | | Mossy | eup Oak |
| Vigorous. Has corky branches. | | Mossy | · · |
| | 0.55 | 0.00 | 0 50 |
| 8 to 10 ft., 1 to 1 ½ in. | 3.75 | 3.00 | 2.50 |
| 9 to 11 ft., 1½ to 1½ in | 4.50 | 3.75 | 3.00 |
| 10 to 12 ft., 1½ to 1¾ in | $\begin{array}{c} 6.00 \\ 7.50 \end{array}$ | 5.00 | $\frac{4.00}{5.00}$ |
| 11 to 13 ft., 1 ½ to 2 in | 7.50 | $\frac{6.00}{7.50}$ | 5.00 |
| 12 to 14 ft., 2 to 2½ in. | 9.00 | 7.50 | 6.00 |
| 13 to 15 ft., 2½ to 3 in | 11.00 | 9.00 | 7.50 |



"A block of Red Oaks. Good shade trees are one of our specialties. A complete assortment is listed."

| | Unit Pi 1-9 | rice in Qua 10-49 | ntities 50-249 |
|---|----------------|----------------------|-------------------|
| QUERCUS palustris, 75'-90' | | | Pin Oak |
| Most desirable and adaptable. Excellent | autumn | foliage. | |
| 6 to 8 ft | 2.60 | 2.20 | 1.75 |
| 8 to 10 ft., 1 to 1¼ in | 3.75 | 3.00 | 2.50 |
| 9 to 11 ft., 1 1/4 to 1 1/2 in. | 5.00 | 4.00 | 3.25 |
| 12 to 14 ft., 2 to 2 ½ in | | 9.00 | 7.00 |
| 13 to 15 ft., 2 ½ to 3 in. | 12.00 | 10.00 | |
| — prinus, 50' | | Ches | tnut Oak |
| Picturesque rugged habit. | | | |
| 6 to 8 ft | 3.40 | 2.80 | 2.25 |
| 8 to 10 ft., 1 to 1 1/4 in. | 4.50 | 3.75 | 3.00 |
| 9 to 11 ft., 1¼ to 1½ in | 6.00 | 5.00 | 4.00 |
| 10 to 12 ft., 1½ to 2 in. | 7.50 | 6.00 | 5.00 |
| 11 to 13 ft., 2 to 2½ in | 9.00 | 7.50 | 6.00 |
| — robur fastigiata, 60' | Pyra | midal Eng | glish Oak |
| Narrow columnar. Long lived. | | | |
| 6 to 8 ft., P&B | 10.00 | 8.00 | |
| 8 to 10 ft., 1¼ to 1¼ in., B&B | 15.00 | | |
| 10 to 12 ft., 1½ to 2 in., B&B | 19.00 | 17.00 | |
| — rubra (borealis maxima), 75'-90' | | Common | Red Oak |
| Quick growing. Good autumn coloring. | | | |
| 6 to 8 ft. | 2.60 | 2.20 | 1.75 |
| 8 to 10 ft., 1 to 1¼ in | 3.75 | 3.00 | 2.50 |
| 9 to 11 ft., 1 ½ to 1 ½ in | 5.00 | 4.00 | 3.25 |
| 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 6.75 | 5.75 | 4.50 |
| 11 to 13 ft., 1 ¾ to 2 in | 8.50 | 7.00 | 5.50 |
| 12 to 15 ft., 2 to 2 ½ in | 10.50 | 9.00 | 7.00 |
| 13 to 16 ft., 2 ½ to 3 in | 12.50 | 10.00 | 8.00 |
| — velutina, 75'-90' | | В | lack Oak |
| Deep green foliage. Good in poor soil. | Yellowis | | |
| fall coloring. | | | |
| 10 to 12 ft., 1½ to 1¾ in | 6.75 | 5.50 | 4.50 |
| 11 to 13 ft., 1 % to 2 in | 8.50 | | 5.50 |
| 12 to 15 ft., 2 to 2½ in | 10.50 | | 7.00 |
| 13 to 16 ft., 2 ½ to 3 in | 12.50 | 10.00 | |

QUINCE, FLOWERING (See CYDONIA)

RETINOSPORA (See CHAMAECYPARIS)

| RHAMNUS caroliniana, 25' | | Carolina B | |
|---|-------|------------|-----|
| Rich green foliage. Red berries turning | black | when ripe. | |
| 4 to 5 ft | .85 | .70 | .55 |
| 5 to 6 ft | 1.05 | .90 | .70 |
| 6 to 8 ft | 1.30 | 1.10 | .90 |

See last five pages for helpful information.

| | 1-9 | 10-49 | 50-249 | | |
|---|---|-------------|---------------|--|--|
| RHAMNUS cathartica, 9'-10' | C | ommon Bi | uckthorn | | |
| Dark green foliage. Black berries. | | | | | |
| 3 to 4 ft | '.60 | .50 | | | |
| 4 to 5 ft | .75 | .60 | | | |
| 5 to 6 ft | 1.00 | .80 | | | |
| — frangula, 8'-9' | | Glossy B | uckthorn | | |
| Excellent foliage. Red berries turning by | lack whe | en ripe. | | | |
| 18 to 24 in | .37 | .30 | .25 | | |
| 2 to 3 ft | .45 | .37 | .30 | | |
| 3 to 4 ft | .60 | .50 | .40 | | |
| 4 to 5 ft | .75 | .60 | .50 | | |
| 5 to 6 ft | .90 | .75 | .60 | | |
| RHODODENDRONS | | | | | |
| | | ina Rhodo | | | |
| Bright pink flowers, May, June. Delicat | e gracef | ul habit. | Plant in | | |
| open places. | | | | | |
| 18 to 24 in., B&B | 4.50 | 3.75 | 3.00 | | |
| 2 to 2½ ft., B&B | $\begin{array}{c} 6.00 \\ 7.50 \end{array}$ | 5.00 | 4.00 | | |
| 2 ½ to 3 ft., B&B | 7.50 | 6.00 | 5.00 | | |
| — catawbiense, 6'-9' | Catav | vba Rhodo | dendron | | |
| Large rosy purple flowers in May, June. | Does bes | st in parti | al shade. | | |
| 2 to 2 ½ ft., B&B | 4.50 | 3.75 | 3.00 | | |
| 2½ to 3 ft., B&B | 6.00 | 5.00 | 4.00 | | |
| 3 to 4 ft., B&B | 7.50 | 6.00 | 5.00 | | |
| — maximum, 8'-10' | | bay Rhodo | | | |
| Striking light pink flowers, May-June. De | oes best | in shaded | areas. | | |
| 2 to 3 ft., B&B | 4.50 | 3.75 | 3.00 | | |
| 3 to 4 ft., B&B | 6.00 | 5.00 | 4.00 | | |
| 4 to 5 ft., B&B | 9.00 | 7.50 | 6.00 | | |
| 5 to 6 ft., B&B | 12.00 | 10.00 | 8.00 | | |
| | | | | | |

HYBRID RHODODENDRONS

Album elegans. Light blush changing to white

18-24"; 2-2 1/2'; 3-3 1/2'; 4-5'; 5-6'

Unit Price in Quantities

Catawbiense grandiflora. Lavender pink. 18-24"; 2-2 1/2'; 2 1/2-3'; 3-3 1/2'.

— album. Good white. 12-18"; 18-24"; $3-3\frac{1}{2}$ '; 4-5'.

Dr. R. C. Dresselhuis. Scarlet-red. 2-2 1/2'; 2 1/2-3'; 3-4'; 5-6'.

Everestianum. Rosy-lilac, spotted yellow.

12-15"; 15-18"; 2-2 1/2'; 2 1/2-3'; 3-4'.

F. D. Godman. Dark red. 2 1/2 - 3'.

Ignatuis Sargent. Rosy-scarlet. 18-24".

Lady Armstrong. Rose-pink. 2-2 ½'; 2 ½-3'; 3-4'.

Lee's Dark Purple. Good deep purple. 3-3 1/2'.

Mrs. C. S. Sargent. Bright pink, yellow eye. 18-24"; 21/2-3'.

Parsons Grandiflorum, Rose-red. 18-24"; 2-21/2'.

HYBRID RHODODENDRONS (Cont.)

Roseum elegans. Lavender-pink.

15-18"; 18-24"; 2-2½'; 2½-3'; 3-3½'; 3½-4'; 4-5'.

— grandiflorum. Good pink. 2½-3'; 3-3½'; 3½-4'; 4-5'.

—— superbum. Clear, soft coral-rose. 2-2 ½'; 2½-3'; 3-3½'; 4-5'.

Above varieties at the following prices:

| 18 to 24 in., B&B | 6.00 | 5.00 | |
|-------------------|-------|-------|--|
| 2 to 2½. ft., B&B | 10.00 | 7.50 | |
| 2 ½ to 3 ft., B&B | 12.50 | 10.00 | |
| 3 to 3½ ft., B&B | 15.00 | 12.50 | |
| 3 ½ to 4 ft., B&B | 19.00 | 15.00 | |
| 4 to 5 ft., B&B | | 17.50 | |
| 5 to 6 ft., B&B | 25.00 | 20.00 | |

Boule de Neige. Dwarf. Clear white.

| 18 t | to 24 in., | B&B | 10.00 | 7.50 | |
|------|------------|-------|-------|-------|--|
| 2 t | to 2 ½ ft. | , B&B | 12.50 | 10.00 | |

See also AZALEA for species and varieties commonly known as Azalea.

RHODOTYPOS kerrioides (scandens), 4'-5' White Kerria Fresh green foliage. White flowers, May, June. Shiny bead-like black berries all winter. .37 .30 12 to 18 in..... .25 2 to 3 ft.60 .50 .40 3 to 4 ft..... .75 .60 .50



Rhododendron maximum, grown under ideal conditions.

| | Unit Pric | e in Quan 10-49 | tities 50-249 |
|---|-------------|--------------------|------------------|
| RHUS canadensis (aromatica), 4'-5' | | Fragrant | Sumac |
| Clusters of small yellow flowers, April, Good in dry locations. | May. Cora | l red fruit | ts. |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | .90 | .75 | |
| — copallina, 12'-13' | | Shining | s Sumac |
| Showy crimson fruits. Rich autumn coldry locations. | oring. Goo | od in poor | soil or |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .52 | .45 | .35 |
| 4 to 5 ft | .70 | .55 | .45 |
| — glabra, 10'-12' | | Smooth | Sumac |
| Crimson fruits in bunches. Rich autumn | coloring. | Good in po | oor soil. |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .37 | .30 | .25 |
| 3 to 4 ft | .45 | .37 | .30 |
| 4 to 5 ft | .55 | .45 | .35 |
| — typhina, 15'-18' Picturesque habit. Brilliant autumn effe | et. | Staghorn | Sumac |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .37 | .30 | .25 |
| 3 to 4 ft | .45 | .37 | .30 |
| 4 to 5 ft | .55 | .45 | .35 |
| ROBINIA hispida, 5'-6' | | Rose | e-acacia |
| Rosy pink pea shaped flowers May, June | | | |
| 18 to 24 in | .55 | .45 | .35 |
| ROSA blanda, 4'-5' | | Meado | w Rose |
| Pink, May. Almost thornless. Reddish by | ranches. | | |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| — hugonis, 6' | | Hugon | is Rose |
| Bright yellow flowers. Reddish wood. Uprose. | oright. Exc | | |
| 18 to 24 in | .75 | .60 | .50 |
| — lucida (virginiana), 5'-6' | | Virgin | ia Rose |
| Pink, June, July. Excellent border or n neglect. | aturalizin | | |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| | .00 | .10 | .00 |

| | | rice in Quan | tities 50-249 |
|---|------------------|--------------|------------------|
| ROSA multiflora, 9'-10' | 1-9 | Japanes | |
| White, June. Strong grower. Free flower | ring. Fra | - | |
| 18 to 24 in | .22 | .20 | .15 |
| 2 to 3 ft | $.\overline{30}$ | .25 | $.\overline{20}$ |
| 3 to 4 ft | .37 | .30 | .25 |
| 4 to 5 ft | .55 | .45 | .35 |
| — palustris (carolina), 6'-8' | | Swam | p Rose |
| Pink, June, August. Does best in moist l | ocation. | | |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in. | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| — rugosa, 4'-5' | | Red Rugos | sa Rose |
| Rich green foliage. Large red fruits. Pin Good seaside plant. | nk flowe | rs June-Sep | tember. |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| — wichuraiana, white, 10'-12' | | Wichuria | n Rose |
| Prostrate trailing plant. Rich, shiny White flowers, late blooming. | foliage, | almost eve | ergreen. |
| 1 year | .30 | .25 | .20 |
| 2 year | .37 | .30 | .25 |
| 3 year | .45 | .37 | .30 |
| CLIMBING ROSES OR RA | MBLER | \mathbf{S} | |
| Dorothy Perkins. Double shell pink. | | | |
| Excelsa. Double crimson. | | | |
| Hiawatha. Single red. | | | |
| White Dorothy Perkins. Double white | a. | | |
| 18 to 24 in., 1 year | .37 | .30 | .25 |
| 2 to 3 ft., 2 year | .45 | .37 | .30 |
| | | | |
| | | | |
| SALISBURIA adiantifolia (See GINKGO) | | | |
| SALIX adenophylla, 6' | | Furry | Willow |
| Similar to butabilis but heavier catkin h | bearer. | | |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| — babylonica, 50'-60' | Babyle | on Weeping | Willow |
| One of the best weepers. Long pendulo waterside planting. | | | |
| 4 to 5 ft | 1.00 | .80 | .65 |
| 5 to 6 ft | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft | 2.25 | 1.90 | |

| 1-9 10-49 50-249 |
|---|
| (sepulcralis) Similar to Babylonica, but not so pendulous. 5 to 6 ft |
| 5 to 6 ft. 1.10 .95 .75 6 to 8 ft. 1.90 1.50 1.25 — blanda, 40'-50' Wisconsin Weeping Willow Spreading habit. Pendulous at tips. Hardy. 4 to 5 ft. 1.00 .80 .65 5 to 6 ft. 1.50 1.25 1.00 — caprea, 15'-20' Goat Willow Very desirable for spring effects. Will do well in dry as well as wet places. 18 to 24 in37 .30 .25 |
| 5 to 6 ft. 1.10 .95 .75 6 to 8 ft. 1.90 1.50 1.25 — blanda, 40'-50' Wisconsin Weeping Willow Spreading habit. Pendulous at tips. Hardy. 4 to 5 ft. 1.00 .80 .65 5 to 6 ft. 1.50 1.25 1.00 — caprea, 15'-20' Goat Willow Very desirable for spring effects. Will do well in dry as well as wet places. 18 to 24 in37 .30 .25 |
| — blanda, 40'-50' Wisconsin Weeping Willow Spreading habit. Pendulous at tips. Hardy. 4 to 5 ft. 1.00 .80 .65 5 to 6 ft. 1.50 1.25 1.00 — caprea, 15'-20' Goat Willow Very desirable for spring effects. Will do well in dry as well as wet places. 18 to 24 in37 .30 .25 |
| Spreading habit. Pendulous at tips. Hardy. 4 to 5 ft |
| 4 to 5 ft. 1.00 .80 .65 5 to 6 ft. 1.50 1.25 1.00 — caprea, 15'-20' Goat Willow Very desirable for spring effects. Will do well in dry as well as wet places. 18 to 24 in37 .30 .25 |
| 5 to 6 ft. 1.50 1.25 1.00 — caprea, 15'-20' Goat Willow Very desirable for spring effects. Will do well in dry as well as wet places. 18 to 24 in |
| — caprea, 15'-20' Goat Willow Very desirable for spring effects. Will do well in dry as well as wet places. 18 to 24 in |
| Very desirable for spring effects. Will do well in dry as well as wet places. 18 to 24 in |
| Very desirable for spring effects. Will do well in dry as well as wet places. 18 to 24 in |
| 10 00 21 111 |
| 2 to 2 ft 55 45 35 |
| 2 00 0 10 |
| 3 to 4 ft |
| — elegantissima, 60'-70' Thurlow Weeping Willow |
| Vigorous upright grower; best for street planting. |
| 5 to 6 ft. 1.10 .95 .75 6 to 8 ft. 1.90 1.50 1.25 |
| — incana, 8'-10' Elaeagnus Willow |
| Attractive silvery leaves. Slow growing. Resembles Russian Olive in appearance. |
| 18 to 24 in |
| 2 to 3 ft |
| 3 to 4 ft |
| |
| — mutabilis, 6' Early Pussy Willow |
| One of the earliest of the Pussy Willows with long prominent catkins. |
| 18 to 24 in |
| 2 to 3 ft |
| — pentandra, 20'-30' Laurel Willow |
| |
| Upright. Shiny dark-green leaves. Excellent in seaside planting. |
| 5 to 6 ft |
| |
| 5 to 6 ft. 1.10 .90 .75 6 to 8 ft. 1.90 1.50 1.25 |
| 5 to 6 ft. 1.10 .90 .75 6 to 8 ft. 1.90 1.50 1.25 — vitellina aurea pendula, 25'-30' Weeping Golden Willow |
| 5 to 6 ft. 1.10 .90 .75 6 to 8 ft. 1.90 1.50 1.25 |

| | Unit Pric | ce in Quan | tities |
|--|------------|----------------------------|----------------------|
| | 1-9 | 10-49 | 50-249 |
| SAMBUCUS canadensis, 8'-9' | | America | n Elder |
| White, fragrant flowers, June, July. Blain moist locations. | ck berries | | |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .85 | .70 | .55 |
| —— acutiloba (rubra), 7'-9' Similar to above but has deeply cut, fer | nlike foli | | |
| 18 to 24 in. | | .25 | .20 |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .85 | .70 | .55 |
| —— aurea, 8'-9' Similar to canadensis, but has bright ye | | ge. | n Elder |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 $.85$ | .50 $.70$ | .40 |
| 4 to 5 ft | .89 | .70 | |
| SNOWBERRY (See SYMPHORICARPOS) | , | | |
| SORBARIA aitchisoni, 4'-5' Graceful compound foliage. Creamy whi | | shmir False s, July-Sep | |
| 18 to 24 in | .37 | .30 | .25 |
| SORBUS americana, 30' Attractive small tree. Green bark. Large | | ican Mount bright red | , |
| 4 to 5 ft | 2.25 | 1.90 | |
| 5 to 6 ft | 3.00 | 2.50 | |
| 6 to 8 ft. | 3.75 | 3.00 | |
| 8 to 10 ft | 4.50 | 3.75 | |
| — aucuparia, 25'-30' Desirable small tree. Vivid scarlet berri | | ean Mounters. | tain-ash |
| 13 to 15 ft., 2 to 2 ½ in | | 5.00 | |
| 14 to 16 ft., 2 ½ to 3 in | 8.50 | 7.00 | 5.50 |
| SPIREA billiardi, 5'-6' Bright pink, fluffy flower spikes, Julytions. | October. | | d Spirea ry loca- |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | | .30 | .25 |
| 3 to 4 ft | | .45 | .35 |
| — bumalda Anthony Waterer, 3' Deep rich, rose pink. Sometimes slig Blooms all summer. Rich, reddish gree | tht varies | | |
| 12 to 15 in | _ | .30 | .25 |
| 15 to 18 in. | | .37 | .30 |
| 18 to 24 in. | | .50 | .40 |
| 2 to 2 ½ ft | | .60 | .50 |
| | | | |

| | Unit Pric | e in Quant 10-49 | |
|---|-------------|-------------------------|----------|
| SPIREA latifolia (salicifolia), 4'-5' | Pin | k Meadow | Spirea |
| Pink flowers. Good foliage. | | | |
| 18 to 24 in | .22 | .20 | .15 |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .45 | .37 | .30 |
| — prunifolia plena, 7'-8' | | Bridal | wreath |
| The true bridalwreath. White semi-dou | able flower | | |
| Glossy dark green leaves. Rich fall color | | 0.7 | |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| — reevesiana, 7'-8' | | Reeves | |
| Pure white, May-June. Graceful, arching late. Single or double varieties. | ; habit; re | tains leave | es until |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .5 t | | .35 |
| | .70 | .55 | .45 |
| 3 to 4 ft | . 10 | .00 | .40 |
| — — flora piena (Lanceata), 7'-8' | | le Reeves | |
| Arching habit. Similar in habit and flow | er to Spire | | |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| — thunbergi, 4'-5' Slender arching branches covered with May. Feathery light green foliage. | | Thunberg e flowers, | |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 2 ½ ft | .55 | .45 | .35 |
| — tomentosa, 3'-4' | | | rdhack |
| Wooly, rose pink flowers, July-Septem plantings. | ber. Good | in low | ground |
| 12 to 18 in | .22 | .20 | .15 |
| 18 to 24 in. | .30 | .25 | .20 |
| 2 to 3 ft | .37 | .30 | .25 |
| — vanhouttei, 8'-9' White, May, June. Graceful habit. Free fl | | Vanhoutte A most ada | _ |
| and useful shrub. | | | |
| 12 to 18 in | .22 | .20 | .15 |
| 18 to 24 in. | .30 | .25 | .20 |
| 2 to 3 ft | .37 | .30 | .25 |
| STAPHYLEA trifoliata, 10'-15' Dense shrub with numerous stout upr Decorative seed pods. | | rican Blad ches from | |
| 3 to 4 ft | .70 | .55 | .45 |
| 4 to 5 ft | .85 | .70 | .55 |
| 5 to 6 ft | 1.00 | .80 | .65 |
| 6 to 8 ft | 1.30 | 1.10 | .90 |
| SPRUCE (See PICEA) | | | |
| | | | |

| | | ce in Quan | | | |
|--|---|---------------------------------|----------------------|--|--|
| CHINADAN AND AND AND AND AND AND AND AND AN | 1-9 | 10-49 | 50-249 | | |
| STEPHANANDRA flexuosa (incisa), 5'-6' Cutleaf Stephanandra Graceful compact habit. Handsome, deeply cut foliage. | | | | | |
| 18 to 24 in | .37 | .30 | .25 | | |
| 2 to 3 ft | .45 | | .30 | | |
| 3 to 4 ft | .60 | | .40 | | |
| 4 to 5 ft | .75 | .60 | .50 | | |
| STYRAX japonica, 12'-15' White, ball shaped pendant flowers, Junandsome specimen. 3 to 4 ft., B&B | | Japanese S Makes a s 3.75 | | | |
| 4 to 5 ft., B&B. | $\begin{array}{c} \textbf{4.50} \\ \textbf{6.00} \end{array}$ | 5.79 5.00 | | | |
| 5 to 6 ft., B&B | 9.00 | 7.50 | | | |
| 6 to 8 ft., B&B | 11.00 | 9.50 | | | |
| SWEET GUM (See LIQUIDAMBAR) | | | | | |
| SYCAMORE (See PLATANUS) | | | | | |
| SYMPHORICARPOS chenaulti, 6'-8' Brighter berries than vulgaris. Excellen | t for shad | | s. | | |
| 12 to 18 in. | .30 | .25 | .20 | | |
| 18 to 24 in | .37 | .30 | .25 | | |
| 2 to 3 ft | .55 | .45 | .35 | | |
| — racemosus (albus), 5'-6' Conspicuous white berries. Attractive f and moist locations. | oliage. G | | owberry f shade | | |
| 12 to 18 in | .25 | .20 | .15 | | |
| 18 to 24 in | .30 | .25 | .20 | | |
| 2 to 3 ft | .45 | .35 | .25 | | |
| — vulgaris (orbiculatus), 4'-5' Coral-red berries through winter. Good i | | nd bank p | | | |
| 12 to 18 in | .25 | .20 | .15 | | |
| 18 to 24 in | .30 | .25 | .20 | | |
| 2 to 3 ft | .45 | .35 | .25 | | |
| SYRINGA chinensis (rothomagensis), 8'-0' Slender branches, graceful habit. Violet ering. | flowers i | | se Lilac ee flow- | | |
| 15 to 18 in | .30 | .25 | .20 | | |
| 18 to 24 in | .37 | .30 | .25 | | |
| 2 to 3 ft | .55 | .45 | .35 | | |
| 3 to 4 ft | .80 | .65 | .55 | | |
| — — saugeana, 8'-9' Deep purple flowers. | Pu | rple Chine | se Lilac | | |
| 18 to 24 in | .37 | .30 | .25 | | |
| 2 to 3 ft | .55 | .45 | .35 | | |
| — japonica, 18'-20' Loose bunches creamy-white flowers, Jurgrows into well-shaped specimen. | | apanese Tr Handsome | | | |
| | .60 | .50 | .40 | | |
| 18 to 24 in 2 to 3 ft | .75 | .60 | .50 | | |

| | Unit Price in Quantities 1-9 10-49 50-24 | | |
|---|---|----------|-----------|
| SYRINGA josikaea, 9'-10' | | Hungar | ian Lilac |
| Violet flowers, June. Shining, dark gree | en foliage | e. | |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| 4 to 5 ft | .80 | .65 | .55 |
| — villosa, 7'-8' | | L | ate Lilac |
| Pale pinkish-lilac, fragrant. Compact, bu | ushy hab | it. | |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| 4 to 5 ft | .80 | .65 | .55 |
| 5 to 6 ft | 1.10 | .95 | |
| — vulgaris, 12'-15' Delicate purple flowers, fragrant. May. | Com | mon Purj | ole Lilac |
| 12 to 15 in | .25 | .20 | .15 |
| 15 to 18 in. | .30 | .25 | .20 |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | - |
| 3 to 4 ft | .70 | .55 | |
| — alba, 12'-15' Fragrant, white, single flowers. May. | Con | nmon Whi | ite Lilac |
| 12 to 15 in | 2.0 | 9.5 | 9.0 |
| | .30 | .25 | .20 |
| 15 to 18 in. | .45 | .35 | .25 |
| 3 to 4 ft | .80 | .65 | |
| 4 to 5 ft | 1.15 | .90 | |
| 5 to 6 ft | 1.50 | 1.25 | |
| DDDWGII I II ACC WAMDD WADDING | | | |

FRENCH LILACS. NAMED VARIETIES.

Sorry to advise we are completely sold out. We will not have anything again to offer until next Fall 1948.

| TAMARIX gallica, 8'-9' Deciduous. Light pink in panicles, May, green appearing foliage. | June. | French Tamarix Blue-green ever- |
|--|--------------------------|---|
| 18 to 24 in. 2 to 3 ft | .30 | $\begin{matrix} .25 \\ .30 \end{matrix}$ |
| — parviflora, 12'-14' Panicles of pink flowers. Foliage as above. | | Algerian Tamarix |
| 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. | .25 .30 .37 .55 | $egin{array}{cccc} .20 & .15 \\ .25 & .20 \\ .30 & .25 \\ .45 & .35 \\ .55 & .45 \\ \hline \end{array}$ |

TAXUS — THE YEWS

| TAXUS baccata, 50' | | Engl | ish Yew |
|--|-------------|-------------|-------------|
| Dark green foliage. Broad vased pyram | id. Brown | fruit. | |
| 18 to 24 in., B&B | 4.50 | 3.75 | |
| 2 to 3 ft., B&B | 5.50 | 4.50 | |
| 3 to 4 ft., B&B | 7.50 | 6.00 | |
| 4 to 5 ft., B&B | 10.00 | 8.00 | |
| —— erecta, 10' | right Shor | tleaf Engli | ish Yew |
| Upright form of Taxus Baccata. | | | |
| 15 to 18 in | 3.40 | 2.80 | |
| 18 to 24 in., B&B | 5.00 | 4.00 | |
| 2 to 2 ½ ft., B&B | 6.00 | 5.00 | |
| | | | |
| — — repandens, 18"-24" | Sprea | ding Engli | sh Yew |
| Spreading. Horizontal branches. Dark a low planting. | green folia | age. Excel | lent for |
| 12 to 15 in., B&B | 2.25 | 1.90 | 1.50 |
| 15 to 18 in., B&B | 3.00 | 2.50 | 2.00 |
| — — tardiva, 15' | Short | tleaf Engli | sh Yew |
| Low irregular habit. Long spreading by | | 2311812 | |
| 12 to 15 in., B&B | 2.25 | 1.90 | 1.50 |
| 15 to 18 in., B&B | 3.40 | 2.80 | 2.25 |
| 18 to 24 in., B&B | 4.50 | 3.75 | 3.00 |
| 2 to 2 ½ ft., B&B | 7.00 | 5.50 | |
| | | ~ | |
| — canadensis, 3' | 1 1 1 1 | | da Yew |
| Spreading habit. Bronzy in winter. Goo | d in shad | e. | |
| 12 to 15 in., B&B | 2.10 | 1.75 | |
| 15 to 18 in., B&B | 2.70 | 2.25 | |



TAXUS CUSPIDATA

See next page.

We grow excellent Taxus in large variety assortment. Large specimens are available in cuspidata and cuspidata capitata.

Unit Price in Quantities 1-9 10-49 50-249 Spreading Japanese Vew

TAXUS cuspidata, 10'-15' Spreading Japanese Yew Rich, deep green leaves. Spreading, bushy habit. Very adaptable.

| 12 to 15 in., B&B | 2.25 | 1.90 | 1.50 |
|----------------------------|-------|-------|------|
| 15 to 18 in., B&B | 0 10 | 2.80 | 2.25 |
| 18 to 24 in., B&B | 5.25 | 4.40 | 3.50 |
| 2 to 2½ ft., B&B | 7.50 | 6.00 | 5.00 |
| 3 to 3 ½ ft., B&B | 12.00 | 10.00 | 8.00 |
| 4 to 5 ft., specimens, B&B | 27.00 | 22.50 | |
| 5 to 6 ft., specimens, B&B | 36.00 | 30.00 | |
| 6 to 7 ft., specimens, B&B | 50.00 | 40.00 | |

We call your special attention to the three largest sizes of cuspidata. They are specimen plants, sheared and of excellent quality.

| 12 to 15 in., B&B | 2.60 | 2.20 | 1.75 |
|-------------------|------|------|------|
| 15 to 18 in., B&B | 3.40 | 2.80 | 2.25 |
| 18 to 24 in., B&B | 4.50 | 3.75 | 3.00 |

—— capitata, 25'-40'
Upright form of cuspidata. Broad pyramid.

Upright Japanese Yew

| 18 to | 24 in., | B&B | 4.10 | 3.50 | 2.75 |
|-------|---------|-------|------|------|------|
| 2 to | 2 ½ ft. | , B&B | 6.75 | 5.50 | 4.50 |

LARGER SIZES—We have a fair number of medium quality Taxus capitata in sizes from 4' to 8'. Advise us of your requirements and we will make a special quotation.



Taxus cuspidata nana (brevifolia). Ours are the true brevifolia, and are well grown.

— nana (brevifolia), 2'-3' Dwarf Japanese Yew Broad, thick leaves, very dark green. Dwarfish and irregular spreading habit. Very hardy.

| 19 to 15 in D 0 D | .50 |
|-------------------|-----|
| | .25 |
| 15 to 19 in D&D | .00 |
| 18 to 94 in R&P | .50 |

| | | ice in Quan | |
|---|-----------|---------------------|---------------------|
| | 1-9 | 10-49 | 50-249 |
| TAXUS cuspidata sieboldi, 10'-15' Lar A selected strain of Taxus cuspidata. F sion. | | | |
| 12 to 15 in., B&B | 2.60 | 2.20 | 1.75 |
| 15 to 18 in., B&B | 3.40 | $\frac{2.20}{2.80}$ | $\frac{1.10}{2.25}$ |
| 18 to 24 in., B&B | 5.25 | 4.40 | 3.50 |
| 2 to 2½ ft., B&B | | 6.00 | 5.00 |
| —————————————————————————————————————— | Thave | ers Spreadi | ng Vew |
| Low, wide, spreading form. Dark green. | | orb opicadi. | 10 10 11 |
| 12 to 15 in., B&B | 2.25 | 1.90 | 1.50 |
| 15 to 18 in., B&B | 3.40 | 2.80 | 2.25 |
| — wellesleyana | | Wellesl | ev Yew |
| A fine selected spreading type of cuspida | ata. | | |
| 12 to 15 in., B&B | 2.60 | 2.20 | 1.75 |
| 15 to 18 in., B&B | 3.75 | 3.00 | 2.50 |
| 18 to 24 in., B&B | 7.00 | 5.00 | 3.75 |
| 2 to 2 ½ ft., B&B | 8.50 | 7.00 | 5.50 |
| — intermedia, 12'-15' | | Hybr | id Yew |
| Hybrid between baccata and Taxus cuspi | data. | | |
| 12 to 15 in., B&B | 2.60 | 2.20 | 1.75 |
| 15 to 18 in., B&B | 3.40 | 2.80 | 2.25 |
| 18 to 24 in., B&B | 5.25 | 4.40 | 3.50 |
| — media browni, 10'-12' | | Brov | vn Yew |
| Dark green, heavy foliage. More uprigh | t than cu | ıspidata. | |
| 12 to 15 in., B&B | 2.60 | 2.20 | 1.75 |
| 15 to 18 in., B&B | 3.40 | 2.80 | 2.25 |
| 18 to 24 in., B&B | 5.25 | 4.40 | 3.50 |
| 2 to 2½ ft., B&B | 7.50 | 6.00 | 5.00 |
| — — brevimedia, 8'-10' Hardy, broad, upright form. Dark green | | Broad Uprig | tht Yew |
| 15 to 18 in., B&B | 3.40 | 2.80 | 2.25 |
| 18 to 24 in., B&B | 4.50 | 3.75 | 3.00 |
| 2 to 2½ ft., B&B | 6.75 | 5.50 | 4.50 |
| 2 ½ to 3 ft., B&B | 900 | 7.50 | 6.00 |
| — hatfieldi, 8'-10' Similar to Hicks Yew, but more compact | t. | Hatfie | eld Yew |
| 15 to 18 in., B&B | 3.40 | 2.80 | 2.25 |
| 18 to 24 in., B&B | 4.90 | 4.00 | 3.25 |
| — hicksi, 20'-25' Columnar form with upright branches. | | Hiel | ks' Yew |
| 15 to 18 in., B&B | 3.00 | 2.50 | 2.00 |
| 18 to 24 in., B&B | 4.50 | $\frac{2.30}{3.75}$ | $\frac{2.00}{3.00}$ |
| 2 to 2 ½ ft., B&B | 6.00 | 5.00 | 4.00 |
| 2 ½ to 3 ft., B&B | 8.50 | 7.00 | 5.50 |

THORN, FLOWERING (See CRATAEGUS)

See last five pages for helpful information.

THUJA — Arborvitae

| THUJA occidentalis, 15'-30' Broad based, pyramid. | £ | American A | Arborvitae |
|--|---------------------|-------------------------|------------------------------|
| 6 to 8 ft., B&B | 10.00 | 8.00 | |
| 8 to 10 ft., B&B | | 10.00 | |
| 10 to 12 ft., B&B | 15.00 | 12.50 | distinctive for the distinct |
| — — compacta, 2½'-4' Bright green. Almost globe shaped. | | Parsons A | Arborvitae |
| 9 to 12 in., B&B | .90 | .75 | .60 |
| 12 to 15 in., B&B | 1.30 | 1.10 | .85 |
| — — douglasi aurea Broad pyramid. Golden green foliage. | Golden | Douglas A | rborvitae |
| 4 to 5 ft., B&B | 4.90 | 4.00 | |
| 5 to 6 ft., B&B | 6.75 | 5.50 | |
| 6 to 7 ft., B&B | 10.00 | 8.00 | |
| — — elegantissima Broad pyramid. Rich green tipped with | | d Tipped A | rborvitae |
| 2 to 3 ft., B&B | 3.40 | 2.80 | |
| 3 to 4 ft., B&B | 4.50 | 3.75 | |
| —————————————————————————————————————— | | n Thumb A Soft close | |
| Purplish winter coloring. | | | |
| 18 to 24 in., B&B | 1.50 | 1.25 | |
| 2 to 2½ ft., B&B | 2.25 | 1.90 | |
| 2 ½ to 3 ft., B&B | 3.00 | 2.50 | |
| — ericoides, 4'-6' | | Heath Re | tinospora |
| Similar to above, but gray green. | 4 20 | 4 0 5 | |
| 18 to 24 in., B&B | $\frac{1.50}{2.25}$ | 1.25 1.90 | |
| — globosa, 3'-4' Rich green. Globe shape. | | Globe A | rborvitae |
| 9 to 12 in., B&B | 1.00 | .80 | .65 |
| 12 to 15 in., B&B | | 1.10 | .90 |
| — hoveyi, 3'-4' Evergreen. Oval in shape, nearly as b foliage. | road as | | rborvitae ght green |
| 9 to 12 in., B&B | .90 | .75 | .60 |
| 12 to 15 in., B&B | | 1.10 | .85 |
| Columnar outline. Golden yellow foliage | e. | Peabody A | rborvitae |
| 18 to 24 in., B&B | 2.25 | 1.90 | 1.50 |
| 2 to 3 ft., B&B | 2.70 | 2.25 | |
| — nigra, 15'-30' New improved strain of American Arb in form, deeper in color especially duri cuttings. Very desirable. | orvitae; ng the | more synwinter. Gr | nmetrical own from |
| 18 to 24 in., B&B | 1.50 | 1.25 | 1.00 |

| | Unit Price in Quantities | | | |
|--|---|---|---|--|
| | 1-9 | 10-49 | 50-249 | |
| THUJA occidentalis pyramidalis, 15'-30' Bright, rich green. Narrow columnar sh | Pyramidal Arborvitae | | | |
| 18 to 24 in., B&B | 1.50 | 1.25 | 1.00 | |
| 2 to 3 ft., B&B | $\begin{matrix}3.00\\4.50\end{matrix}$ | $\begin{array}{c} 2.50 \\ 3.75 \end{array}$ | $\begin{array}{c} 2.00 \\ 3.00 \end{array}$ | |
| 4 to 5 ft., B&B 5 to 6 ft., B&B | $\begin{array}{c} \textbf{6.00} \\ \textbf{6.75} \end{array}$ | $\begin{array}{c} 5.00 \\ 6.00 \end{array}$ | 4.00 | |
| — — rosenthali, 10' | Rosen | thal Ar | borvitae | |
| Dense, rugged, columnar. Rich, dark desirable. | green. Slow | growin | ng. Very | |
| 12 to 15 in., B&B | $\begin{array}{c} \textbf{1.90} \\ \textbf{3.00} \end{array}$ | $1.50 \\ 2.50$ | $\begin{array}{c} 1.25 \\ 2.00 \end{array}$ | |
| 2 to 2 ½ ft., B&B | 4.10 | 3.50 | 2.75 | |



"Popular Evergreens at popular prices."

| — vervaeneana, 8'-12' | Vervaene Arborvitae | | | | |
|--|---------------------|-------------|------|--|--|
| Broad pyramid. Green with yellow varie | gation. | Very hardy. | | | |
| 2 to 2 ½ ft., B&B | 1.50 | 1.25 | 1.00 | | |
| 2 ½ to 3 ft., B&B | 2.25 | 1.90 | 1.50 | | |
| 3 to 4 ft., B&B | 3.40 | 2.80 | 2.25 | | |
| 4 to 5 ft., B&B | 4.90 | 4.00 | 3.25 | | |
| 5 to 6 ft., B&B | 6.75 | 5.50 | 4.50 | | |
| — — wareana, 12'-15' Siberian Arborvitae | | | | | |
| Light green. Fleshy foliage. Broad pyran | nid. Ver | y adaptable | | | |
| 2 to 2½ ft., B&B | 2.60 | 2.20 | | | |
| 2 ½ to 3 ft., B&B | 4.50 | 3.75 | 3.00 | | |
| 3 to 4 ft., B&B | 6.00 | 5.00 | 4.00 | | |
| 4 to 5 ft., B&B | 7.00 | 6.00 | | | |

BIOTA or CHINESE ARBORVITAE

| THUJA orientalis, 20'-25' | O | riental Ar | borvitae |
|---|--|--|---|
| Evergreen. Rather stiff, columnar h | abit; brig | ht green | foliage, |
| bronze in winter; a good accent plant. | | | F 0 |
| 12 to 18 in., B&B | | $egin{array}{c} .60 \ .95 \end{array}$ | .50 $.75$ |
| 18 to 24 in., B&B | | 1.25 | 1.00 |
| | | | |
| — — aurea conspicua, 7'-8' | | ldspire Ar | |
| Golden yellow, spring. Bronze yellow form. | | | |
| 15 to 18 in., B&B | | .95 | .75 |
| 18 to 24 in., B&B | | $egin{array}{c} 1.50 \ 4.00 \end{array}$ | 1.25 |
| | | | la a secolida a |
| · · · · · · · · · · · · · · · · · · · | erckmans (| | borvitae |
| Rich golden yellow foliage. Compact, re | | | |
| 9 to 12 in., B&B | | $\begin{matrix}.95\\1.25\end{matrix}$ | $\begin{array}{c} .75 \\ 1.00 \end{array}$ |
| 12 to 15 in., B&B | 1.50 | | _,,, |
| —— bakeri, 12' | | Baker Ar | borvitae |
| Compact, pyramid. Bright green. Golde | | _ | _ ~ |
| 15 to 18 in., B&B | 1.10 | .95 | .75 |
| 18 to 24 in., B&B | $\begin{array}{c} \textbf{1.50} \\ \textbf{1.90} \end{array}$ | $egin{array}{c} 1.25 \ 1.50 \end{array}$ | 1.00 |
| 3 to 4 ft., B&B | $\frac{1.30}{2.70}$ | 2.25 | |
| — elegantissima, 7'-8' | | olumn Ar | borvitae |
| Clear yellow. Columnar habit. Golden b | | | |
| 15 to 18 in., B&B | 1.50 | 1.25 | 1.00 |
| | | | |
| 18 to 24 in., B&B | 1.90 | 1.50 | 1.25 |
| 2 to 2 ½ ft., B&B | 2.25 | 1.90 | $\begin{array}{c} 1.25 \\ 1.50 \end{array}$ |
| · · · · · · · · · · · · · · · · · · · | | | |
| 2 to 2 ½ ft., B&B | $\begin{array}{c} \textbf{2.25} \\ \textbf{4.50} \end{array}$ | 1.90 | |
| 2 to 2 ½ ft., B&B | $\begin{array}{c} \textbf{2.25} \\ \textbf{4.50} \end{array}$ | 1.90 | 1.50 |
| 2 to 2½ ft., B&B | 2.25 4.50 ENS | 1.90 3.75 American | 1.50 |
| 2 to 2 ½ ft., B&B | 2.25 4.50 ENS | 1.90 3.75 American | 1.50 |
| 2 to 2½ ft., B&B 3 to 4 ft., B&B TILIA — THE LIND TILIA americana, 75'-90' Fast growing, forming open head. Frag 6 to 8 ft. 8 to 10 ft. | 2.25 4.50 ENS | 1.90 3.75 American w flowers. | 1.50 Linden |
| 2 to 2 ½ ft., B&B 3 to 4 ft., B&B TILIA — THE LIND TILIA americana, 75'-90' Fast growing, forming open head. Frag 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. | 2.25 4.50 ENS rant yellov 1.35 1.90 3.00 | 1.90 3.75 American w flowers. 1.10 1.50 2.50 | 1.50 Linden |
| 2 to 2 ½ ft., B&B | 2.25 4.50 ENS rant yellov 1.35 1.90 3.00 4.10 | 1.90 3.75 American w flowers. 1.10 1.50 2.50 3.50 | 1.50 Linden .90 1.25 |
| 2 to 2½ ft., B&B | 2.25 4.50 ENS rant yellov 1.35 1.90 3.00 4.10 6.00 | 1.90 3.75 American w flowers. 1.10 1.50 2.50 3.50 5.00 | 1.50 Linden .90 1.25 |
| 2 to 2 ½ ft., B&B 3 to 4 ft., B&B TILIA — THE LIND TILIA americana, 75'-90' Fast growing, forming open head. Frag 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. 12 to 14 ft., 2 ¼ to 2½ in. | 2.25 4.50 ENS rant yellov 1.35 1.90 3.00 4.10 6.00 7.50 | 1.90 3.75 American w flowers. 1.10 1.50 2.50 3.50 5.00 6.25 | 1.50 Linden .90 1.25 2.00 |
| 2 to 2 ½ ft., B&B. 3 to 4 ft., B&B. TILIA — THE LIND TILIA americana, 75'-90' Fast growing, forming open head. Frag 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. 12 to 14 ft., 2¼ to 2½ in. — cordata, 70' | 2.25 4.50 ENS rant yellov 1.35 1.90 3.00 4.10 6.00 7.50 Littleleaf | 1.90 3.75 American w flowers. 1.10 1.50 2.50 3.50 5.00 6.25 | 1.50 Linden .90 1.25 2.00 |
| 2 to 2½ ft., B&B. 3 to 4 ft., B&B. TILIA — THE LIND TILIA americana, 75'-90' Fast growing, forming open head. Frag 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. 12 to 14 ft., 2¼ to 2½ in. — cordata, 70' Small leaves. Forms very symmetrical | 2.25 4.50 ENS rant yellov 1.35 1.90 3.00 4.10 6.00 7.50 Littleleaf tree. | 1.90 3.75 American w flowers. 1.10 1.50 2.50 3.50 5.00 6.25 | 1.50 Linden .90 1.25 2.00 |
| 2 to 2 ½ ft., B&B. 3 to 4 ft., B&B. TILIA — THE LIND TILIA americana, 75'-90' Fast growing, forming open head. Frag 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. 12 to 14 ft., 2¼ to 2½ in. — cordata, 70' Small leaves. Forms very symmetrical 12 to 14 ft., 2½ to 3 in. | 2.25 4.50 ENS rant yellov 1.35 1.90 3.00 4.10 6.00 7.50 Littleleaf tree. 12.00 | 1.90 3.75 American w flowers. 1.10 1.50 2.50 3.50 5.00 6.25 European | 1.50 Linden .90 1.25 2.00 |
| 2 to 2½ ft., B&B. 3 to 4 ft., B&B. TILIA — THE LIND TILIA americana, 75'-90' Fast growing, forming open head. Frag 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. 12 to 14 ft., 2¼ to 2½ in. — cordata, 70' Small leaves. Forms very symmetrical | 2.25 4.50 ENS rant yellov 1.35 1.90 3.00 4.10 6.00 7.50 Littleleaf tree. 12.00 | 1.90 3.75 American w flowers. 1.10 1.50 2.50 3.50 5.00 6.25 European | 1.50 Linden .90 1.25 2.00 |
| 2 to 2 ½ ft., B&B. 3 to 4 ft., B&B. TILIA — THE LIND TILIA americana, 75'-90' Fast growing, forming open head. Frag 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. 12 to 14 ft., 2¼ to 2½ in. — cordata, 70' Small leaves. Forms very symmetrical 12 to 14 ft., 2½ to 3 in. | 2.25 4.50 ENS rant yelloven 1.35 1.90 3.00 4.10 6.00 7.50 Littleleaf tree. 12.00 14.50 | 1.90 3.75 American w flowers. 1.10 1.50 2.50 3.50 5.00 6.25 European | 1.50 Linden .90 1.25 2.00 Linden |
| 2 to 2½ ft., B&B. 3 to 4 ft., B&B. TILIA — THE LIND TILIA americana, 75'-90' Fast growing, forming open head. Frag 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. 12 to 14 ft., 2¼ to 2½ in. — cordata, 70' Small leaves. Forms very symmetrical 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. — platyphyllos, 70' Large leaves. Early bloomng. Symmetrical | 2.25 4.50 ENS rant yellove 1.35 1.90 3.00 4.10 6.00 7.50 Littleleaf tree. 12.00 14.50 Bigleaf | 1.90 3.75 American w flowers. 1.10 1.50 2.50 3.50 5.00 6.25 European 10.00 12.00 European | 1.50 Linden .90 1.25 2.00 Linden Linden |
| 2 to 2½ ft., B&B. 3 to 4 ft., B&B. TILIA — THE LIND TILIA americana, 75'-90' Fast growing, forming open head. Frag 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. 12 to 14 ft., 2¼ to 2½ in. — cordata, 70' Small leaves. Forms very symmetrical 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. — platyphyllos, 70' Large leaves. Early blooming. Symmetri planting. | 2.25 4.50 ENS rant yellove 1.35 1.90 3.00 4.10 6.00 7.50 Littleleaf tree. 12.00 14.50 Bigleaf cal. Good | 1.90 3.75 American w flowers. 1.10 1.50 2.50 3.50 5.00 6.25 European 10.00 12.00 European for street | 1.50 Linden .90 1.25 2.00 Linden Linden |
| 2 to 2½ ft., B&B. 3 to 4 ft., B&B. TILIA — THE LIND TILIA americana, 75'-90' Fast growing, forming open head. Frag 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. 12 to 14 ft., 2¼ to 2½ in. — cordata, 70' Small leaves. Forms very symmetrical 12 to 14 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in. — platyphyllos, 70' Large leaves. Early bloomng. Symmetrical | 2.25 4.50 ENS rant yellove 1.35 1.90 3.00 4.10 6.00 7.50 Littleleaf tree. 12.00 14.50 Bigleaf cal. Good 4.50 | 1.90 3.75 American w flowers. 1.10 1.50 2.50 3.50 5.00 6.25 European 10.00 12.00 European for street | 1.50 Linden .90 1.25 2.00 Linden Linden |
| 2 to 2 ½ ft., B&B | 2.25 4.50 ENS rant yellove 1.35 1.90 3.00 4.10 6.00 7.50 Littleleaf tree. 12.00 14.50 Bigleaf cal. Good | 1.90 3.75 American w flowers. 1.10 1.50 2.50 3.50 5.00 6.25 European 10.00 12.00 European for street | 1.50 Linden .90 1.25 2.00 Linden Linden |
| 2 to 2 ½ ft., B&B | 2.25 4.50 ENS rant yellover 1.35 1.90 3.00 4.10 6.00 7.50 Littleleaf tree. 12.00 14.50 Bigleaf cal. Good 4.50 6.00 7.50 9.00 | 1.90 3.75 American w flowers. 1.10 1.50 2.50 3.50 5.00 6.25 European 10.00 12.00 European for street 3.75 5.00 6.25 7.50 | 1.50 Linden .90 1.25 2.00 Linden Linden |
| 2 to 2 ½ ft., B&B | 2.25 4.50 ENS rant yellover 1.35 1.90 3.00 4.10 6.00 7.50 Littleleaf tree. 12.00 14.50 Bigleaf cal. Good 4.50 6.00 7.50 9.00 | 1.90 3.75 American with flowers. 1.10 1.50 2.50 3.50 5.00 6.25 European 10.00 12.00 European for street 3.75 5.00 6.25 | 1.50 Linden .90 1.25 2.00 Linden Linden |

| THAY vulgaris (europeaca), 70'-90' European Linden | | Unit P | rice in Qua | antities |
|--|--|----------|-------------|------------|
| Compact and symmetrical. Fragrant flowers late June. 14 to 16 ft., 2 ½ to 3 in. 12.50 10.00 8.00 14 to 16 ft., 3 to 3 ½ in. 14.50 12.00 9.50 | | | | |
| THE HEMLOCKS TSUGA canadensis, 75'-90' Canada Hemlock Most graceful and adaptable, Excellent for hedge or informal planting. Shears well. 1½ to 2 ft., B&B | TILIA vulgaris (europeaea), 70'-90' | | Europea | an Linden |
| THE HEMLOCKS TSUGA canadensis, 75'-90' Canada Hemlock Most graceful and adaptable. Excellent for hedge or informal planting. Shears well. 1 ½ to 2 ft, B&B. 2.25 1.90 1.50 2 to 2½ ft, B&B. 3.40 2.80 2.25 2 ½ to 3 ft, B&B. 4.90 4.05 3.25 3 to 4 ft, B&B. 10.00 8.00 6.50 5 to 6 ft, B&B. 13.50 11.00 9.00 | Compact and symmetrical. Fragrant flow | wers lat | e June. | |
| THE HEMLOCKS TSUGA canadensis, 75'-90' Canada Hemlock Most graceful and adaptable. Excellent for hedge or informal planting. Shears well. 1 ½ to 2 ft, B&B. 2.25 1.90 1.50 2 to 2½ ft, B&B. 3.40 2.80 2.25 2 ½ to 3 ft, B&B. 4.90 4.05 3.25 3 to 4 ft, B&B. 10.00 8.00 6.50 5 to 6 ft, B&B. 13.50 11.00 9.00 | 14 to 16 ft., 2½ to 3 in | 12.50 | 10.00 | 8.00 |
| TSUGA canadensis, 75'-90' Canada Hemlock Most graceful and adaptable. Excellent for hedge or informal planting. Shears well. 1½ to 2 ft., B&B | | | | 9.50 |
| TSUGA canadensis, 75'-90' Canada Hemlock Most graceful and adaptable. Excellent for hedge or informal planting. Shears well. 1 ½ to 2 ½ tt., B&B | THE HEMI OC | TKQ | | |
| Most graceful and adaptable. Excellent for hedge or informal planting. Shears well. 1 \(\frac{1}{2} \) to 2 \(\frac{1}{2} \) tt., B&B | | ns | - F D | Translasis |
| 1 ½ to 2 ft., B&B | Most graceful and adaptable. Excellent f | or hedg | | |
| 2 to 2 ½ tt., B&B | _ | 2.25 | 1.90 | 1.50 |
| 2 ½ to 3 ft., B&B | | | | |
| 3 to 4 ft., B&B | | | 4.05 | |
| ### 4 to 5 ft., B&B | | | 5.50 | |
| The first state 13.50 11.00 9.00 13.50 11.00 9.00 13.50 11.00 9.00 13.5 | | | | |
| Slow growing form with very small leaves. 5 to 6 ft., B&B | | | | |
| | | | Canadian | Hemlock |
| | | | | |
| Broad weeping type of Tsuga canadensis. 2 ½ to 3 ft., B&B | | | | |
| 3 to 4 ft., B&B | | | s Weeping | Hemlock |
| ## diversifolia, 30'-40' —diversifolia, 30'-40' Slow growing. Compact. Short, dark green needles. 2 to 2 ½ ft., B&B | 2½ to 3 ft., B&B | 7.50 | 6.00 | |
| ## diversifolia, 30'-40' —diversifolia, 30'-40' Slow growing. Compact. Short, dark green needles. 2 to 2 ½ ft., B&B | | | | |
| Slow growing. Compact. Short, dark green needles. 2 to 2 ½ ft., B&B | | | | |
| 2 to 2 ½ ft., B&B. 4.50 3.75 3.00 3 to 4 ft., B&B. 8.50 7.00 5.50 4 to 5 ft., B&B. 12.50 10.00 8.00 5 to 6 ft., B&B. 18.00 15.00 12.00 **Comparison of the comparison of the | | een need | - | Hemlock |
| 3 to 4 ft., B&B | - | | | 2.00 |
| 4 to 5 ft., B&B | | | | |
| ULMUS americana, 80'-100' Medium fast growing. Stately. Very desirable native tree. 6 to 8 ft | | | | |
| ULMUS americana, 80'-100' American Elm Medium fast growing. Stately. Very desirable native tree. 6 to 8 ft. 1.10 .95 .75 8 to 10 ft. 1.90 1.50 1.25 8 to 10 ft., 1 ½ to 1 ½ in. 2.60 2.20 1.75 9 to 11 ft., 1 ½ to 1 ¾ in. 3.40 2.80 2.25 10 to 12 ft., 1 ¾ to 2 in. 4.10 3.50 2.75 11 to 13 ft., 2 to 2 ½ in. 5.25 4.40 3.50 — Moline, 80'-100' Moline Elm Strong growing. Upright. Spreading top. Very graceful. 9 to 11 ft., 1 ¼ to 1 ½ in. 2.60 2.20 1.75 10 to 12 ft., 1 ½ to 1 ¾ in. 3.40 2.80 2.25 11 to 13 ft., 1 ¾ to 2 in. 4.50 3.75 3.00 | | | | |
| ULMUS americana, 80'-100' American Elm Medium fast growing. Stately. Very desirable native tree. 6 to 8 ft. 1.10 .95 .75 8 to 10 ft. 1.90 1.50 1.25 8 to 10 ft., 1 ½ to 1 ½ in. 2.60 2.20 1.75 9 to 11 ft., 1 ½ to 1 ¾ in. 3.40 2.80 2.25 10 to 12 ft., 1 ¾ to 2 in. 4.10 3.50 2.75 11 to 13 ft., 2 to 2 ½ in. 5.25 4.40 3.50 — Moline, 80'-100' Moline Elm Strong growing. Upright. Spreading top. Very graceful. 9 to 11 ft., 1 ¼ to 1 ½ in. 2.60 2.20 1.75 10 to 12 ft., 1 ½ to 1 ¾ in. 3.40 2.80 2.25 11 to 13 ft., 1 ¾ to 2 in. 4.50 3.75 3.00 | | | | |
| Medium fast growing. Stately. Very desirable native tree. 6 to 8 ft. 1.10 .95 .75 8 to 10 ft. 1.90 1.50 1.25 8 to 10 ft., 1¼ to 1½ in. 2.60 2.20 1.75 9 to 11 ft., 1½ to 1¾ in. 3.40 2.80 2.25 10 to 12 ft., 1¾ to 2 in. 4.10 3.50 2.75 11 to 13 ft., 2 to 2½ in. 5.25 4.40 3.50 — Moline, 80'-100' Moline Elm Strong growing. Upright. Spreading top. Very graceful. 9 to 11 ft., 1¼ to 1½ in. 2.60 2.20 1.75 10 to 12 ft., 1½ to 1¾ in. 3.40 2.80 2.25 11 to 13 ft., 1¾ to 2 in. 4.50 3.75 3.00 | | | | |
| Medium fast growing. Stately. Very desirable native tree.6 to 8 ft. 1.10 $.95$ $.75$ 8 to 10 ft. 1.90 1.50 1.25 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 2.60 2.20 1.75 9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 3.40 2.80 2.25 10 to 12 ft., $1\frac{3}{4}$ to 2 in. 4.10 3.50 2.75 11 to 13 ft., 2 to $2\frac{1}{2}$ in. 5.25 4.40 3.50 Moline ElmStrong growing. Upright. Spreading top. Very graceful.9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 2.60 2.20 1.75 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 3.40 2.80 2.25 11 to 13 ft., $1\frac{3}{4}$ to 2 in. 4.50 3.75 3.00 | ULMUS americana, 80'-100' | | Amer | ican Elm |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | · | rable na | ative tree. | |
| 8 to 10 ft. 1.90 1.50 1.25 8 to 10 ft., 1¼ to 1½ in. 2.60 2.20 1.75 9 to 11 ft., 1½ to 1¾ in. 3.40 2.80 2.25 10 to 12 ft., 1¾ to 2 in. 4.10 3.50 2.75 11 to 13 ft., 2 to $2½$ in. 5.25 4.40 3.50 | | | | .75 |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 2.60 2.20 1.75 9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 3.40 2.80 2.25 10 to 12 ft., $1\frac{3}{4}$ to 2 in. 4.10 3.50 2.75 11 to 13 ft., 2 to $2\frac{1}{2}$ in. 5.25 4.40 3.50 $$ Moline, 80'-100' Moline Elm Strong growing. Upright. Spreading top. Very graceful. 9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 2.60 2.20 1.75 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 3.40 2.80 2.25 11 to 13 ft., $1\frac{3}{4}$ to 2 in. 4.50 3.75 3.00 | | | | |
| 9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 3.40 2.80 2.25 10 to 12 ft., $1\frac{3}{4}$ to 2 in. 4.10 3.50 2.75 11 to 13 ft., 2 to $2\frac{1}{2}$ in. 5.25 4.40 3.50 — Moline, 80'-100' Moline Elm Strong growing. Upright. Spreading top. Very graceful. 9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 2.60 2.20 1.75 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 3.40 2.80 2.25 11 to 13 ft., $1\frac{3}{4}$ to 2 in. 4.50 3.75 3.00 | | | | 1.75 |
| 10 to 12 ft., 1 $\frac{3}{4}$ to 2 in. 4.10 | | | 2.80 | 2.25 |
| 11 to 13 ft., 2 to 2 ½ in | | | 3.50 | 2.75 |
| Strong growing. Upright. Spreading top. Very graceful. 9 to 11 ft., 1¼ to 1½ in. 2.60 2.20 1.75 10 to 12 ft., 1½ to 1¾ in. 3.40 2.80 2.25 11 to 13 ft., 1¾ to 2 in. 4.50 3.75 3.00 | | 5.25 | 4.40 | 3.50 |
| 9 to 11 ft., 1 1/4 to 1 1/2 in | — — Moline, 80'-100' | | M | oline Elm |
| 9 to 11 ft., 1 1/4 to 1 1/2 in | Strong growing. Upright. Spreading top | . Very | graceful. | |
| 10 to 12 ft., 1½ to 1¾ in | | | | 1.75 |
| 11 to 13 ft., 1 ¾ to 2 in | | | | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in 6.00 5.00 | 11 to 13 ft., 1 1/2 to 2 in | 4.50 | 3.75 | 3.00 |
| | 12 to 14 ft., 2 to 2½ in | 6.00 | 5.00 | |

| | Unit Price in Quantities | | |
|---|--------------------------|----------|-----------|
| | 1-9 | 10-49 | 50-249 |
| ULMUS Americana "Princeton", 80'-100' (Selected Vase Type) | | Prin | ceton Elm |
| A selected strain of American Elm. Sin spreading top. | milar to | Moline, | but more |
| 8 to 10 ft., 1½ to 1½ in | 3.00 | 2.50 | 2.00 |
| 10 to 12 ft., 1½ to 1¾ in | 3.75 | 3.00 | 2.50 |
| 12 to 14 ft., 1 % to 2 in | 4.90 | 4.05 | 3.25 |
| 12 to 14 ft., 2 to 2½ in | 6.75 | 5.50 | 4.50 |
| —campestris, 80'-100' | | En | glish Elm |
| Smooth bark. A desirable medium growi and angular in form. | ing tree. | Slightly | spreading |
| 6 to 8 ft | 1.90 | 1.50 | 1.25 |
| 8 to 10 ft | 2.25 | 1.90 | 1.50 |
| 8 to 10 ft., 1 1/4 to 1 1/2 in | 3.00 | 2.50 | 2.00 |
| 10 to 12 ft., 1½ to 1¾ in | 3.75 | 3.00 | 2.50 |
| 11 to 13 ft., 1 ¾ to 2 in | 4.90 | 4.05 | 3.25 |

VACCINIUM corymbosum, 5'-6' Collected — Transplanted. Good native shrub. Flowers and fruit beautiful. Prefers acid soil. Rich autumn coloring. 1½ to 2 ft., B&B 2.25 1.90 1.50 2 to 3 ft., B&B 3.00 2.50 2.00



Our Elms are a nice lot, properly grown, and reasonably priced.

| | Unit Pri | ce in Quan 10-49 | tities 50-249 |
|---|---|---|--|
| VIBURNUM acerifolium, 4'-5' | | le Leaf Vi | |
| White flowers, May, June. Maple-like 1 | - | | |
| fall. Good in dry, shady places. | eaves tur | rime to be | arpro in |
| 12 to 18 in | .45 | .37 | .30 |
| 18 to 24 in | .60 | .50 | |
| americanum (trilobum), 8'-9' | Americ | an Cranbe | rrybush |
| Good foliage. Bright scarlet berries all | winter. | | |
| 12 to 18 in. | .30 | .25 | .20 |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .45 | .37 | .30 |
| — burkwoodi, 4' | Bu | rkwood Vi | burnum |
| Medium open growing. Pinkish white flogrant. | owers, Ma | y, June. V | ery fra- |
| 12 to 18 in., B&B | 1.90 | 1.50 | 1 25 |
| 18 to 24 in., B&B | 2.40 | 2.00 | 1.60 |
| 2 to 2 1/4 in., B&B | 3.40 | 2.80 | 2.25 |
| 2 ½ to 3 ft., B&B | 5.00 | 4.00 | 3.25 |
| — cassinoides, 5'-6' | | W | ithe-rod |
| White flowers, May, June. Pink berries c | hange to | blue. Rich | autumn |
| foliage coloring. Good planted near water | er. | | |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft. 4 to 5 ft | 1.05 | .55 $.90$ | $.45 \\ .70$ |
| 5 to 6 ft | 1.25 | 1.05 | .85 |
| — dentatum, 10'-12' | | Arr | owwood |
| White flowers, May, June. Blue-black k | nerries P | | |
| tumn coloring. Excellent in wet soil. | octitos. 1 | arpic and | rou au |
| 18 to 24 in | .35 | .27 | .22 |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .85 | .70 | .55 |
| 5 to 6 ft | $\begin{array}{c} 1.05 \\ 1.35 \end{array}$ | $0.90 \\ 1.10$ | .70 |
| | 1.00 | | |
| — lantana, 15'-18' | min lalod for | | ing-tree |
| White flowers, May, June. Dark green w changing to black. | rinkied id | mage, Red | perries |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | $\begin{array}{c} \textbf{1.00} \\ \textbf{1.35} \end{array}$ | $\begin{array}{c} .80 \\ 1.10 \end{array}$ | $\begin{matrix} .65 \\ .90 \end{matrix}$ |
| 0 10 0 11 | 1.00 | | |
| — lentago, 18'-20' | Nannyberry | | |
| White flowers, May, June. Glossy foliage | | | 4 0 = |
| 18 to 24 in | .37 $.45$ | $egin{smallmatrix} .30 \ .37 \end{smallmatrix}$ | .25 |
| 2 to 3 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .80 | .65 |
| 6 to 8 ft | 1.35 | 1.10 | .90 |

| | Unit Pi | rice in Qu 10-49 | |
|---|----------|---------------------|------------|
| VIBURNUM molle, 10'-12' | K | Kentucky | Viburnum |
| White flowers, May, June. Large dark coloring. | green | foliage. | Good fall |
| 18 to 24 in | .35 | .27 | .22 |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft. | .85 | .70 | .55 |
| 5 to 6 ft | 1.05 | .90 | .70 |
| —opulus, 9'-10' | Europ | ean Cran | berrybush |
| Bright scarlet berries persisting all winterfoliage. | er. Good | rugged d | lark green |
| 12 to 18 in. | .30 | .25 | .20 |
| 18 to 24 in. | .37 | .30 | .25 |
| 2 to 3 ft | .45 | .37 | .30 |
| 4 to 5 ft | 1.00 | .80 | .65 |
| 5 to 6 ft | 1.35 | 1.10 | .90 |
| —— sterile, 9'-10' | | Common | Snowball |
| White flowers, May, June. Very showy. | | | |
| 12 to 18 in. | .37 | .30 | .25 |
| — prunifolium, 10'-12' White flowers, May, June. Blue-black fru | iits. | | Blackhaw |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 2 ½ ft | .75 | .60 | .50 |
| 2 ½ to 3 ft | 1.00 | .80 | .65 |
| 3 to 4 ft | 1.20 | 1.00 | .80 |
| 4 to 5 ft | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft | 2.25 | 1.90 | 1.50 |
| 6 to 8 ft | 3.00 | 2.50 | 2.00 |



"Some of our Viburnums. One of our most popular items. Beautifully grown stock."

| | Unit Pric | ce in Quant 10-49 | tities 50-249 |
|--|------------|---------------------------|---|
| VIBURNUM rhytidophyllum, 6'-8' | Leat | herleaf Vi | burnum |
| Evergreen. Large dark green foliage. S | | | 4 4 6 |
| 12 to 18 in., B&B | 1.65 | 1.35 | 1.10 |
| 18 to 24 in., B&B | | 1.90 | $\begin{array}{c} \textbf{1.50} \\ \textbf{2.00} \end{array}$ |
| 2 to 3 ft., B&B | 3.00 | 2,50 | 2.00 |
| — sieboldi (japonicum), 9'-10' White flowers, May, June. Pink fruits chargeen foliage. | | Siebold Vil black. Ric | |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft. | .55 | .45 | .35 |
| 71.01 | - | 11 01 7711 | |
| — tomentosum, 7'-8' | | ublefile Vil | |
| White flowers borne in flat heads, June. | | | |
| 12 to 18 in.,,,, | .37 | .30 | .25 |
| VINCA minor, 6"-8" | Per | iwinkle or | Myrtle |
| Trailing evergreen. Glossy foliage. Blue | | | • |
| ground cover in sun or shade. | no work in | opring. L | |
| 3 in. pots | .22 | .20 | .15 |
| 5 222 po 65 | | | •10 |
| VITEX macrophylla, 3'-4' Lar (latifolia) | ge-leaved | Lilac Cha | ste tree |
| Lilac flowers, August, September. Gray Prefers sun. | -green st | ar shaped | leaves. |
| 12 to 18 in. | .30 | .25 | .20 |
| | | | |
| WEIGELIA candida, 7'-8' | | White V | Veigelia |
| Large green-white flowers. | | | |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .45 $.60$ | .37 $.50$ | .30 $.40$ |
| 4 to 5 ft | .75 | .60 | .50 |
| | | | |
| - Eva Rathke, 4'-5' Carmine, free flowering, June-August. | Rich folia | | |
| 12 to 18 in. | .45 | .37 | .30 |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .75 | .60 | .50 |
| — Gustav Mallot Rose-red, June-August. Good grower. | F | Rose Red V | Veigelia |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | .37 | .30 | .25 |
| — rosea (florida rosea), 7'-8' Pink flowers, June. Strong grower. Good | d foliage | Pink V | Veigelia |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in. | .37 | .30 | .25 |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |

WILLOW (See SALIX)

YEW (See TAXUS)

ZANTHORHIZA apiifolia, 2'-3'

Yellowroot

(Xanthorhiza simplicissima)

Small purplish flower, May, June. Excellent ground cover. Does well in dry sandy soil and banks.

| 12 to 15 in., 2 year | .37 | .30 | .25 |
|----------------------|-----|-----|-----|
| 15 to 18 in., 3 year | .52 | .45 | .35 |
| 18 to 24 in., 3 year | .70 | .55 | .45 |

APPLES

- Fall Pippin—Excellent quality. Golden yellow. Good cooking variety. Ripens September. 4', 5'.
- Grimes Golden—Medium large. Spicy flavor. Ripens November to February. All sizes.
- McIntosh—Probably the most popular variety. Deep red. Excellent quality. Very hardy. Ripens October to January. All sizes.
- Petrel—Green with red stripe. Good for cooking. Ripening in the fall. All sizes.
- Red Delicious—An improved strain of Delicious. Large red. Good shipper. Fine quality. Ripens October to March. 4', 5'.
- Rome Beauty—Good quality. Keeps well. Large, smooth, yellow striped red. Ripens November to May. All sizes.
- Stayman Winesap—An improved Winesap. Vigorous. Medium to large. Good quality. Red striped with carmen. Ripens December to May All sizes.
- Yellow Delicious—Large, bright yellow. Good quality. Ripens October to April. 3'.
- Yellow Transparent—Medium size. Very hardy. Ripens July and August. 3', 4'.
- Wealthy—Pale yellow, striped with red. Excellent cooking variety. Ripens October to January. All sizes.

| 11/16" up, 4½ ft. up | .85 | .70 | .55 |
|---------------------------|-----|-----|-----|
| 9/16" to 11/16", 4 ft. up | .70 | .55 | .45 |
| 7/16" to 9/16", 3 ft. up | .50 | .40 | .33 |
| 5/16" to 7/16", 2 ft. up | .37 | .30 | .25 |

Unit Price in Quantities
1-9 10-49 50-249

CHERRIES

Sour

Early Richmond—Early red—medium size.

Montmorency—Best sour—large red.

11/16" up, 3½ ft. up.....

1.90 1.50

1.25

Sweet

Black Tartarian—Most popular sweet cherry—large.

Gov. Wood-Large yellow-crimson shaded. Fine quality.

Napoleon-Yellow-red cheek.

Windsor—Almost black—pinkish flesh—large.

90 1.50

1.25

PEACHES

- Afterglow—A vigorous growing tree. Yellow freestone. Very productive. Ripens after Elberta. All sizes.
- Belle of Georgia—Fine quality. White, red cheek. Large freestone. An excellent variety Ripens mid-season. 4½' up.
- Elberta—Yellow freestone. Fruit of large size. Most popular commercial variety. Ripens mid-season. All sizes.
- Golden East—Good size. Yellow freestone. Quality is good and is adapted to light soils. Ripens two weeks before Elberta. All sizes.
- Golden Jubilee—A New Jersey introduction. An excellent early yellow peach. Freestone. Good flavor. Ripens just before Hale Haven. All sizes.
- Hale Haven—Yellow freestone. Good size. Bright red color. Excellent flavor. Rugged grower and hardy in fruit bud. Good variety. Ripens just after Golden Jubilee. All sizes.
- J. H. Hale—Large size. Highly colored yellow freestone. Requires cross pollinization. Ripens about with Elberta. All sizes.
- Jerseyland—Yellow freestone. Good shipper. Hardy and free fruiting. Ripens a few days before Golden Jubilee. All sizes.
- Lizzie—Very similar to Elberta in appearance and quality. Ripens about three to four weeks later than Elberta. 4' up, 4½' up.
- Newday—Good quality. Yellow flesh. Similar to Elberta. Ripens about a week later than Golden Jubilee. All sizes.
- Summercrest—Good size. Freestone. Yellow flesh. Vigorous and hardy. Ripens just before Elberta. 3' up, 4' up, 4½' up.
- Sunhigh—Almost freestone. Large. Yellow flesh. Ripens a few days earlier than Golden East. All sizes.
- Triogem—Yellow. Good quality freestone. Good shipper. Ripens just after Golden Jubilee. All sizes.
- Valiant—Early mid-season. Freestone. Yellow. Productive. Seedling of Elberta. 4' up, 4 ½' up.

Order in multiples of 10 where possible.

Unit Price in Quantities
1.9 10-49 50-249

4

PEACHES—Continued

Vedette—Large yellow freestone. Three weeks before Elberta. Good quality and color. 3' up, 4' up, 4½' up.

Veteran—Yellow freestone. Mid-season. Hardy in bud. Fine quality. 3' up, 4' up, 4 ½' up.

| 1 in. up, 5 ft. up | 1.05 | .90 | .70 |
|--------------------------|------|-----|-----|
| 11/16" up, 4½ ft. up | .90 | .75 | .60 |
| 9/16" to 11/16" 4 ft. up | .75 | .60 | .50 |
| 7/16" to 9/16" 3 ft. up | .60 | .50 | .40 |
| 5/16" to 7/16" 2 ft. up | .37 | .30 | .25 |
| 18 to 24 in | .30 | .25 | .20 |

PEAR TREES

Bartlett—Most popular. Ripens in September.

Kieffer—Large fruit. Yellow with blush. Good canning pear. Ripens October and November.

Seckel—Small fruit. Yellowish brown, Sweet, Extremely high quality. Juicy. Ripens October.

| 1 yr., 5 to 6 ft | 1.25 | 1.05 | .85 |
|------------------|------|------|-----|
| 1 yr., 4 to 5 ft | 1.00 | .80 | .65 |
| 1 yr., 3 to 4 ft | .75 | .60 | .50 |
| 1 yr., 2 to 3 ft | .55 | .47 | .37 |

GRAPE VINES

| | 1-9 | 10-49 |
|------------------------------------|-----|-------|
| Agawam—red. 2 year No. 1 | .24 | .21 |
| Caco—red. 2 year No. 1 | .27 | .22 |
| Concord—black, 2 year No. 1 | .18 | .15 |
| Fredonia—early black. 2 year No. 1 | .24 | .21 |
| Niagara—white, 2 year No. 1 | .24 | .21 |

USES, ADAPTABILITY AND CHARACTERISTICS OF VARIOUS PLANTS

For a Quick-Growing Screen

TREES

Acer negundo
Chamaecyparis pisifera and
varieties
Morus alba
Picea excelsa
Pinus strobus

Pinus resinosa
Populus in variety
Pseudotsuga douglasi
Salix in variety
Thuja occidentalis
Tsuga canadensis

SHRUBS

Eleagnus angustifolia Ligustrum ovalifolium Ligustrum ibota Lonicera fragrantissima

Photinia villosa Rhamnus frangula Viburnum lantana Viburnum lentago

For a Formal Clipped Hedge

TREES

Acer campestre
Acer ginnala
Carpinus carolinianum
Crataegus crusgalli
Juniperus virginiana and
varieties
Fagus sylvatica

Picea excelsa
Pinus strobus
Taxus in variety
Thuja occidentalis and
varieties
Tilia cordata
Tsuga canadensis

SHRUBS

Berberis thunbergi Euonymus radicans vegetus Ilex crenata bullata Ilex crenata microphylla

Ligustrum ibolium Ligustrum ovalifolium Rhamnus cathartica Rhamnus frangula

For an Informal, Flowering or Fruiting Hedge

Berberis in variety
Deutzia gracilis
Deutzia lemoinei
Forsythia
Hibiscus syriacus
Juniperus pfitzeriana
Kalmia latifolia
Kerria japonica
Lonicera (bush forms)
Philadelphus coronarius
Philadelphus virginalis

Rhodotypos kerrioides
Rosa hugonis
Rosa rugosa
Spirea bumalda
Spirea Van Houttei
Sorbaria aitchisoni
Syringa—The Lilacs
Taxus cuspidata nana
Taxus intermedia
Viburnum tomentosum
Viburnum lantana

For a Wet Location

TREES

Evergreen

Thuja occidentalis and varieties
Tsuga canadensis

Deciduous

Acer negundo
Acer saccharum
Acer rubrum
Alnus glutinosa
Amelanchier canadensis

Carpinus caroliniana
Liquidambar styraciflua
Magnolia glauca
Nyssa sylvatica
Platanus orientalis
Populus in variety
Quercus bicolor
Quercus palustris
Salix in variety
Tilia americana

SHRUBS

Aronia arbutifolia
Azalea vaseyi
Azalea viscosa
Benzoin aestivale
Cephalanthus occidentalis
Chionanthus virginica
Clethra alnifolia
Cornus alba
Cornus stolonifera
Enkianthus campanulatus
Hypericum densiflorum
Ilex glabra

Ilex verticillata
Itea virginica
Rosa palustris
Salix in variety
Sambucus canadensis
Spirea tomentosa
Vaccinium corymbosum
Viburnum americanum
Viburnum cassinoides
Viburnum dentatum
Viburnum lentago

For a Dry Location

TREES

Acer campestre
Acer ginnala
Ailanthus glandulosa
Betula populifolia
Juniperus chinensis
Juniperus virginiana

Picea canadensis Picea excelsa Pinus strobus Ptelea trifoliata Quercus coccinea

SHRUBS

Baccharis halimifolia
Caragana arborescens
Colutea arborescens
Comptonia asplenifolia
Eleagnus longipes
Genista tinctoria
Juniperus communis and
varieties
Juniperus chinesis sargenti
Juniperus horizontalis

Ligustrum in variety
Lycium chinense
Prunus maritima
Rhamnus frangula
Rhus in variety
Robinia hispida
Rosa rugosa
Tamarix gallica
Tamarix parviflora

Berry-Bearing Trees and Shrubs

RED BERRIES

Aronia arubtifolia
Benzoin aestivale
Berberis thunbergi
Cornus florida
Cornus kousa
Cornus mas
Crataegus coccinea
Crataegus cordata
Crataegus crus-galli
Elaeagnus longipes
Euonymus alatus
Euonymus radicans vegetus
Ilex opaca
Ilex verticillata
Lonicera maacki

Lonicera morrowi
Lonicera tartarica
Malus floribunda
Malus sargenti
Nyssa sylvatica
Pyracantha cocc. lalandi
Rhus canadensis
Rosa blanda
Rosa rugosa
Sorbus aucuparia
Symphoricarpos chenaulti
Symphoricarpos vulgaris
Viburnum americanum
Viburnum opulus

BLACK BERRIES

Aronia melanocarpa Ilex crenata convexa Ilex crenata microphylla Ilex glabra Ligustrum ibota Ligustrum regelianum Rhamnus cathartica Rhamnus frangula Rhodotypos kerrioides Viburnum acerifolium Viburnum lantana Viburnum prunifolium Viburnum sieboldi

WHITE BERRIES

Cornus alba sibirica Cornus paniculata Cornus stolonifera Pachysandra terminalis Symphoricarpos racem.

DEEP BLUE-BLACK BERRIES

Berberis julianae Berberis triacanthophora Callicarpa purpurea Viburnum cassinoides Viburnum dentatum Viburnum lentago

Small or Dwarf Plants for the Rock Garden and Border

Abelia grandiflora
Acer palmatum and varieties
Azalea amoena
Azalea hinodegiri
Berberis triacanthophora
Cotoneaster microphylla
Deutzia gracilis
Deutzia lemoinei
Diervilla sessilifolia
Euonymus radicans and var.
Ilex convexa (bullata)
Ilex crenata microphylla
Itea virginica
Juniperus (spreading types)
Mahonia aquifolium

Nandina domestica
Pachysandra terminalis
Picea excelsa (dwarf forms)
Prunus glandulosa
Rhododendron carolinianum
Spirea bumalda Anthony
Waterer
Stephanandra flexuosa
Symphoricarpos (various)
Taxus canadensis
Taxus cuspidata nana
Thuja (globe and dwarf
forms)
Zanthorhiza apiifolia

For a Smoky, Dusty, City Situation

TREES

Ailanthus glandulosa Carpinus betulus Crataegus crusgalli Ginkgo biloba Ilex opaca Platanus orientalis Populus in variety

SHRUBS

Acanthopanax pentaphyllum Aralia spinosa Berberis thunbergi Colutea arborescens Crataegus cordata Forsythia in variety Ilex crenata Ilex microphylla Ligustrum in variety
Lonicera fragrantissima
Rhodotypos kerrioides
Spiraea van houttei
Symphoricarpos in variety
Syringa vulgaris
Viburnum cassinoides

For Partially Shaded Locations

TREES

Amelanchier canadensis Chionanthus virginica Cornus florida and rubra Halesia tetraptera Ilex opaca (Evergreen)
|Magnolia glauca
|Oxydendrum arboreum
|Tsuga canadensis (Evergreen)

SHRUBS (*Tolerates dense shade.)

Acanthopanax pentaphyllum Aronia

Azalea aborescens *Azalea nudiflora

Azalea vaseyi Azalea viscosa

*Benzoin aestivale
Calycanthus floridus
Cephalanthus occidentalis
Cercis canadensis
Cornus alternifolia
Cornus mas

*Hamamelis
Hydrangea arborescens
grandiflora

Ilex crenata microphylla

*Ilex glabra Ilex verticillata

*Kalmia

*Kerria japonica

*Leucothoe cataesbaei Ligustrum ibota regelianum Ligustrum ovalifolium Ligustrum vulgare Lonicera fragrantissima Lonicera morrowi Lonicera tatarica

*Pachysandra terminalis Pachistima canbyi

*Rhododendron Rhodotypos kerriodes Stephanandra flexuosa

*Symphoricarpos
Taxus baccata repandens

*Taxus canadensis
Taxus cuspidata
Taxus nana (brevifolia)
Vaccinium corymbosum

*Viburnum acerifolium Viburnum lentago Viburnum opulus Viburnum prunifolium

*Vinca Minor

*Zanthorhiza apiifolia

Trees for Avenues and Streets

Habit—Tall, formal and heavy.

Acer platanoides Liriodendron tulipifera Platanus orientalis Quercus rubra Quercus velutina Tilia americana Tilia cordata Tilia platyphyllos Tilia vulgaris

Habit—Tall, irregular or light textured.

Acer platanoides columnaris Acer dasycarpum Acer rubrum Ailanthus glandulosa Franxinus americana Ginkgo biloba Gleditsia triacanthos Quercus coccinea Quercus palustris Ulmus americanum

Habit—Medium height for narrow, residential street.

Acer saccharum
Catalpa speciosa
Celtis occidentalis
Cercidiphyllum japonicum
Liquidambar stryraciflua

Phellodendrom chinense Populus bolleana Populus nigra italica Quercus phellos Quercus robur fastigiata

MEMORANDA

MEMORANDA

MEMORANDA

SPECIAL OFFER — ASSORTED SHRUBS

Our selection includes all desirable varieties for landscape plantings.

Many of our customers have asked us for assorted shrubs where the varieties do not have to be specified. We are, therefore, offering three groups of shrubs this season. The varieties used will naturally be made up of items that we have in good supply at the time.

| | 100 or more | 1000 or more |
|---|----------------|-----------------|
| GROUP A—Shrubs, 2 yr. Average 2 ft. or more, including all good ornamental varieties of Deutzia, Spirea, Callicarpa, | | |
| Lonicera and others | .30 | .25 |
| GROUP B—Shrubs, 3 yr. Average 3 ft. or more, including all good ornamental | | |
| varieties same as above | 35 | .30 |
| GROUP C—Special, 3 and 4 yr. Shrubs Average 4 ft. or more, including all good ornamental varieties as above with the addition of some of the better | l P | |
| varieties of Viburnum, etc. | .45 | .35 |

We may also from time to time have special offers of assorted SHADE TREES, SMALL EVERGREENS, or other items. Consult us first and take advantage of the savings involved.



PRINCETON PRODUCTS ARE QUALITY PRODUCTS